

**MASSACHUSETTS INSTITUTE OF TECHNOLOGY**  
**Department of Civil and Environmental Engineering**

**1.017 Computing and Data Analysis for Environmental Applications**

---

Quiz 2 (with solutions)  
Thursday, November 8, 2001

---

Please answer all questions on a separate piece(s) of paper with your name clearly identified:

**Problem 1 (15 points)**

- i) Plot a sample cumulative distribution function (CDF) for the following soil conductivity (in cm/day) samples on the attached piece of graph paper.

2.72 1.44 24.28 6.96 6.40 16.30 11.72 8.63 2.94 10.52 8.48 1.63  
12.77 1.50 0.14

- ii) Use this sample CDF to estimate the probability that the soil conductivity at any given point lies between 5 and 10 cm/day.


**Solution:**

i) See [quiz01\\_2sol.m](#) for MATLAB program that plots CDF

ii)  $\text{Prob}(5 < y \leq 10) = 0.67 - .40 = 0.37$

**Problem 2 (15 points)**

Find the mean of the following probability density function:



**Solution:**

$$E[y] = \int_1^2 y(2/3)dy + \int_3^4 y(1/3)dy = \left[ \frac{y^2}{3} \right]_1^2 + \left[ \frac{y^2}{6} \right]_3^4 = \frac{4}{3} - \frac{1}{3} + \frac{16}{6} - \frac{9}{6} = \frac{13}{6}$$

**Problem 3 (20 points)**

The expression  $z = y/(y + y_{half})$  is frequently used to describe the relationship between algal growth rate  $z$  and nutrient concentration  $y$ . Suppose the “half saturation constant”  $y_{half} = 1$  and that  $y$  is uniformly distributed between 1 and 2. Write a MATLAB function that uses a stochastic simulation approach to plot the cumulative distribution function of  $z$ . Attached are descriptions of the MATLAB functions **rand**, **hist**, and **cdfplot**.

**Solution:**

See [quiz01\\_2sol.m](#) for MATLAB program that plots the histogram and CDF

**Problem 4 (25 points)**

The position  $y_t$  of a solute particle moving in a turbulent velocity field can be described as follows:

$$y_t = y_{t-1} + \Delta v_t$$

where  $t$  is a time index ( $t=1,2, \dots, n$ ),  $y_0 = 0$ ,  $\Delta$  is a constant time step, and  $v_1, v_2, \dots, v_n$  are random velocities. For example, if  $\Delta = 0.5$  sec and velocity is measured in cm/sec, the position after 5 time steps is:

$$y_5 = 0.5(v_1 + v_2 + v_3 + v_4 + v_5)$$

This process is an example of a random walk (or Brownian motion). It is the basis for most models of solute dispersion.

Suppose that the velocities are **independent** random variables, each with mean  $E[v_i] = 0$  and variance  $Var[v_i] = 1$  cm/sec.

- a) What are the mean and variance of the particle position  $y_n$  after  $n$  time steps?
- b) Sketch the probability density function of  $y_{20}$ , clearly labeling the mean and standard deviation with appropriate numerical values.

**Solution:**

- a)  $E[y_n] = 0$ ,  $Var[y_n] = (0.5)^2 n$
- b) PDF is normal with mean  $E[y_{20}] = 0$  and  $SD[y_{20}] = (0.5)(20)^{0.5}$

**Problem 5 (25 points)**

Suppose that the streamflow in a particular river on a given day is approximately an exponentially distributed random variable with a mean (parameter  $a$ ) of  $5 \text{ m}^3/\text{sec}$ . Write a MATLAB code that uses a stochastic simulation approach to plot the histogram and cumulative probability distribution of the **maximum** daily streamflow observed over a 100 day period. Attached are descriptions of the MATLAB functions **exprnd**, **max**, **hist**, and **cdfplot**.

**Solution:**

See [quiz01\\_2sol.m](#) for MATLAB program that plots the histogram and CDF