




- (3) The target compound was used as an intermediate in the synthesis of bleomycin by Boger in *Angew. Chem. Int. Ed.* **1999**, 38, 449.




- (4) The target compound was used as an intermediate in the synthesis of polyether antibiotic Ionomycin A by Evans in *J. Am. Chem. Soc.* **1995**, 117, 3454.




- (5) The target compound was used as an intermediate in the synthesis of (-)-talaromycin A by Evans in *J. Am. Chem. Soc.* **1995**, 117, 3454.







(6) The target compound was used as an intermediate in the synthesis of bleomycin by Boger in *Angew. Chem. Int. Ed.* **1999**, 38, 449.




(7) The target compound was used as an intermediate in the synthesis of leucasandrolide A by Rychnovsky in *J. Am. Chem. Soc.* **2001**, 123, 8420.




(8) The target compound was used as an intermediate in the synthesis of polycavernoside A by White in *J. Am. Chem. Soc.* **2001**, 123, 8593.







(9) The target compound was used as an intermediate in the synthesis of hexadepsipeptide GE3 by Hamada in *Synlett* **2002**, 4, 613.



(10) The target compound was used as an intermediate in the synthesis of (+)-damavaricin D by Roush in *J. Am. Chem. Soc.* **1997**, 119, 11331.





(11) The target compound was used as an intermediate in the synthesis of (+)-8-*epi*-xanthatin by Martin in *Org. Lett.* **2005**, 7, 4621.

