

6.003: Signals and Systems

**Relations between CT and DT:
Insights from Operators and Transforms**

February 25, 2010

Mid-term Examination #1

Wednesday, March 3, 7:30-9:30pm, 34-101.

No recitations on the day of the exam.

- Coverage: Representations of CT and DT Systems
Lectures 1-7
Recitations 1-8
Homeworks 1-4

Homework 4 will not be collected or graded. Solutions will be posted.

Closed book: 1 page of notes (8½ x 11 inches; front and back).


Designed as 1-hour exam; two hours to complete.

Review sessions during open office hours.

Conflict? Contact freeman@mit.edu before Friday, Feb. 26, 5pm.


Concept Map: Continuous-Time Systems

Relations among CT representations.




Concept Map: Discrete-Time Systems

Relations among DT representations.




Concept Map

Relations between CT and DT representations.




First-Order CT System

Example: leaky tank.



Check Yourself

What is the "step response" of the leaky tank system?



- 1.
- 2.
- 3.
- 4.
5. none of the above

Forward Euler Approximation


Approximate leaky-tank response using forward Euler approach.

Substitute

$$x_d[n] = x_c(nT)$$

$$y_d[n] = y_c(nT)$$

$$\dot{y}_c(nT) \approx \frac{y_c((n+1)T) - y_c(nT)}{T} = \frac{y_d[n+1] - y_d[n]}{T}$$



Forward Euler Approximation

Approximate leaky-tank response using forward Euler approach.

Substitute

$$x_d[n] = x_c(nT)$$

$$y_d[n] = y_c(nT)$$

$$\dot{y}_c(nT) \approx \frac{y_c((n+1)T) - y_c(nT)}{T} = \frac{y_d[n+1] - y_d[n]}{T}$$

into the differential equation

$$\tau \dot{y}_c(t) = x_c(t) - y_c(t)$$

to obtain


$$\frac{\tau}{T} (y_d[n+1] - y_d[n]) = x_d[n] - y_d[n]$$

Solve:

$$y_d[n+1] - \left(1 - \frac{T}{\tau}\right) y_d[n] = \frac{T}{\tau} x_d[n]$$

Forward Euler Approximation

Plot.



Why is this approximation badly behaved?

Check Yourself


DT approximation:

$$y_d[n+1] - \left(1 - \frac{T}{\tau}\right) y_d[n] = \frac{T}{\tau} x_d[n]$$

Find the DT pole.

1. $z = \frac{T}{\tau}$
2. $z = 1 - \frac{T}{\tau}$
3. $z = \frac{\tau}{T}$
4. $z = -\frac{\tau}{T}$
5. $z = \frac{1}{1 + \frac{T}{\tau}}$

Dependence of DT pole on Step size




The CT pole was fixed ($s = -\frac{1}{\tau}$). Why is the DT pole changing?

Dependence of DT pole on Step size

Change in DT pole: problem specific or property of forward Euler?

Approach: make a systems model of forward Euler method.

CT block diagrams: adders, gains, and integrators:




$$\dot{y}(t) = x(t)$$

Forward Euler approximation:

$$\frac{y[n+1] - y[n]}{T} = x[n]$$


Equivalent system:




Forward Euler: substitute equivalent system for all integrators.

Example: leaky tank system

Started with leaky tank system:



Replace integrator with forward Euler rule:



Write system functional:


$$\frac{Y}{X} = \frac{\frac{T}{\tau} \mathcal{R}}{1 + \frac{T}{\tau} \frac{\mathcal{R}}{1 - \mathcal{R}}} = \frac{\frac{T}{\tau} \mathcal{R}}{1 - \mathcal{R} + \frac{T}{\tau} \mathcal{R}} = \frac{\frac{T}{\tau} \mathcal{R}}{1 - (1 - \frac{T}{\tau}) \mathcal{R}}$$

Equivalent to system we previously developed:


$$y_d[n+1] - (1 - \frac{T}{\tau}) y_d[n] = \frac{T}{\tau} x_d[n]$$

Model of Forward Euler Method

Replace every integrator in the CT system



with the forward Euler model:



Substitute the DT operator for A:


$$A = \frac{1}{s} \rightarrow \frac{T\mathcal{R}}{1 - \mathcal{R}} = \frac{\frac{T}{z}}{1 - \frac{1}{z}} = \frac{T}{z - 1}$$

Forward Euler maps $s \rightarrow \frac{z - 1}{T}$.

Or equivalently: $z = 1 + sT$.

Dependence of DT pole on Step size

Pole at $z = 1 - \frac{T}{\tau} = 1 + sT$.




$\frac{T}{\tau} = 0.1$

$\frac{T}{\tau} = 0.3$

$\frac{T}{\tau} = 1$

$\frac{T}{\tau} = 1.5$


$\frac{T}{\tau} = 2$



Forward Euler: Mapping CT poles to DT poles

Forward Euler Map:

s	\rightarrow	$z = 1 + sT$
0		1
$-\frac{1}{T}$		0
$-\frac{2}{T}$		-1



DT stability: CT pole must be inside circle of radius $\frac{1}{T}$ at $s = -\frac{1}{T}$.

$$-\frac{2}{T} < -\frac{1}{T} < 0 \rightarrow \frac{T}{\tau} < 2$$

Backward Euler Approximation

We can do a similar analysis of the backward Euler method.

Substitute


$$x_d[n] = x_c(nT)$$

$$y_d[n] = y_c(nT)$$

$$\dot{y}_c(nT) \approx \frac{y_c(nT) - y_c((n-1)T)}{T} = \frac{y_d[n] - y_d[n-1]}{T}$$

$$y_c(nT) = y_d[n]$$

$$\dot{y}_c(nT) = \frac{y_d[n] - y_d[n-1]}{T}$$



Backward Euler Approximation

We can do a similar analysis of the backward Euler method.

Substitute

$$x_d[n] = x_c(nT)$$

$$y_d[n] = y_c(nT)$$

$$\dot{y}_c(nT) \approx \frac{y_c(nT) - y_c((n-1)T)}{T} = \frac{y_d[n] - y_d[n-1]}{T}$$

into the differential equation

$$\tau \dot{y}_c(t) = x_c(t) - y_c(t)$$

to obtain


$$\frac{\tau}{T} (y_d[n] - y_d[n-1]) = x_d[n] - y_d[n]$$

Solve:

$$\left(1 + \frac{T}{\tau}\right) y_d[n] - y_d[n-1] = \frac{T}{\tau} x_d[n]$$

Backward Euler Approximation

Plot.



This approximation is better behaved. Why?

Check Yourself


DT approximation:

$$\left(1 + \frac{T}{\tau}\right) y_d[n] - y_d[n-1] = \frac{T}{\tau} x_d[n]$$

Find the DT pole.

1. $z = \frac{T}{\tau}$
2. $z = 1 - \frac{T}{\tau}$
3. $z = \frac{\tau}{T}$
4. $z = -\frac{\tau}{T}$
5. $z = \frac{1}{1 + \frac{T}{\tau}}$

Dependence of DT pole on Stepize




Why is this approximation better behaved?

Dependence of DT pole on Stepize

Make a systems model of backward Euler method.

CT block diagrams: adders, gains, and integrators:




$$\dot{y}(t) = x(t)$$

Backward Euler approximation:

$$\frac{y[n] - y[n-1]}{T} = x[n]$$


Equivalent system:




Backward Euler: substitute equivalent system for all integrators.

Model of Backward Euler Method

Replace every integrator in the CT system



with the backward Euler model:



Substitute the DT operator for A:

$$A = \frac{1}{s} \rightarrow \frac{T}{1 - \mathcal{R}} = \frac{T}{1 - \frac{1}{z}}$$

Backward Euler maps $z \rightarrow \frac{1}{1 - sT}$.

Dependence of DT pole on Stepsize

Pole at $z = \frac{1}{1+\frac{T}{\tau}} = \frac{1}{1-sT}$.

$\frac{T}{\tau} = 0.1$	
$\frac{T}{\tau} = 0.3$	
$\frac{T}{\tau} = 1$	
$\frac{T}{\tau} = 1.5$	
$\frac{T}{\tau} = 2$	

Backward Euler: Mapping CT poles to DT poles

Backward Euler Map:

$$s \rightarrow z = \frac{1}{1-sT}$$

0	1
$-\frac{1}{T}$	$\frac{1}{2}$
$-\frac{2}{T}$	$\frac{1}{3}$

The entire left half-plane maps inside a circle with radius $\frac{1}{2}$ at $z = \frac{1}{2}$.
If CT system is stable, then DT system is also stable.

Masses and Springs, Forwards and Backwards

In Homework 2, you investigated three numerical approximations to a mass and spring system:

- forward Euler
- backward Euler
- centered method

Trapezoidal Rule

The trapezoidal rule uses centered differences.

$$\dot{y}(t) = x(t)$$

Trapezoidal rule:

$$\frac{y[n] - y[n-1]}{T} = \frac{x[n] + x[n-1]}{2}$$

$$y_c\left(\left(n+\frac{1}{2}\right)T\right) = \frac{y_d[n] + y_d[n-1]}{2}$$

$$\dot{y}_c\left(\left(n+\frac{1}{2}\right)T\right) = \frac{y_d[n] - y_d[n-1]}{T}$$

Trapezoidal Rule

The trapezoidal rule uses centered differences.

$$\dot{y}(t) = x(t)$$

Trapezoidal rule:

$$\frac{y[n] - y[n-1]}{T} = \frac{x[n] + x[n-1]}{2}$$

Z transform:

$$H(z) = \frac{Y(s)}{X(s)} = \frac{T}{2} \left(\frac{1+z^{-1}}{1-z^{-1}} \right) = \frac{T}{2} \left(\frac{z+1}{z-1} \right)$$

Map:

$$A = \frac{1}{s} \rightarrow \frac{T}{2} \left(\frac{z+1}{z-1} \right)$$

Trapezoidal rule maps $z \rightarrow \frac{1 + \frac{sT}{2}}{1 - \frac{sT}{2}}$.

Trapezoidal Rule: Mapping CT poles to DT poles


Trapezoidal Map:

$$s \rightarrow z = \frac{1 + \frac{sT}{2}}{1 - \frac{sT}{2}}$$


0	1
$-\frac{1}{T}$	$\frac{1}{3}$
$-\frac{2}{T}$	0
$-\infty$	-1
$j\omega$	$\frac{2+j\omega T}{2-j\omega T}$

The entire left-half plane maps inside the unit circle.
The $j\omega$ axis maps onto the unit circle


Mapping s to z: Leaky-Tank System



Mapping s to z: Mass and Spring System



Mapping s to z: Mass and Spring System



Concept Map

Relations between CT and DT representations.

