

6.033 - Operating Systems + Virtual Memory

Lecture 3

Katrina LaCurts, lacurts@mit.edu

0. Previously

- Modularity reduces complexity
- Naming is necessary for modularity

1. Operating Systems

- Job: enforce modularity on a single machine
 - Also: multiplexing, isolation, cooperation, portability, performance, ...
- To enforce modularity on a single machine, need to:
 - protect programs' memory from each other
 - allow programs to communicate
 - allow programs to share a single CPU
- Virtualization is how we do that
- Today: virtualize memory. assume one CPU per program and that programs don't need to communicate.

2. Virtual memory

- Two components: main memory, CPU
- CPU holds instruction pointer (EIP)
- Naive method: two programs can just point to each other's memory (bad)
- Another method: force programs to only use particular blocks of memory by having them address only part of the space.
Complicated.
- Virtual memory addressing: let each program address the full 32-bit space. MMU translates virtual to physical addresses.

3. Page tables

- Idea 1: Store physical addresses, use virtual addresses as an index into that table
- Problem: table is too big
- Solution: virtual address = page number + offset. MMU maps virtual page numbers to physical page numbers. Keeps offset the same.
- Page table entries contain other stuff. Among that stuff:
 - Present bit
 - This bit lets us know if a page resides in RAM or storage.
That's how the OS deals with not actually having $2^{32} * (\text{number of programs})$ physical addresses in RAM: pages

can live

on disk when necessary.

- R/W bit
- U/S bit
- These bits let the OS know when to trigger page faults

4. Hierarchical Page Tables

- "Normal" page tables (described above) still use a lot of space
- Page tables have to be allocated all at once or not at all
- Hierarchical page tables solve this by creating a hierarchy of page tables and allocating each table only when it's needed.
 - Virtual addresses get divided into multiple parts, one part per level in the hierarchy + an offset.
- Downside? Speed. Multiple lookups instead of one.

5. Kernel

- Virtualized memory doesn't protect the page table
- Kernel mode vs. user mode does this
- Switch between user and kernel modes via interrupts

6. Abstraction

- Some things can't be virtualized (disk, network, ..)
- OS abstractions (system calls) make these things portable
- System calls are implemented as interrupts

7. Virtual memory as naming

- Virtual memory is just a naming scheme
- Gives us hiding, controlled sharing, indirection

Next lectures: get rid of our initial assumptions (one CPU per program, etc.)