8.286 Lecture 6
September 24, 2013

DYNAMICS OF HOMOGENEOUS EXPANSION

Review: Can a Uniform Infinite Distribution of Mass Be Stable?

Gauss's Law of Gravity:

$$\vec{g} = -\frac{GM}{r^2}\hat{r} \quad \Longrightarrow \quad \boxed{\oint \vec{g}\cdot d\vec{a} = -4\pi G M_{\text{enclosed}}}$$

Poisson's Equation:

$$\boxed{\nabla^2\phi = 4\pi G\rho\ ,} \quad \text{where } \vec{g} = -\vec{\nabla}\phi\ .$$

where ρ is the mass density, ∇^2 is the Laplacian:

$$\nabla^2 \equiv \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} + \frac{\partial^2}{\partial z^2}\ ,$$

and $\vec{\nabla}$ is the gradient:

$$\vec{\nabla} \equiv \hat{\imath}\,\frac{\partial}{\partial x} + \hat{\jmath}\,\frac{\partial}{\partial y} + \hat{k}\,\frac{\partial}{\partial z}\ .$$





$\vec{g} = 0$



$\vec{g} = 0$





$\vec{g} = 0$

$$\vec{g} = \frac{GM}{b^2}\hat{e}_{QP}$$

But What About Symmetry?

- Newton argued that there could be no acceleration, because there is no preferred direction for it to point.
- Complication: acceleration is measured relative to an inertial frame, which Newton defined as the frame of the "fixed stars". But if the universe collapses, then there are no fixed stars.
- In the absence of an inertial frame, all accelerations, like velocities, are relative.
- When all accelerations are relative, any observer can consider herself to be non-accelerating. She would then see all other objects accelerating radially toward herself. Like the velocities of Hubble expansion, this picture looks like it has a unique center, but really it is homogenous.

Mathematical Model