Status of Offline analysis

Jan C. Bernauer



Collaboration Meeting April 2012

Massachusetts Institute of Technology

Repo

- Regularly used by most developers

Repo

- Regularly used by most developers
  - What's with the others?

Repo

- Regularly used by most developers
  - What's with the others?
- Commits by day



Features

- Wire chamber:
  - Old plugin deprecated
  - Rewrite makes progress
  - (close to) done: Debug plots, Pattern matching
  - In progress: Drifttime to position in magnetic field, Hit reconstruction

Features

- Wire chamber:
  - Old plugin deprecated
  - Rewrite makes progress
  - (close to) done: Debug plots, Pattern matching
  - In progress: Drifttime to position in magnetic field, Hit reconstruction
- 12 deg lumi
  - Done: Hit reconstruction for MWPC, LumiGEM
  - In progress: Construction of (full) track candidates

Features

- Wire chamber:
  - Old plugin deprecated
  - Rewrite makes progress
  - (close to) done: Debug plots, Pattern matching
  - In progress: Drifttime to position in magnetic field, Hit reconstruction
- 12 deg lumi
  - Done: Hit reconstruction for MWPC, LumiGEM
  - In progress: Construction of (full) track candidates
- Symmetric Moeller/Bhabha:
  - Advances on theory front.
  - No new code in Repo? Please push!

Features

- Wire chamber:
  - Old plugin deprecated
  - Rewrite makes progress
  - (close to) done: Debug plots, Pattern matching
  - In progress: Drifttime to position in magnetic field, Hit reconstruction
- 12 deg lumi
  - Done: Hit reconstruction for MWPC, LumiGEM
  - In progress: Construction of (full) track candidates
- Symmetric Moeller/Bhabha:
  - Advances on theory front.
  - No new code in Repo? Please push!
- Tracking:
  - Individual 1st level track fitting by each detector.
  - Two tracking systems based on global fit using Geant.

LOC


Lines
160000
140000
120000
100000
80000
60000
40000
20000
0
2011-07-01
2011-08-01
2011-09-01
2011-10-01
2011-11-01
2011-12-01
2012-01-01
2012-02-01
2012-03-01
2012-04-01
2012-05-01

Break for student talk

- Let's here it from the students

(Global) Tracking

Two implementations (DH and JCB):

- Both: Fit track by minimization of global χ^2.

(Global) Tracking

Two implementations (DH and JCB):

- Both: Fit track by minimization of global χ^2.
- Build on Geant (DH,JCB), DH: Modified Runmanager, JCB: Geant4 ErrorPropagation Framework

(Global) Tracking

Two implementations (DH and JCB):

- Both: Fit track by minimization of global χ^2.
- Build on Geant (DH,JCB), DH: Modified Runmanager, JCB: Geant4 ErrorPropagation Framework
- DH: Well tested Geant code path, more modifications "around" it.
- JCB: Less well tested Geant code path (MEMORY LEAK), direct use of interface.

(Global) Tracking

Two implementations (DH and JCB):

- Both: Fit track by minimization of global χ^2.
- Build on Geant (DH,JCB), DH: Modified Runmanager, JCB: Geant4 ErrorPropagation Framework
- DH: Well tested Geant code path, more modifications "around" it.
- JCB: Less well tested Geant code path (MEMORY LEAK), direct use of interface.
- Both can fit all detectors, DH: 2d hits, JCB: 2d hits, 1d / something else "prepared".

(Global) Tracking

Two implementations (DH and JCB):

- Both: Fit track by minimization of global χ^2.
- Build on Geant (DH,JCB), DH: Modified Runmanager, JCB: Geant4 ErrorPropagation Framework
- DH: Well tested Geant code path, more modifications "around" it.
- JCB: Less well tested Geant code path (MEMORY LEAK), direct use of interface.
- Both can fit all detectors, DH: 2d hits, JCB: 2d hits, 1d / something else "prepared".
- DH: Standalone, text file input. JCB: Cooker plugin.

(Global) Tracking

Two implementations (DH and JCB):

- Both: Fit track by minimization of global χ^2.
- Build on Geant (DH,JCB), DH: Modified Runmanager, JCB: Geant4 ErrorPropagation Framework
- DH: Well tested Geant code path, more modifications "around" it.
- JCB: Less well tested Geant code path (MEMORY LEAK), direct use of interface.
- Both can fit all detectors, DH: 2d hits, JCB: 2d hits, 1d / something else "prepared".
- DH: Standalone, text file input. JCB: Cooker plugin.
- JCB: Can fit forward/backward, useful for Kalman.

(Global) Tracking

Two implementations (DH and JCB):

- Both: Fit track by minimization of global χ^2.
- Build on Geant (DH,JCB), DH: Modified Runmanager, JCB: Geant4 ErrorPropagation Framework
- DH: Well tested Geant code path, more modifications "around" it.
- JCB: Less well tested Geant code path (MEMORY LEAK), direct use of interface.
- Both can fit all detectors, DH: 2d hits, JCB: 2d hits, 1d / something else "prepared".
- DH: Standalone, text file input. JCB: Cooker plugin.
- JCB: Can fit forward/backward, useful for Kalman.

Results for wire chambers

- Using OLD wire chamber plugin.
- Only finds proton tracks!
- Cut on good χ^2.
- Took one file for each combination.

Vertex distributions



Theta distributions



Missing Energy distributions