

Laboratory for Nuclear Science

The Laboratory for Nuclear Science (LNS) provides support for research by faculty and research staff members in the fields of high-energy and nuclear physics. These activities include those at the Bates Linear Accelerator Center and in the Center for Theoretical Physics. Almost half of the Department of Physics faculty conducts their research through LNS. During fiscal year 2006, the Department of Energy is expected to provide LNS \$23,955,000 in research funding.

Experimental High-Energy Physics

LNS researchers in experimental high-energy physics are active at several laboratories, including Stanford Linear Accelerator Center (SLAC) in California and Fermi National Accelerator Laboratory (Fermilab) in Illinois. The overall objective of current research in high-energy physics is to test as precisely as possible the Standard Model, which has been very successful in describing a wide variety of phenomena, and to seek evidence for physics beyond the Standard Model. LNS researchers are playing principal roles in much of this research.

LNS researchers are playing leading roles in the BaBar experiment at SLAC, which has yielded important insights into the nature of charge symmetry/parity violation in the B-meson system. A new initiative is under way to investigate a similar phenomenon, as well as other fundamental physics questions, by using beams of neutrinos produced by a reactor.

The Collider Detector Facility (CDF) experiment at Fermilab is designed to study the Standard Model and its possible extensions at the highest energy accelerator in the world, the Tevatron collider. Current objectives of CDF include studies of the “bottom” (b) quark, searches for new particles and interactions, and a search for magnetic monopoles. LNS researchers are active in these and other physics programs.



Collider Detector Facility (CDF) at Fermilab in Batavia, IL

In 2007–2008 the high-energy frontier will shift to CERN in Geneva, Switzerland, when the Large Hadron Collider (LHC) commences operation. LNS is involved in both large detector projects at the LHC—namely, the CMS and ATLAS detectors. In CMS, LNS scientists are engaged in the development of the data acquisition system; in ATLAS, the effort is mainly in development of the muon detection systems. Also, LNS scientists are leading the program to study high-energy heavy-ion collisions with CMS.

The Alpha Magnetic Spectrometer (AMS) experiment is designed to look for cosmic antimatter and evidence for dark matter by operating a large magnetic spectrometer above the Earth's atmosphere. The international AMS collaboration is composed primarily of particle physicists and is led by an LNS group. An upgraded version of the AMS spectrometer is under construction, and the experiment is scheduled for a several-year data-taking period on the International Space Station starting later in this decade.



Alpha Magnetic Spectrometer (AMS) on the International Space Station

Experimental Nuclear Physics

Experimental nuclear physics at present has two main thrusts: hadronic physics and heavy-ion physics. LNS has active, leading groups in both of these subfields.

For the past three decades, the focus of LNS activities in hadronic physics has been the Bates Linear Accelerator Center, which is operated by LNS for the US Department of Energy as a national user facility.

In 2005, Bates transitioned from a National User Facility for Nuclear Physics to a MIT-LNS Research Center. The Department of Energy supports a Research and Engineering Center where LNS faculty and their groups develop new instrumentation for frontier research. In addition, research using particle accelerators is a major focus at Bates, with MIT scientists developing and designing new accelerators for both fundamental and applied investigation. Data taken at Bates with the Bates Large Acceptance Spectrometer Toroid (BLAST) detector in 2003–2005 are under analysis and will provide precision data on nucleon structure.



Bates Large Acceptance Spectrometer Toroid (BLAST)

LNS nuclear physics researchers are leading several important efforts at accelerator facilities other than Bates. These facilities include Thomas Jefferson National Accelerator Facility (TJNAF) in Virginia, Los Alamos Neutron Science Center (LANSCE) in New Mexico, and Mainz in Germany. The main thrust of these experiments is a detailed understanding of the properties of the proton, the neutron, and light nuclei. A new initiative in hadronic physics is an investigation of the spin structure of the proton using the STAR detector in polarized proton-proton collisions at the Relativistic Heavy Ion Collider (RHIC) at Brookhaven National Laboratory.

LNS researchers are prominent in relativistic heavy-ion physics. The principal goal of this field has been to investigate the existence and properties of the so-called “quark-gluon plasma,” a state of matter that is predicted to exist at temperatures and densities higher than those present in normal matter and that may have been present in the very early universe. An LNS group leads the PHOBOS experiment at RHIC. Recent results indicate that a new state of matter has been discovered, with unexpected liquid-like properties. In the past year, the PHOBOS experiment completed data taking and the group is now moving to CERN/CMS.

LNS nuclear physicists are also entering the area of neutrino studies, playing a leadership role in a new, extremely precise measurement of the mass of the electron neutrino.

Theoretical Nuclear and Particle Physics

Research at the Center for Theoretical Physics (CTP) seeks to extend and unify our understanding of the fundamental constituents of matter. It seeks to advance the conceptual foundations of fundamental physics, especially as applied to the structure and interactions of hadrons and nuclei, new forms of matter that may be created experimentally or observed astrophysically, and the history and large-scale structure of the Universe. A few examples of recent work are mentioned below.

String theory aims to unite the strong, electroweak, and gravitational interactions and to explain the observed hierarchy of particles and interactions. The CTP has a strong and diverse group in string theory with important ties to particle physics. Important work includes the study of instabilities of “branes” — extended objects that occur in string theory — and their implications for field theories of strings. CTP theorists are also actively exploring matrix quantum mechanics, which may be the fundamental structure that unifies various versions of string theory, and studying tantalizing connections between string theories in anti-de-Sitter space and conformal quantum field theories.

String theories suggest patterns of supersymmetry breaking, which may have implications for physics at the energy scales of the next accelerators. CTP researchers have been exploring these patterns. Also, string theory and quantum gravity suggest that space-time may have other dimensions that influence physical phenomena only indirectly. Predicted effects include manifestations of extra dimensions at energies quite close to those currently available at accelerators.

MIT theorists have been actively developing calculational tools for studying nonperturbative phenomena in quantum field theories. Variational methods, consistent with renormalization and adapted for easy numerical computation, have been developed and are being applied to problems that arise in the Standard Model.

A major effort in the CTP has been in the area of lattice gauge theory, which provides a unique tool to solve, rather than model, quantum field theories beyond perturbation theory. The CTP led the development of a national collaboration on high-speed computation in quantum chromodynamics (QCD), which receives funding as part of the Department of Energy’s Scientific Discovery through Advanced Computing

(SciDAC) initiative. These efforts parallel a new thrust in the study of QCD at finite density and pressure. CTP researchers have suggested novel effects, such as “color superconductivity,” and explained how they may be observed in heavy-ion collisions.

CTP researchers continue to lead exploration of the spin and flavor structure of hadrons, as seen in experiments (many led by MIT faculty) at Bates, Jefferson Laboratory, DESY, and Brookhaven National Laboratory.

Finally, the CTP has initiated important work in quantum computing. New algorithms that exploit the adiabatic approximation in quantum mechanics offer hope of solving generic problems much faster than classic methods.

Education

Since its founding, LNS has placed education at the forefront of its goals. At present, approximately 66 graduate students are receiving their training through LNS research programs. A number of undergraduate students are also heavily involved in LNS research. LNS has educated a significant fraction of the leaders of nuclear and high-energy physics in this country and abroad.

Richard G. Milner
Director
Professor of Physics

More information about the Laboratory for Nuclear Science can be found at <http://www2.lns.mit.edu/>.