

**R22 Standard**

**Semi-Hermetic Air-Cooled Condensing Units**

**KW (60Hz)**

| No. of Fans     | Amb. Temp. °C | Cooling Capacity at 20°C suction return temperature |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-----------------|---------------|-----------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                 |               | Evaporating Temperature °C                          |      |      |      |      |      |      |      |      |      |      |      |      |      |
|                 |               | -45                                                 | -40  | -35  | -30  | -25  | -20  | -15  | -10  | -5   | 0    | 5    | 7    | 10   | 12.5 |
| B8-KM-5X-EWK*   | 27            | 0.30                                                | 0.47 | 0.68 | 0.93 | 1.22 | 1.55 | 1.93 | 2.36 | 2.84 |      |      |      |      |      |
|                 | 32            | 0.23                                                | 0.40 | 0.60 | 0.84 | 1.11 | 1.43 | 1.79 | 2.20 | 2.66 |      |      |      |      |      |
|                 | 38            |                                                     | 0.32 | 0.51 | 0.73 | 0.99 | 1.29 | 1.63 | 2.01 |      |      |      |      |      |      |
|                 | 43            |                                                     | 0.26 | 0.44 | 0.65 | 0.89 | 1.17 | 1.49 | 1.86 |      |      |      |      |      |      |
|                 | 46            |                                                     |      | 0.39 | 0.60 | 0.83 | 1.11 | 1.42 | 1.77 |      |      |      |      |      |      |
|                 | 49            |                                                     |      | 0.35 | 0.55 | 0.78 | 1.04 | 1.34 |      |      |      |      |      |      |      |
| B8-KM-75-EWK*   | 27            | 0.30                                                | 0.47 | 0.68 | 0.93 | 1.22 | 1.56 | 1.94 | 2.37 | 2.86 | 3.40 | 4.00 | 4.25 | 4.65 | 4.95 |
|                 | 32            | 0.23                                                | 0.40 | 0.60 | 0.84 | 1.12 | 1.43 | 1.79 | 2.20 | 2.66 | 3.20 | 3.75 | 4.00 | 4.35 | 4.70 |
|                 | 38            |                                                     | 0.32 | 0.51 | 0.73 | 0.99 | 1.29 | 1.63 | 2.01 | 2.44 | 2.90 | 3.45 | 3.65 | 4.05 | 4.35 |
|                 | 43            |                                                     |      | 0.43 | 0.65 | 0.89 | 1.17 | 1.49 | 1.85 | 2.26 | 2.71 | 3.20 | 3.45 | 3.75 | 4.05 |
|                 | 46            |                                                     |      | 0.39 | 0.60 | 0.83 | 1.10 | 1.41 | 1.76 | 2.15 | 2.59 | 3.10 | 3.30 | 3.60 | 3.90 |
|                 | 49            |                                                     |      | 0.34 | 0.55 | 0.77 | 1.04 | 1.33 | 1.67 | 2.05 | 2.47 | 2.95 | 3.15 |      |      |
| D8-KM-100-EWK*  | 27            |                                                     |      |      |      | 1.33 | 1.69 | 2.10 | 2.57 | 3.10 | 3.70 | 4.40 | 4.70 | 5.15 | 5.60 |
|                 | 32            |                                                     | 0.48 | 0.69 | 0.94 | 1.23 | 1.57 | 1.96 | 2.41 | 2.95 | 3.50 | 4.15 | 4.45 | 4.90 | 5.25 |
|                 | 38            |                                                     | 0.39 | 0.59 | 0.83 | 1.10 | 1.43 | 1.80 | 2.22 | 2.70 | 3.25 | 3.85 | 4.10 | 4.55 | 4.90 |
|                 | 43            |                                                     | 0.33 | 0.51 | 0.74 | 1.00 | 1.30 | 1.66 | 2.06 | 2.51 | 3.05 | 3.60 | 3.85 | 4.25 | 4.60 |
|                 | 46            |                                                     | 0.29 | 0.47 | 0.68 | 0.94 | 1.23 | 1.57 | 1.96 | 2.40 | 2.89 | 3.45 | 3.70 | 4.05 |      |
|                 | 49            |                                                     | 0.24 | 0.42 | 0.63 | 0.87 | 1.16 | 1.49 | 1.86 | 2.28 | 2.76 | 3.30 | 3.50 |      |      |
| B8-KJ-75-EWK*   | 27            | 0.47                                                | 0.68 | 0.93 | 1.22 | 1.57 | 1.97 | 2.43 | 2.95 | 3.55 |      |      |      |      |      |
|                 | 32            | 0.40                                                | 0.60 | 0.84 | 1.11 | 1.44 | 1.82 | 2.26 | 2.77 | 3.35 |      |      |      |      |      |
|                 | 38            |                                                     | 0.51 | 0.73 | 0.99 | 1.30 | 1.65 | 2.07 | 2.54 | 3.10 |      |      |      |      |      |
|                 | 43            |                                                     | 0.44 | 0.65 | 0.90 | 1.18 | 1.52 | 1.91 | 2.36 |      |      |      |      |      |      |
|                 | 46            |                                                     | 0.40 | 0.61 | 0.84 | 1.12 | 1.44 |      |      |      |      |      |      |      |      |
|                 | 49            |                                                     |      | 0.56 | 0.79 |      |      |      |      |      |      |      |      |      |      |
| D8-KJ-150-EWK*  | 27            |                                                     |      |      | 1.30 | 1.69 | 2.15 | 2.69 | 3.30 | 4.00 | 4.80 | 5.65 | 6.00 | 6.60 | 7.10 |
|                 | 32            |                                                     | 0.64 | 0.89 | 1.19 | 1.56 | 2.00 | 2.51 | 3.10 | 3.75 | 4.50 | 5.30 | 5.65 | 6.20 | 6.70 |
|                 | 38            |                                                     | 0.55 | 0.78 | 1.07 | 1.41 | 1.82 | 2.30 | 2.84 | 3.45 | 4.15 | 4.95 | 5.25 | 5.75 | 6.20 |
|                 | 43            |                                                     | 0.48 | 0.70 | 0.97 | 1.29 | 1.68 | 2.12 | 2.64 | 3.20 | 3.90 | 4.60 | 4.90 | 5.40 |      |
|                 | 46            |                                                     | 0.43 | 0.65 | 0.91 | 1.22 | 1.59 | 2.02 | 2.51 | 3.10 | 3.70 | 4.40 | 4.70 | 5.20 |      |
|                 | 49            |                                                     |      | 0.60 | 0.85 | 1.15 | 1.50 | 1.92 | 2.39 | 2.95 | 3.55 | 4.20 | 4.50 |      |      |
| D8-KSJ-100-EWK* | 27            | 0.69                                                | 0.96 | 1.29 | 1.68 | 2.13 | 2.67 | 3.30 | 4.00 | 4.80 |      |      |      |      |      |
|                 | 32            | 0.61                                                | 0.87 | 1.18 | 1.55 | 1.98 | 2.49 | 3.10 | 3.75 | 4.55 |      |      |      |      |      |
|                 | 38            | 0.52                                                | 0.77 | 1.06 | 1.40 | 1.81 | 2.28 | 2.83 | 3.45 | 4.20 |      |      |      |      |      |
|                 | 43            | 0.45                                                | 0.69 | 0.96 | 1.28 | 1.67 | 2.12 | 2.64 | 3.25 | 3.95 |      |      |      |      |      |
|                 | 46            | 0.41                                                | 0.64 | 0.90 | 1.22 | 1.59 | 2.02 | 2.53 | 3.10 |      |      |      |      |      |      |
|                 | 49            | 0.37                                                | 0.59 | 0.85 | 1.15 | 1.51 | 1.93 |      |      |      |      |      |      |      |      |
| H8-KSJ-150-EWK* | 27            |                                                     |      |      | 1.70 | 2.19 | 2.76 | 3.45 | 4.15 | 5.00 | 5.90 | 6.85 | 7.30 | 7.90 | 8.45 |
|                 | 32            |                                                     | 0.90 | 1.19 | 1.57 | 2.04 | 2.58 | 3.20 | 3.90 | 4.70 | 5.55 | 6.50 | 6.85 | 7.50 | 8.00 |
|                 | 38            |                                                     | 0.80 | 1.07 | 1.43 | 1.86 | 2.37 | 2.95 | 3.60 | 4.35 | 5.15 | 6.00 | 6.40 | 6.95 |      |
|                 | 43            |                                                     | 0.72 | 0.97 | 1.31 | 1.71 | 2.19 | 2.75 | 3.35 | 4.05 | 4.80 |      |      |      |      |
|                 | 46            |                                                     | 0.67 | 0.91 | 1.23 | 1.63 | 2.09 | 2.62 | 3.25 | 3.90 | 4.60 |      |      |      |      |
|                 | 49            |                                                     | 0.62 | 0.86 | 1.16 | 1.54 | 1.99 | 2.50 | 3.10 | 3.70 |      |      |      |      |      |
| D8-KL-150-EWK*  | 27            | 0.78                                                | 1.09 | 1.46 | 1.91 | 2.44 | 3.05 | 3.75 | 4.55 | 5.45 |      |      |      |      |      |
|                 | 32            | 0.70                                                | 0.99 | 1.34 | 1.77 | 2.27 | 2.85 | 3.50 | 4.30 |      |      |      |      |      |      |
|                 | 38            | 0.59                                                | 0.87 | 1.20 | 1.60 | 2.06 | 2.61 | 3.25 | 3.95 |      |      |      |      |      |      |
|                 | 43            | 0.51                                                | 0.77 | 1.08 | 1.46 | 1.90 | 2.42 | 3.00 |      |      |      |      |      |      |      |
|                 | 46            | 0.46                                                | 0.71 | 1.01 | 1.37 | 1.80 | 2.30 | 2.88 |      |      |      |      |      |      |      |
|                 | 49            |                                                     | 0.65 | 0.94 | 1.29 | 1.71 | 2.19 |      |      |      |      |      |      |      |      |

\* EWK Voltage - 380-420/3/ 60H. Other voltages are available on request.



Emerson Climate Technologies

Middle East Africa Office : Jebel Ali Free Zone, P.O Box 26382, Dubai- U.A.E.  
Tel.: +971 4 8832828, Fax: +971 4 8832848 Website: [www.emersonclimate.com/mea](http://www.emersonclimate.com/mea)

**R22 Standard**

**Semi-Hermetic Air-Cooled Condensing Units**

**KW (60Hz)**

| No. of Fans                        | Amb. Temp. °C | Cooling Capacity at 20°C suction return temperature |      |      |      |      |      |       |       |       |       |       |       |       |       |
|------------------------------------|---------------|-----------------------------------------------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
|                                    |               | Evaporating Temperature °C                          |      |      |      |      |      |       |       |       |       |       |       |       |       |
|                                    |               | -45                                                 | -40  | -35  | -30  | -25  | -20  | -15   | -10   | -5    | 0     | 5     | 7     | 10    | 12.5  |
| H8-KSL-200-EWK*                    | 27            | 1.37                                                | 1.85 | 2.43 | 3.10 | 3.85 | 4.75 | 5.75  | 6.85  |       |       |       |       |       |       |
|                                    | 32            | 1.24                                                | 1.71 | 2.25 | 2.89 | 3.60 | 4.45 | 5.40  | 6.45  |       |       |       |       |       |       |
|                                    | 38            | 1.10                                                | 1.54 | 2.05 | 2.65 | 3.35 | 4.10 | 5.00  |       |       |       |       |       |       |       |
|                                    | 43            | 0.98                                                | 1.40 | 1.88 | 2.45 | 3.10 | 3.85 |       |       |       |       |       |       |       |       |
|                                    | 46            | 0.91                                                | 1.32 | 1.79 | 2.33 | 2.95 | 3.65 |       |       |       |       |       |       |       |       |
|                                    | 49            | 0.85                                                | 1.24 | 1.70 | 2.22 | 2.82 |      |       |       |       |       |       |       |       |       |
| H8-LE-200-EWK*<br>H8-LE-20X-EWK*   | 27            | 1.14                                                | 1.63 | 2.24 | 2.95 | 3.85 | 4.80 | 5.95  | 7.20  | 8.60  | 10.15 | 10.80 | 11.80 | 12.70 |       |
|                                    | 32            | 0.99                                                | 1.45 | 2.03 | 2.72 | 3.55 | 4.45 | 5.55  | 6.75  | 8.05  | 9.55  | 10.15 | 11.10 |       |       |
|                                    | 38            | 0.81                                                | 1.25 | 1.78 | 2.42 | 3.20 | 4.05 | 5.05  | 6.20  | 7.45  | 8.80  | 9.40  |       |       |       |
|                                    | 43            | 0.67                                                | 1.08 | 1.59 | 2.19 | 2.90 | 3.75 | 4.65  | 5.75  | 6.90  |       |       |       |       |       |
|                                    | 46            | 0.59                                                | 0.99 | 1.48 | 2.06 | 2.74 | 3.55 | 4.45  | 5.45  | 6.60  |       |       |       |       |       |
|                                    | 49            |                                                     | 0.90 | 1.37 | 1.93 | 2.59 | 3.35 | 4.25  | 5.20  | 6.30  |       |       |       |       |       |
| H8-LF-200-EWK*<br>H8-LF-20X-EWK*   | 27            | 1.05                                                | 1.58 | 2.25 | 3.05 | 4.05 | 5.15 | 6.40  | 7.85  |       |       |       |       |       |       |
|                                    | 32            | 0.91                                                | 1.41 | 2.04 | 2.80 | 3.70 | 4.80 | 6.00  |       |       |       |       |       |       |       |
|                                    | 38            | 0.75                                                | 1.20 | 1.78 | 2.50 | 3.35 | 4.35 | 5.50  |       |       |       |       |       |       |       |
|                                    | 43            |                                                     | 1.04 | 1.58 | 2.25 | 3.05 | 4.00 | 5.05  |       |       |       |       |       |       |       |
|                                    | 46            |                                                     | 0.94 | 1.46 | 2.11 | 2.88 | 3.80 |       |       |       |       |       |       |       |       |
|                                    | 49            |                                                     | 0.85 | 1.35 | 1.96 | 2.71 |      |       |       |       |       |       |       |       |       |
| M8-LF-300-EWK*<br>M8-LF-30X-EWK*   | 27            |                                                     | 2.31 | 3.15 | 4.15 | 5.35 | 6.75 | 8.25  | 9.95  | 11.75 | 13.70 | 14.50 | 15.80 | 16.80 |       |
|                                    | 32            |                                                     | 1.47 | 2.08 | 2.87 | 3.85 | 5.00 | 6.30  | 7.75  | 9.35  | 11.05 | 12.90 | 13.70 | 14.85 | 15.90 |
|                                    | 38            |                                                     | 1.25 | 1.82 | 2.56 | 3.45 | 4.55 | 5.75  | 7.10  | 8.60  | 10.25 | 11.95 | 12.70 | 13.80 |       |
|                                    | 43            |                                                     | 1.08 | 1.61 | 2.31 | 3.15 | 4.15 | 5.30  | 6.60  | 8.05  | 9.55  | 11.20 | 11.90 |       |       |
|                                    | 46            |                                                     | 0.98 | 1.49 | 2.16 | 3.00 | 3.95 | 5.05  | 6.30  | 7.70  | 9.15  | 10.75 | 11.45 |       |       |
|                                    | 49            |                                                     | 0.88 | 1.38 | 2.02 | 2.82 | 3.75 | 4.85  | 6.05  | 7.35  | 8.80  |       |       |       |       |
| H8-LL-300-EWK*<br>H8-LL-30X-EWK*   | 27            | 1.70                                                | 2.46 | 3.40 | 4.50 | 5.75 | 7.20 |       |       |       |       |       |       |       |       |
|                                    | 32            | 1.49                                                | 2.21 | 3.10 | 4.15 | 5.35 | 6.75 |       |       |       |       |       |       |       |       |
|                                    | 38            |                                                     | 1.92 | 2.74 | 3.75 | 4.85 | 6.15 |       |       |       |       |       |       |       |       |
|                                    | 43            |                                                     |      | 2.46 | 3.40 | 4.45 | 5.70 |       |       |       |       |       |       |       |       |
|                                    | 46            |                                                     |      | 2.30 | 3.20 | 4.25 |      |       |       |       |       |       |       |       |       |
|                                    | 49            |                                                     |      | 2.14 |      |      |      |       |       |       |       |       |       |       |       |
| M8-LL-300-EWK*<br>M8-LL-30X-EWK*   | 27            | 1.74                                                | 2.53 | 3.50 | 4.65 | 6.00 | 7.60 | 9.35  |       |       |       |       |       |       |       |
|                                    | 32            | 1.52                                                | 2.27 | 3.20 | 4.30 | 5.60 | 7.10 |       |       |       |       |       |       |       |       |
|                                    | 38            |                                                     | 1.97 | 2.83 | 3.85 | 5.10 | 6.50 |       |       |       |       |       |       |       |       |
|                                    | 43            |                                                     |      | 2.54 | 3.50 | 4.65 | 6.00 |       |       |       |       |       |       |       |       |
|                                    | 46            |                                                     |      | 2.37 | 3.30 | 4.45 | 5.70 |       |       |       |       |       |       |       |       |
|                                    | 49            |                                                     |      | 2.21 | 3.10 |      |      |       |       |       |       |       |       |       |       |
| M9-2SA-450-EWK*<br>M9-2SA-45X-EWK* | 27            |                                                     |      |      |      | 6.80 | 8.55 | 10.50 | 12.75 | 15.20 |       |       |       |       |       |
|                                    | 32            |                                                     |      |      |      |      | 8.00 | 9.85  | 11.95 | 14.25 |       |       |       |       |       |
|                                    | 38            |                                                     |      |      |      |      |      | 9.05  | 11.00 | 13.20 |       |       |       |       |       |
|                                    | 43            |                                                     |      |      |      |      |      | 8.40  | 10.25 | 12.30 |       |       |       |       |       |
|                                    | 46            |                                                     |      |      |      |      |      |       | 9.80  | 11.75 |       |       |       |       |       |
|                                    | 49            |                                                     |      |      |      |      |      |       | 9.35  | 11.25 |       |       |       |       |       |
| M9-2SA-450 Air-EWK*                | 27            | 2.35                                                | 3.30 | 4.45 | 5.80 | 7.35 | 9.10 | 11.10 | 13.35 |       |       |       |       |       |       |
|                                    | 32            | 2.10                                                | 3.05 | 4.10 | 5.40 | 6.85 | 8.55 | 10.45 |       |       |       |       |       |       |       |
|                                    | 38            |                                                     | 2.69 | 3.75 | 4.95 | 6.30 | 7.90 |       |       |       |       |       |       |       |       |
|                                    | 43            |                                                     | 2.42 | 3.40 | 4.55 | 5.85 | 7.40 |       |       |       |       |       |       |       |       |
|                                    | 46            |                                                     |      | 3.20 | 4.35 | 5.60 | 7.05 |       |       |       |       |       |       |       |       |
|                                    | 49            |                                                     |      | 3.05 | 4.10 |      |      |       |       |       |       |       |       |       |       |

\* EWK Voltage - 380-420/3/ 60H. Other voltages are available on request.



Emerson Climate Technologies

Middle East Africa Office : Jebel Ali Free Zone, P.O Box 26382, Dubai- U.A.E.

Tel.: +971 4 8832828, Fax: +971 4 8832848 Website: [www.emersonclimate.com/mea](http://www.emersonclimate.com/mea)

**R22 Standard**

**Semi-Hermetic Air-Cooled Condensing Units**

**KW (60Hz)**

| No. of Fans                        | Amb. Temp. °C | Cooling Capacity at 20°C suction return temperature |      |      |       |       |       |       |       |       |   |   |   |         |
|------------------------------------|---------------|-----------------------------------------------------|------|------|-------|-------|-------|-------|-------|-------|---|---|---|---------|
|                                    |               | Evaporating Temperature °C                          |      |      |       |       |       |       |       |       |   |   |   |         |
|                                    |               | -45                                                 | -40  | -35  | -30   | -25   | -20   | -15   | -10   | -5    | 0 | 5 | 7 | 10 12.5 |
| S9-2SC-550-EWK*<br>S9-2SC-55X-EWK* | 27            |                                                     |      |      |       | 8.45  | 10.75 | 13.40 | 16.40 | 19.70 |   |   |   |         |
|                                    | 32            |                                                     |      |      |       | 10.00 | 12.55 | 15.40 | 18.60 |       |   |   |   |         |
|                                    | 38            |                                                     |      |      |       | 9.15  | 11.55 | 14.25 | 17.30 |       |   |   |   |         |
|                                    | 43            |                                                     |      |      |       | 10.70 | 13.30 | 16.20 |       |       |   |   |   |         |
|                                    | 46            |                                                     |      |      |       |       |       | 12.70 | 15.50 |       |   |   |   |         |
|                                    | 49            |                                                     |      |      |       |       |       | 12.15 | 14.90 |       |   |   |   |         |
| S9-2SC-550 Air-EWK*                | 27            | 2.81                                                | 4.05 | 5.45 | 7.15  | 9.10  | 11.35 |       |       |       |   |   |   |         |
|                                    | 32            | 2.51                                                | 3.65 | 5.05 | 6.65  | 8.50  |       |       |       |       |   |   |   |         |
|                                    | 38            |                                                     | 3.25 | 4.55 | 6.05  |       |       |       |       |       |   |   |   |         |
|                                    | 43            |                                                     | 2.95 | 4.20 | 5.60  |       |       |       |       |       |   |   |   |         |
|                                    | 46            |                                                     |      | 3.95 | 5.35  |       |       |       |       |       |   |   |   |         |
|                                    | 49            |                                                     |      | 3.75 | 5.10  |       |       |       |       |       |   |   |   |         |
| V9-2SK-650-EWK*<br>V9-2SK-65X-EWK* | 27            |                                                     |      |      |       | 10.40 | 13.00 | 16.00 | 19.40 | 23.20 |   |   |   |         |
|                                    | 32            |                                                     |      |      |       | 12.15 | 15.00 | 18.30 | 21.90 |       |   |   |   |         |
|                                    | 38            |                                                     |      |      |       | 11.15 | 13.85 | 16.90 | 20.30 |       |   |   |   |         |
|                                    | 43            |                                                     |      |      |       | 12.90 | 15.80 | 19.00 |       |       |   |   |   |         |
|                                    | 46            |                                                     |      |      |       |       |       | 15.10 | 18.20 |       |   |   |   |         |
|                                    | 49            |                                                     |      |      |       |       |       | 14.45 | 17.50 |       |   |   |   |         |
| V6-3SC-750-EWK*                    | 27            | 3.45                                                | 5.05 | 7.00 | 9.35  | 12.10 | 15.30 | 19.00 | 23.20 | 27.80 |   |   |   |         |
|                                    | 32            | 2.95                                                | 4.45 | 6.30 | 8.50  | 11.15 | 14.20 | 17.70 | 21.70 | 26.10 |   |   |   |         |
|                                    | 38            | 2.41                                                | 3.80 | 5.50 | 7.55  | 10.00 | 12.85 | 16.10 | 19.80 | 24.00 |   |   |   |         |
|                                    | 43            | 1.97                                                | 3.25 | 4.80 | 6.75  | 9.05  | 11.75 | 14.80 | 18.30 |       |   |   |   |         |
|                                    | 46            |                                                     | 2.95 | 4.45 | 6.30  | 8.50  | 11.05 | 14.05 |       |       |   |   |   |         |
|                                    | 49            |                                                     | 2.63 | 4.10 | 5.85  | 7.95  |       |       |       |       |   |   |   |         |
| W9-3SS-1000-EWK*                   | 27            | 4.50                                                | 6.75 | 9.40 | 12.55 | 16.20 | 20.40 | 25.10 | 30.50 | 36.00 |   |   |   |         |
|                                    | 32            | 3.85                                                | 6.00 | 8.55 | 11.55 | 15.00 | 19.00 | 23.40 | 28.40 | 34.00 |   |   |   |         |
|                                    | 38            | 3.05                                                | 5.10 | 7.50 | 10.35 | 13.60 | 17.30 | 21.50 | 26.20 | 31.50 |   |   |   |         |
|                                    | 43            | 2.45                                                | 4.40 | 6.70 | 9.35  | 12.45 | 16.00 | 19.90 | 24.40 |       |   |   |   |         |
|                                    | 46            |                                                     | 4.00 | 6.25 | 8.80  | 11.80 | 15.20 |       |       |       |   |   |   |         |
|                                    | 49            |                                                     | 3.65 | 5.80 | 8.25  |       |       |       |       |       |   |   |   |         |

\* EWK Voltage - 380-420/3/ 60H. Other voltages are available on request.



Emerson Climate Technologies

Middle East Africa Office : Jebel Ali Free Zone, P.O Box 26382, Dubai- U.A.E.

Tel.: +971 4 8832828, Fax: +971 4 8832848 Website: [www.emersonclimate.com/mea](http://www.emersonclimate.com/mea)