

## CURRICULUM VITAE

**PHILLIP A. SHARP, PH.D.**  
**INSTITUTE PROFESSOR**

---

### PROFESSIONAL ADDRESS

David H. Koch Institute for Integrative Cancer Research at MIT,  
formerly the MIT Center for Cancer Research  
Room E17-529B  
Massachusetts Institute of Technology  
77 Massachusetts Avenue  
(or 40 Ames Street for express mail or courier service)  
Cambridge, MA 02139-4307

**Phone Number:** 617-253-6421  
**Fax Number:** 617-253-3867  
**E. mail:** [sharppa@mit.edu](mailto:sharppa@mit.edu)

### EDUCATION

1966: B.A., Chemistry & Mathematics, Union College, Barboursville, KY  
1969: Ph.D., Chemistry, University of Illinois, Urbana

### POSITIONS

1999-date: Institute Professor, MIT  
2000-2004: Director, The McGovern Institute  
1991-1999: Salvador E. Luria Professor of Biology, MIT  
1991-1999: Head, Department of Biology, MIT  
1985-1991: Director, Center for Cancer Research, MIT  
1982-1985: Associate Director, Center for Cancer Research, MIT  
1979-1999: Professor, Center for Cancer Research and Department of Biology, MIT  
1974-1979: Associate Professor, Center for Cancer Research and Department of Biology, MIT  
1972-1974: Senior Research Investigator, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York  
1971-1972: Postdoctoral Fellow, Cold Spring Harbor Laboratory  
1969-1971: Postdoctoral Fellow, California Institute of Technology  
1966-1969: Research Assistant, Department of Chemistry, University of Illinois

### HONORS AND AWARDS

2009: Honorary Academician of the Academia Sinica of Taiwan  
2008: Honorary Academician of Academia Sinica, Republic of China  
2008: Honorary Doctorate, Eberly College of Science (Penn State), State College, Pennsylvania  
2008: Honorary Doctorate, Bates College, Maine  
2007: The Karl Friedrich Bonhoeffer Lecture, Max Planck Institute, Göttingen, Germany  
2007: The Winthrop-Sears Award from the Chemists' Club of New York  
2006: The Inaugural Double Helix Medal for Scientific Research from Cold Spring Harbor Laboratory  
2006: Honorary Doctorate, Rippon College, Ripon, Wisconsin  
2006: The AACR Irving Weinstein Distinguished Lectureship Award  
2005: The 2004 National Medal of Science  
2005: Third Princess Chulabhorn Distinguished Lecturer, Chulabhorn Research Institute, Bangkok, Thailand  
2005: KT Wang Foundation Bioorganic Chemistry Lecturer, The National Taiwan University and Academia Sinica, Taiwan  
2005: The University College Dublin Ulysses Inaugural Lecturer, Dublin, Ireland  
2004: Honorary Member, The National Academy of Sciences-Republic of Korea  
2003: Novartis Drew Award in Biomedical Research  
2003: Received the University of Illinois Alumni Achievement Award  
2002: The Fourth Annual Biotechnology Heritage Award from the Biotechnology Industry Organization (BIO) and the Chemical Heritage Foundation (CHF)  
2002: The Storer Life Sciences Lectures, University of California, Davis  
2002: Elected Honorary Fellow of the Royal Society of Edinburgh, Scotland  
2002: Lifetime Honorary Member of the Kentucky Academy of Sciences  
2001: Honorary Doctorate, Northern Kentucky University  
2001: The Norman Davidson Lecture, California Institute of Technology  
2001: The Walker Prize from the Museum of Science, Boston, MA

1999: Doctor Honoris Causa, University of Buenos Aires, Argentina  
 1999: Honorary Doctor of Medicine, Uppsala University, Sweden  
 1999: Institute Professor, MIT  
 1999: The Benjamin Franklin Medal of the American Philosophical Society  
 1999: Honorary Doctor of Science, Thomas More College, KY  
 1998: Honorary Doctor of Science, University of Glasgow, Scotland  
 1996: Honorary Doctor of Science, Albright College, Reading, PA  
 1996: Honorary Doctor of Science, University of Tel Aviv  
 1995: Honorary Doctor of Science Degree, Bowdoin College, Brunswick, ME  
 1994: Honorary Doctor of Science Degree, University of Kentucky  
 1993: The Nobel Prize in Physiology or Medicine  
 1993: Elected Fellow of the American Academy of Microbiology  
 1993: The James R. Killian, Jr., Faculty Achievement Award, MIT  
 1993: The Mendel Medal Award from Villanova University, Villanova, PA  
 1992-1999: The Inaugural Salvador E. Luria Professorship (Chair), MIT  
 1991: Honorary Degree of *Doctor of Humane Letters* from Union College, Barbourville, KY  
 1991: Elected Member of the American Philosophical Society  
 1991: Elected Member of the Institute of Medicine of the National Academy of Sciences  
 1990: The Dickson Prize, University of Pittsburgh  
 1988: The Albert Lasker Basic Medical Research Award  
 1988: Louisa Gross Horwitz Prize, Columbia University  
 1987-1992: The John D. MacArthur Professorship (Chair), MIT  
 1987: Elected Fellow of the American Association for the Advancement of Science  
 1987-1990: Elected Councilor of the National Academy of Sciences  
 1986: The New York Academy of Sciences Award in Biological and Medical Sciences  
 1986: The Gairdner Foundation International Award, Canada  
 1986: The General Motors Research Foundation Alfred P. Sloan, Jr. Prize for Cancer Research  
 1986-1987: Class of '41 Professorship (Chair), MIT  
 1985: The Howard Ricketts Award, The University of Chicago  
 1985: The Harvey Society Lecture  
 1983: Elected to the National Academy of Sciences  
 1983: Elected to the American Academy of Arts and Sciences  
 1980: The Eli Lilly Award in Biological Chemistry  
 1980: The National Academy of Sciences' U.S. Steel Foundation Award in Molecular Biology  
 1974-1979: Recipient of an American Cancer Society Career Development Award

## **SERVICE**

Chair of the Scientific Review Council of the Cancer Prevention and Research Institute of Texas (CPRIT) – 2009  
 Co-chair, NRC Committee on A New Biology for the 21st Century: Ensuring the United States Leads the Coming Biology Revolution, National Academy of Sciences, 2008-2010  
 Chair of the Scientific Advisory Committee, SU2C Project, AACR, 2008-  
 Member of the Board of FDA's Reagan-Udall Foundation, 2008-  
 Member of the Alfred P. Sloan Management Society of the MIT Sloan School of Management, 2007-  
 Elected member of the MIT Museum Advisory Board, 2005-  
 Member of the National Academies Committee on Scientific Communication and National Security(CSCANS), 2005-2009  
 Member, Lasker Jury of the Lasker Foundation, 2007-  
 Member of the Scientific Advisory Board of the Ontario Institute for Cancer Research (OICR), 2006-  
 Elected Member of the Board of Directors of the Whitehead Institute, 2005-  
 Member of the Gairdner Foundation Awards Committee, 2004-  
 Elected Member of the Corporation of Partners HealthCare Systems, Inc., 2003-  
 Member of the Board of Trustees of the Massachusetts General Hospital, 2002-  
 Member and Chair, Committee on Research and Education, Partners HealthCare Systems Inc., 2003-  
 Member of the Nominating Committee, Partners HealthCare Systems Inc., 2005-  
 Member of the Board of Scientific Governors of the Scripps Research Institute, 1999-  
 Member of the Science Advisory Committee for the Sandler Basic Science Program, UCSF, 1999-2007  
 Member of the Scientific Committee of the Ludwig Institute for Cancer Research, 1998-2008  
 Member of the Scientific Board of Advisors, The Van Andel Institute, 1996-  
 Chairman of the Scientific and Medical Advisory Board of the Huntsman Cancer Foundation, 1995-2001  
 Trustee and Member of the Alfred P. Sloan Foundation, 1995-2004  
 Chairman of the General Motors Cancer Research Foundation Awards Assembly, 1994-2006  
 Member of the Faculty of the Harvard-MIT Division of Health Sciences and Technology  
 Member of the Review Committee, The Medical Foundation (Health Resources in Action), 1982-2005,

and its Chairman, 1988-2005

Member of the Advisory Council of the Molecular Biology Department, Princeton University, 1987- 2003

### GOVERNMENT SERVICE

Committee on Science Engineering and Public Policy (COSEPUP), Assuring the Integrity of Research Data in an Era of E-Science, National Academy of Sciences, 2007-

NHGRI Large-Scale Sequencing Program, committee member - current

NSAB committee member - current

MGC ESC committee member - current

Member of the National Cancer Advisory Board (NCAB), NCI , 1996-2000

Chairman of the National Cancer Advisory Board (NCAB), NCI, 2000-2002

Member of the NCI Advisory Committee to the Director, 2000-2001

Member of the President's Committee of Advisors on Science and Technology (PCAST), 1994-97

Member, Committee on Science, Engineering, and Public Policy (COSEPUP), 7/1/92-6/30/95

### INDUSTRY

Member of the Scientific Advisory Board of Sirtris Pharmaceuticals, 2003-

Member of the Scientific Advisory Board of Fidelity Biosciences Group, 2004-

Member of the Board of Advisors, Polaris Venture Partners, 2002-

Co-founder of Biogen, Inc., 1978 (now Biogen Idec)

Co-founder of Alnylam Pharmaceuticals (2002), Chairman of the Scientific Board and member of the Board of Directors

### PROFESSIONAL SOCIETIES

The National Academy of Sciences

The Institute of Medicine

The American Association for the Advancement of Science

The American Society of Biological Chemists

The American Association for Cancer Research

The American Chemical Society

The American Society for Microbiology

The American Academy of Arts and Sciences

The American Society for Biochemistry and Molecular Biology

The American Philosophical Society

### EDITORIAL BOARDS

*J. Virol.* (to 1985); *Mol. Cell. Biol.* (to 1985); *Virology* (to 1986); *Cell* (to 1995); *RNA* (1995-)

### PUBLICATIONS

1. Bloomfield, V. A. and Sharp, P. A. Variation in intrinsic viscosity  $\phi$  parameter with chain topology, hydrodynamic interaction and excluded volume. *Macromol.* **1**, 380 (1968).
2. Sharp, P. A. and Bloomfield, V. A. Light scattering from wormlike chains with excluded volume effects. *Biopolymers* **6**, 1201-1211 (1968).
3. Sharp, P. A. and Bloomfield, V. A. Light scattering and hydrodynamic properties of polymer chains with excluded volume effects. *J. Chem. Phys.* **49**, 4564-4566 (1968).
4. Sharp, P. A. and Bloomfield, V. A. Intrinsic viscosity of wormlike chains with excluded-volume effects. *J. Chem. Phys.* **48**, 2149-2155 (1968).
5. Sharp, P. A., and Bloomfield, V. A. Binding of proflavine and ethidium bromide to two forms of T2 bacteriophage with different sedimentation coefficients. *Biochem. Biophys. Res. Commun.* **39**, 407-413 (1970).
- 5a. Cohen, S. N., Silver, R. P., Sharp, P. A., and McCoubrey, A. E. The problems of drug-resistant pathogenic bacteria. Studies on the molecular nature of R factors. *Ann. NY Acad. Sci.* **182**, 172-187 (1971).
6. Cohen, S. N., Silver, R. P., McCoubrey, A. E., and Sharp, P. A. Isolation of cotenated forms of R factor DNA from inicells. *Nature New Biol.* **231**, 249-251 (1971).
7. Kim, J., Sharp, P. A., and Davidson, N. Electron microscope studies of heteroduplex DNA from a deletion mutant of bacteriophage phiX-174. *Proc. Natl. Acad. Sci. USA* **69**, 1948-1952 (1972).
8. Tai, H. T., Smith, C. A., Sharp, P. A., and Vinograd, J. Sequence heterogeneity in closed simian virus 40 deoxyribonucleic acid. *J. Virol.* **9**, 317-325 (1972).
9. Sharp, P. A., Hsu, M., and Davidson, N. Note on the structure of prophage  $\lambda$ . *J. Mol. Biol.* **71**, 499-501 (1972).
10. Sharp, P. A., Hsu, M. T., Otsubo, E., and Davidson, N. Electron microscope heteroduplex studies of sequence relations among plasmids of *Escherichia coli*. I. Structure of F-prime factors. *J. Mol. Biol.* **71**, 471-497 (1972).

11. Sambrook, J., Sharp, P. A., and Keller, W. Transcription of Simian virus 40. I. Separation of the strands of SV40 DNA and hybridization of the separated strands to RNA extracted from lytically infected and transformed cells. *J. Mol. Biol.* **70**, 57-71 (1972).
12. Ozanne, B., Sharp, P. A., and Sambrook, J. Transcription of simian virus 40. II. Hybridization of RNA extracted from different lines of transformed cells to the separated strands of simian virus 40 DNA. *J. Virol.* **12**, 90-98 (1973).
13. Sambrook, J., Sugden, B., Keller, W., and Sharp, P. A. Transcription of simian virus 40. III. Mapping of "early" and "late" species of RNA. *Proc. Natl. Acad. Sci. USA* **70**, 3711-3715 (1973).
14. Botchan, M., McKenna, G., and Sharp, P. A. Cleavage of mouse DNA by a restriction enzyme as a clue to the arrangement of genes. *Cold Spring Harbor Symp. Quant. Biol.* **38**, 383-395 (1974).
- 14a. Botchan, M., Ozanne, B., Sugden, B., Sharp, P. A., and Sambrook, J. Viral DNA in transformed cells. III. The amounts of different regions of the SV40 genome present in a line of transformed mouse cells. *Proc. Natl. Acad. Sci. USA* **71**, 4183-4187 (1974).
15. Sharp, P. A., Sugden, B., and Sambrook, J. Detection of two restriction endonuclease activities in Haemophilus parainfluenzae using analytical agarose-ethidium bromide electrophoresis. *Biochemistry* **12**, 3055-3063 (1973).
16. Sharp, P. A., Cohen, S. N., and Davidson, N. Electron microscope heteroduplex studies of sequence relations among plasmids of *Escherichia coli*. II. Structure of drug resistance  $\otimes$  factors and F factors. *J. Mol. Biol.* **75**, 235-255 (1973).
17. Pettersson, U., Mulder, C., Delius, H., and Sharp, P. A. Cleavage of adenovirus type 2 DNA into six unique fragments by endonuclease R-RI. *Proc. Natl. Acad. Sci. USA* **70**, 200-204 (1973).
18. Sharp, P. A., Pettersson, U., and Sambrook, J. Viral DNA in transformed cells. I. A study of the sequences of adenovirus 2 DNA in a line of transformed rat cells using specific fragments of the viral genome. *J. Mol. Biol.* **86**, 709-726 (1974).
19. Mulder, C., Sharp, P. A., Delius, H., and Pettersson, U. Specific fragmentation of DNA of adenovirus serotypes 3, 5, 7, and 12, and adeno-simian virus 40 hybrid virus Ad2+ND1 by restriction endonuclease *R.EcoRI*. *J. Virol.* **14**, 68-77 (1974).
- 19a. Sambrook, J., Sharp, P. A., Ozanne, B., and Pettersson, U. Studies on the transcription of simian virus 40 and adenovirus type 2. *Basic Life Sci.* **3**, 167-179 (1974).
20. Sharp, P. A., Gallimore, P. H., and Flint, S. J. Mapping of adenovirus 2 RNA sequences in lytically infected cells and transformed cell lines. *Cold Spring Harbor Symp. Quant. Biol.* **39**, 457-474 (1975).
21. Flint, S. J. and Sharp, P. A. Mapping of viral-specific RNA in the cytoplasm and nucleus of adenovirus 2-infected human cells. *Brookhaven Symp. Biol.* **26**, 333-358 (1975).
22. Mulder, C., Arrand, J. R., Delius, H., Keller, W., Pettersson, U., Roberts, R. J., and Sharp, P. A. Cleavage maps of DNA from adenovirus types 2 and 5 by restriction endonucleases *EcoRI* and *HpaI*. *Cold Spring Harbor Symp. Quant. Biol.* **39**, 397-400 (1975).
23. Grodzicker, T., Anderson, C., Sharp, P. A., and Sambrook, J. Conditional lethal mutants of adenovirus 2-simian virus 40 hybrids. I. Host range mutants of Ad2+ND1. *J. Virol.* **13**, 1237-1244 (1974).
24. Gallimore, P. H., Sharp, P. A., and Sambrook, J. Viral DNA in transformed cells. II. A study of the sequences of adenovirus 2 DNA in nine lines of transformed rat cell using specific fragments of the viral genome. *J. Mol. Biol.* **89**, 49-72 (1974).
25. Sambrook, J., Botchan, M., Gallimore, P., Ozanne, B., Pettersson, U., Williams, J., and Sharp, P. A. Viral DNA sequences in cells transformed by simian virus 40, adenovirus type 2 and adenovirus type 5. *Cold Spring Harbor Symp. Quant. Biol.* **39**, 615-632 (1975).
- 25a. Grodzicker, T., Williams, J., Sharp, P., and Sambrook, J. Physical mapping of temperature-sensitive mutations of adenoviruses. *Cold Spring Harbor Symp. Quant. Biol.* **39**, 439-446 (1975).
26. Sambrook, J., Williams, J., Sharp, P. A., and Grodzicker, T. Physical mapping of temperature-sensitive mutations of adenoviruses. *J. Mol. Biol.* **97**, 369-390 (1975).
27. Williams, J., Grodzicker, T., Sharp, P. A., and Sambrook, J. Adenovirus recombination: physical mapping of crossover events. *Cell* **4**, 113-119 (1975).
- 27a. Sambrook, J., Jackson, A., Keller, W., Ozanne, B., Sharp, P. A., and Sugden, B. "Transcription of SV40 in lytically infected and transformed cells." In *Tumor virus-host cell interaction*. Kolber, A.R. (editor), New York: Plenum Press, 91-116 (1975).
28. Mautner, V., Williams, J., Sambrook, J., Sharp, P. A., and Grodzicker, T. The location of the genes coding for hexon and fiber proteins in adenovirus DNA. *Cell* **5**, 93-99 (1975).

29. Flint, S. J., Wewerka-Lutz, Y., Levine, A. S., Sambrook, J., and Sharp, P. A. Adenovirus transcription. II. RNA sequences complementary to simian virus 40 and adenovirus 2 DNA in AD2+ND1- and AD2+ND3-infected cells. *J. Virol.* **16**, 662-673 (1975).
30. Flint, S. J., Gallimore, P. H., and Sharp, P. A. Comparison of viral RNA sequences in adenovirus 2-transformed and lytically infected cells. *J. Mol. Biol.* **96**, 47-68 (1975).
31. Sharp, P. A. and Flint, S. J. Adenovirus transcription. *Current Topics Microbiol. Immunol.* **74**, 137-166 (1976).
32. Flint, S. J., Berget, S. M., and Sharp, P. A. Adenovirus transcription. III. Mapping of viral RNA sequences in cells productively infected by adenovirus type 5. *Virology* **72**, 443-455 (1976).
33. Flint, S. J., Sambrook, J., Williams, J. F., and Sharp, P. A. Viral nucleic acid sequences in transformed cells. IV. A study of the sequences of adenovirus 5 DNA and RNA in four lines of adenovirus 5-transformed rodent cells using specific fragments of the viral genome. *Virology* **72**, 456-470 (1976).
34. Berget, S. M., Flint, S. J., and Sharp, P. A. "Characterization of viral, single-stranded DNA sequences in adenovirus infected cells." In *Animal virology*. (Baltimore, D., Huang, A. S., and Fox, C. F., eds.), New York: Academic Press, 81-96 (1976).
35. Berget, S. M., Flint, S. J., Williams, J. F., and Sharp, P. A. Adenovirus transcription. IV. Synthesis of viral-specific RNA in human cells infected with temperature-sensitive mutants of adenovirus 5. *J. Virol.* **19**, 879-889 (1976).
36. Flint, S. J. and Sharp, P. A. Adenovirus transcription. V. Quantitation of viral RNA sequences in adenovirus 2-infected and transformed cells. *J. Mol. Biol.* **106**, 749-774 (1976).
37. Sharp, P. A., Moore, C., and Haverty, J. L. The infectivity of adenovirus 5 DNA-protein complex. *Virology* **75**, 442-456 (1976).
38. Flint, S. J., Berget, S. M., and Sharp, P. A. Characterization of single-stranded viral DNA sequences present during replication of adenovirus types 2 and 5. *Cell* **9**, 559-571 (1976).
39. Berk, A. J. and Sharp, P. A. Ultraviolet mapping of the adenovirus 2 early promoters. *Cell* **12**, 45-55 (1977).
40. Donoghue, D. J. and Sharp, P. A. An improved bacteriophage  $\lambda$  vector: construction of model recombinants coding for kanamycin resistance. *Gene* **1**, 209-227 (1977).
41. Donoghue, D. J. and Sharp, P. A. "Model recombinants for the development and manipulation of EK2 phage vector systems." In *Molecular Approaches to Eucaryotic Genetic Systems: ICN-UCLA Symposia on Molecular and Cellular Biology* (G. Wilcox et al., ed.), Vol. VIII, pp. 41-53, New York: Academic Press (1977).
42. Berget, S. M., Moore, C., and Sharp, P. A. Spliced segments at the 5' terminus of adenovirus 2 late mRNA. *Proc. Natl. Acad. Sci. USA* **74**, 3171-3175 (1977).
43. Berk, A. J. and Sharp, P. A. Sizing and mapping of early adenovirus mRNAs by gel electrophoresis of S1 endonuclease-digested hybrids. *Cell* **12**, 721-732 (1977).
44. Berget, S. M. and Sharp, P. A. A spliced sequence at the 5'-terminus of adenovirus late mRNA. In *Gene Interaction and Transfer: Brookhaven Symp. Biol.* **29**, 332-344 (1977).
45. Berget, S. M., Berk, A. J., Harrison, T., and Sharp, P. A. Spliced segments at the 5' termini of adenovirus-2 late mRNA: a role for heterogeneous nuclear RNA in mammalian cells. *Cold Spring Harbor Symp. Quant. Biol.* **42**, 523-529 (1978).
46. Donoghue, D. J. and Sharp, P. A. Replication of colicin E1 plasmid DNA in vivo requires no plasmid-encoded proteins. *J. Bacteriol.* **133**, 1287-1294 (1978).
47. Berk, A. J. and Sharp, P. A. Spliced early mRNAs of simian virus 40. *Proc. Natl. Acad. Sci. USA* **75**, 1274-1278 (1978).
48. Berk, A. J. and Sharp, P. A. Structure of the adenovirus 2 early mRNAs. *Cell* **14**, 695-711 (1978).
49. Donoghue, D. J., Rothenberg, E., Hopkins, N., Baltimore, D., and Sharp, P. A. Heteroduplex analysis of the nonhomology region between Moloney MuLV and the dual host range derivative HIX virus. *Cell* **14**, 959-970 (1978).
50. Berk, A. J. and Sharp, P. A. "RNA splicing in the early mRNAs of simian virus 40 and adenovirus 2." In *Persistent viruses: ICN-UCLA Symposia on Molecular and Cellular Biology* (J. G. Stevens et al., eds), New York: Academic Press, pp. 431-444 (1978).
51. Donoghue, D. J. and Sharp, P. A. Construction of a hybrid bacteriophage-plasmid recombinant DNA vector. *J. Bacteriol.* **136**, 1192-1196 (1978).
52. Lockard, R. E., Berget, S. M., RajBhandary, U. L., and Sharp, P. A. Nucleotide sequence at the 5' terminus of adenovirus 2 late messenger RNA. *J. Biol. Chem.* **254**, 587-590 (1979).
53. Berget, S. M. and Sharp, P. A. Structure of late adenovirus 2 heterogeneous nuclear RNA. *J. Mol. Biol.* **129**, 547-565 (1979).

54. Sharp, P. A., Berk, A. J., and Berget, S. M. Transcription maps of adenovirus. In *Methods in Enzymology* **65**, 750-768 (1979).
55. Donoghue, D. J., Sharp, P. A., and Weinberg, R. A. An MSV-specific subgenomic mRNA in MSV-transformed G8-124 cells. *Cell* **17**, 53-63 (1979).
56. Manley, J. L., Sharp, P. A., and Gefter, M. L. RNA synthesis in isolated nuclei: identification and comparison of adenovirus 2 encoded transcripts synthesized in vitro and in vivo. *J. Mol. Biol.* **135**, 171-197 (1979).
57. Kronenberg, H. M., McDevitt, B. E., Majzoub, J. A., Nathans, J., Sharp, P. A., Potts, J. T., and Rich, A. Cloning and nucleotide sequence of DNA coding for bovine preproparathyroid hormone. *Proc. Natl. Acad. Sci. USA* **76**, 4981-4985 (1979).
58. Manley, J. L., Sharp, P. A., and Gefter, M. L. RNA synthesis in isolated nuclei: in vitro initiation of adenovirus 2 major late mRNA precursor. *Proc. Natl. Acad. Sci. USA* **76**, 160-164 (1979).
59. Berk, A. J., Lee, F., Harrison, T., Williams, J., and Sharp, P. A. Pre-early adenovirus 5 gene product regulates synthesis of early viral messenger RNAs. *Cell* **17**, 935-944 (1979).
60. Lee, F., Berk, A. J., Harrison, T., Williams, J., and Sharp, P. A. Regulation of early adenovirus mRNA synthesis. *ICN-UCLA Symposia* **48**, 581-594 (1979).
61. Donoghue, D. J., Sharp, P. A., and Weinberg, R. A. Comparative study of different isolates of murine sarcoma virus. *J. Virol.* **32**, 1015-1027 (1979).
62. Manley, J. L., Sharp, P. A., and Gefter, M. L. Synthesis and processing of adenovirus 2 RNA in vitro. *ICN-UCLA Symposia* **49**, 595-610 (1979).
63. Berk, A. J., Lee, F., Harrison, T., Williams, J., and Sharp, P. A. Phenotypes of adenovirus-5 host-range mutants for early-mRNA synthesis. *Cold Spring Harbor Symp. Quant. Biol.* **44**, 429-436 (1980).
- 63a. Donoghue, D. J., Goldfarb, M. P., Sharp, P. A., and Weinberg, R. A. Organization of murine sarcoma virus genomes. *Cold Spring Harbor Symp. Quant. Biol.* **44**, 721-726 (1980).
64. Sharp, P. A. Summary: molecular biology of viral oncogenes. *Cold Spring Harbor Symp. Quant. Biol.* **44**, 1305-1322 (1980).
- 64a. Sharp, P. A., Berk, A. J., and Berget, S. M. Transcription maps of adenovirus. *Methods Enzymol.* **65**, 750-768 (1980).
- Sharp, P. A., Manley, J., Fire, A., and Gefter, M. Regulation of adenovirus mRNA synthesis. *Annals NY Acad. Sci.* **354**, 1-15 (1980).
65. Manley, J. L., Handa, H., Huang, S-Y., Gefter, M., and Sharp, P. A. Transcription of animal genes in vitro. Miami Symp., pp. 361-378 (1980).
66. Handa, H. and Sharp, P. A. Expression of early and late simian virus 40 transcripts in the absence of protein synthesis. *J. Virol.* **34**, 592-597 (1980).
67. Sharp, P. A., Manley, J. L., Fire, A., and Gefter, M. Regulation of adenovirus mRNA synthesis. *New York Academy of Sci.* **354**, 1-15 (1980).
68. Manley, J. L., Fire, A., Cano, A., Sharp, P. A., and Gefter, M. L. DNA-dependent transcription of adenovirus genes in a soluble whole-cell extract. *Proc. Natl. Acad. Sci. USA* **77**, 3855-3859 (1980).
69. Sharp, P. A. Workshop #3 Summary: Adenoviruses/SV40/Polyoma II. ICN-UCLA Symp. Proc., pp. 799-807 (1980).
70. Cepko, C. L., Changelian, P. S., and Sharp, P. A. Immunoprecipitation with two-dimensional pools as a hybridoma screening technique: production and characterization of monoclonal antibodies against adenovirus 2 proteins. *Virology* **110**, 385-401 (1981).
71. Handa, H., Kaufman, R. J., Manley, J., Gefter, M., and Sharp, P. A. Transcription of Simian virus 40 DNA in a HeLa whole cell extract. *J. Biol. Chem.* **256**, 478-482 (1981).
72. Sharp, P. A. Adenovirus late transcription unit. In *Perspectives in Virol.*, Vol. II, pp. 9-30 (M. Pollard, ed.), New York: Alan R. Liss, Inc. (1981).
73. Chu, G., and Sharp, P. A. A gene chimaera of SV40 and mouse beta-globin is transcribed and properly spliced. *Nature* **289**, 378-382 (1981).
74. Chu, G., and Sharp, P. A. SV40 DNA transfection of cells in suspension: analysis of efficiency of transcription and translation of T-antigen. *Gene* **13**, 197-202 (1981).
75. Sharp, P. A. Speculations on RNA splicing. *Cell* **23**, 643-646 (1981).
76. Cepko, C. L., Hansen, U., Handa, H., and Sharp, P. A. Sequential transcription-translation of simian virus 40 by using mammalian cell extracts. *Mol. Cell. Biol.* **1**, 919-931 (1981).
77. Lemischka, I. R., Farmer, S., Racaniello, V. R., and Sharp, P. A. Nucleotide sequence and evolution of a mammalian  $\alpha$ -tubulin messenger RNA. *J. Mol. Biol.* **151**, 101-120 (1981).

78. Fire, A., Baker, C. C., Manley, J. L., Ziff, E. B., and Sharp, P. A. In vitro transcription of adenovirus. *J. Virol.* **40**, 703-719 (1981).
79. Ricciardi, R. P., Jones, R. L., Cepko, C. L., Sharp, P. A., and Roberts, B. E. Expression of early adenovirus genes requires a viral encoded acidic polypeptide. *Proc. Natl. Acad. Sci. USA* **78**, 6121-6125 (1981).
80. Fire, A., Baker, C. C., Ziff, E. B., and Sharp, P. A. Transcription of adenovirus DNA in infected cell extracts. ICN-UCLA Symposia on Molecular and Cellular Biology XXIII (D. D. Brown and C. F. Fox, eds.), pp. 387-399, New York: Academic Press (1981).
81. Crawford, N., Fire, A., Samuels, M., Sharp, P. A., and Baltimore, D. Inhibition of transcription factor activity by poliovirus. *Cell* **27**, 555-561 (1981).
82. Hansen, U., Tenen, D. G., Livingston, D. M., and Sharp, P. A. T-antigen repression of SV40 early transcription from overlapping promoters. *Cell* **27**, 603-612 (1981).
83. Sharp, P. A. and Wilson, M. C. Regulation of gene expression. In *Molecular Genetic Neuroscience*, Chapter 5 (F. O. Schmitt, S. J. Bird, and F. E. Bloom, eds.), pp. 47-59, New York: Raven Press (1982).
84. Manley, J. L., Sharp, P. A., and Gefter, M. L. RNA synthesis in isolated nuclei: Processing of adenovirus serotype 2 late messenger RNA precursors. *J. Mol. Biol.* **159**, 581-599 (1982).
85. Laski, F. A., Alzner-DeWeerd, B., RajBhandary, U. L., and Sharp, P. A. Expression of a *X. laevis* tRNA<sup>Tyr</sup> gene in mammalian cells. *Nucleic Acids Res.* **10**, 4609-4626 (1982).
86. Horowitz, M., Cepko, C. L., and Sharp, P. A. SV40 as a vector for cloning eukaryotic sequences that affect post-transcriptional processing. In *Eukaryotic Viral Vectors* (Y. Gluzman, ed.), Cold Spring Harbor Laboratory, pp. 47-53 (1982).
87. Berkner, K. L. and Sharp, P. A. Preparation of adenovirus recombinants using plasmids of viral DNA. In *Eukaryotic Viral Vectors* (Y. Gluzman, ed.), Cold Spring Harbor Laboratory, pp. 193-198 (1982).
88. Kaufman, R. J., Sharp, P. A., and Latt, S. A. Expression and amplification of DNA introduced into mammalian cells. In *Gene Amplification* (S. Schimke, ed.), Cold Spring Harbor Press, pp. 245-250 (1982).
89. Kaufman, R. J. and Sharp, P. A. Amplification and expression of sequences cotransfected with a modular dihydrofolate reductase complementary DNA gene. *J. Mol. Biol.* **159**, 601-621 (1982).
90. Laski, F. A., Belagaje, R., RajBhandary, U. L., and Sharp, P. A. An amber suppressor tRNA gene derived by site-specific mutagenesis: cloning and function in mammalian cells. *Proc. Natl. Acad. Sci. USA* **79**, 5813-5817 (1982).
91. Hudziak, R. M., Laski, F. A., RajBhandary, U. L., Sharp, P. A., and Capecchi, M. Establishment of mammalian cell lines containing multiple nonsense mutations and functional suppressor tRNA genes. *Cell* **31**, 137-146 (1982).
92. Cepko, C. L. and Sharp, P. A. Assembly of adenovirus major capsid protein is mediated by a nonvirion protein. *Cell* **31**, 407-415 (1982).
93. Lemischka, I. and Sharp, P. A. The sequences of an expressed rat  $\alpha$ -tubulin gene and a pseudogene with an inserted repetitive element. *Nature* **300**, 330-335 (1982).
94. Kaufman, R. J. and Sharp, P. A. Construction of a modular dihydrofolate reductase cDNA gene: analysis of signals utilized for efficient expression. *Mol. Cell. Biol.* **2**, 1304-1319 (1982).
95. Samuels, M., Fire, A., and Sharp, P. A. Separation and characterization of factors mediating accurate transcription by RNA polymerase II. *J. Biol. Chem.* **257**, 14419-14427 (1982).
96. Kaufman, R. J., and Sharp, P. A. Growth-dependent expression of dihydrofolate reductase mRNA from modular cDNA genes. *Mol. Cell. Biol.* **3**, 1598-1608 (1983).
97. Sharp, P. A., Fire, A., Samuels, M., and Crawford, N. In vitro transcription of adenovirus DNA. *Proceedings of the 35<sup>th</sup> Annual Symp. Fundamental Cancer Research: Perspectives on Genes and the Molecular Biology of Cancer* (D. L. Roberson and G. F. Saunders, eds.), New York: Raven Press, pp. 255-263 (1983).
98. Cepko, C. L., Whetstone, C. A., and Sharp, P. A. Adenovirus hexon monoclonal antibody that is group specific and potentially useful as a diagnostic reagent. *J. Clin. Microbiol.* **17**, 360-364 (1983).
99. Sharp, P. A. Conversion of RNA to DNA in mammals: Alu-like elements and pseudogenes. *Nature* **301**, 471-472 (1983).
100. Cepko, C. L., and Sharp, P. A. Aberrant distribution of human adenovirus type 2 late proteins in monkey kidney cells. *J. Virol.* **46**, 302-306 (1983).
101. Handa, H., Kingston, R. E., and Sharp, P. A. Inhibition of adenovirus early region IV transcription in vitro by a purified viral DNA binding protein. *Nature* **302**, 545-547 (1983).
102. Horowitz, M., Cepko, C. L., and Sharp, P. A. Expression of chimeric genes in the early region of SV40. *J. Mol. Appl. Genet.* **2**, 147-159 (1983).

103. Padgett, R. A., Hardy, S. F., and Sharp, P. A. Splicing of adenovirus RNA in a cell-free transcription system. *Proc. Natl. Acad. Sci. USA* **80**, 5230-5234 (1983).
104. Cepko, C. L. and Sharp, P. A. Analysis of Ad5 hexon and 100K ts mutants using conformation-specific monoclonal antibodies. *Virology* **129**, 137-154 (1983).
105. Young, J. F., Capecchi, M., Laski, F. A., RajBhandary, U. L., Sharp, P. A., and Palese, P. Measurement of suppressor transfer RNA activity. *Science* **221**, 873-875 (1983).
106. Summers, W. P., Summers, W. C., Laski, F. A., RajBhandary, U. L., and Sharp, P. A. Functional suppression in mammalian cells of nonsense mutations in the herpes simplex virus thymidine kinase gene by suppressor tRNA genes. *J. Virol.* **47**, 376-379 (1983).
107. Laski, F. A., Fire, A. Z., RajBhandary, U. L., and Sharp, P. A. Characterization of tRNA precursor splicing in mammalian extracts. *J. Biol. Chem.* **258**, 11974-11980 (1983).
108. Kaufman, R. J., Sharp, P. A., and Latt, S. A. Evolution of chromosomal regions containing transfected and amplified dihydrofolate reductase sequences. *Mol. Cell. Biol.* **3**, 699-711 (1983).
109. Berkner, K. L., and Sharp, P. A. Generation of adenovirus by transfection of plasmids. *Nucleic Acids Res.* **11**, 6003-6020 (1983).
110. Kingston, R. E., Kaufman, R. J., and Sharp, P. A. Regulation of gene expression by the adenoviral EIa region and by c-myc. In *Cancer Cells, Oncogenes and Viral Genes* (G. F. Vande Woude, A. J. Levine, W. C. Topp, and J. D. Watson, eds.), Vol. II, pp. 539-544, New York: Cold Spring Harbor Press (1984).
111. Hansen, U., and Sharp, P. A. Sequences controlling in vitro transcription of SV40 promoters. *EMBO J.* **2**, 2293-2303 (1983).
112. Hansen, U. and Sharp, P. A. Transcription by RNA polymerase II. In *Comprehensive Virology* (H. Fraenkel-Conrat and R. R. Wagner, eds.), Vol. 19, pp. 65-97, New York: Plenum Publishing Corp. (1983).
113. Kaufman, R. J. and Sharp, P. A. Amplification and regulated expression of a modular dihydrofolate cDNA gene. In *Gene Transfer and Cancer* (M. L. Pearson and N. L. Sternberg, eds.), pp. 351-360, New York: Raven Press (1983).
114. Manley, J. L., Fire, A., Samuels, M., and Sharp, P. A. In vitro transcription: whole-cell extract. *Methods in Enzymology* **101**, 568-582 (1983).
115. Sharp, P. A. Adenovirus transcription. In *The Adenoviruses* (H. S. Ginsberg, ed.), Chapter 5, pp. 173-204, New York: Plenum Press Corp. (1984).
116. Fire, A., Samuels, M., and Sharp, P. A. Interactions between RNA polymerase II, factors, and template leading to accurate transcription. *J. Biol. Chem.* **259**, 2509-2516 (1984).
117. Samuels, M., Fire, A., and Sharp, P. A. Dinucleotide priming of transcription mediated by RNA polymerase II. *J. Biol. Chem.* **259**, 2517-2525 (1984).
118. Padgett, R. A., Mount, S. M., Steitz, J. A., and Sharp, P. A. Splicing of messenger RNA precursors is inhibited by antisera to small nuclear ribonucleoprotein. *Cell* **35**, 101-107 (1983).
119. Hardy, S. F., Grabowski, P. J., Padgett, R. A., and Sharp, P. A. Cofactor requirements of splicing of purified messenger RNA precursors. *Nature* **308**, 375-377 (1984).
120. Handa, H., and Sharp, P. A. Requirement for distal upstream sequences for maximal transcription in vitro of early region IV of adenovirus. *Mol. Cell. Biol.* **4**, 791-798 (1984).
121. Moore, C. L., and Sharp, P. A. Site-specific polyadenylation in a cell-free reaction. *Cell* **36**, 581-591 (1984).
122. Berkner, K. L., and Sharp, P. A. Expression of dihydrofolate reductase, and of the adjacent EIb region, in an Ad5-dihydrofolate reductase recombinant virus. *Nucleic Acids Res.* **12**, 1925-1941 (1984).
123. Grabowski, P. J., Padgett, R. A., and Sharp, P. A. Messenger RNA splicing in vitro: an excised intervening sequence and a potential intermediate. *Cell* **37**, 415-427 (1984).
124. Kingston, R. E., Kaufman, R. J., and Sharp, P. A. Regulation of transcription of the adenovirus EII promoter by EIa gene products: absence of sequence specificity. *Mol. Cell. Biol.* **4**, 1970-1977 (1984).
125. Kingston, R. E., Baldwin, A. S., and Sharp, P. A. Regulation of heat shock protein 70 gene expression by c-myc. *Nature* **312**, 280-282 (1984).
126. Konarska, M. M., Padgett, R. A., and Sharp, P. A. Recognition of cap structure in splicing in vitro of mRNA precursors. *Cell* **38**, 731-736 (1984).
127. Laski, F. A., Belagaje, R., Hudziak, R. M., Capecchi, M. R., Norton, G. P., Palese, P., RajBhandary, U. L., and Sharp, P. A. Synthesis of an ochre suppressor tRNA gene and expression in mammalian cells. *EMBO J.* **3**, 2445-2452 (1984).
128. Padgett, R. A., Konarska, M. M., Grabowski, P. J., Hardy, S. F., and Sharp, P. A. Lariat RNA's as intermediates and products in the splicing of messenger RNA precursors. *Science* **225**, 898-903 (1984).

129. Sharp, P. A., Hardy, S., and Padgett, R. A. Splicing of messenger RNA precursors. In *Transfer and Expression of Eukaryotic Genes*, Chapter 7, pp. 183-202, Academic Press (1984).
130. Konarska, M. M., Grabowski, P. J., Padgett, R. A., and Sharp, P. A. Characterization of the branch site in lariat RNAs produced by splicing of mRNA precursors. *Nature* **313**, 552-557 (1985).
131. Capone, J. P., Sharp, P. A., and RajBhandary, U. L. Amber, ochre and opal suppressor tRNA genes derived from a human serine tRNA gene. *EMBO J.* **4**, 213-221 (1985).
132. Berkner, K. L. and Sharp, P. A. Effect of the tripartite leader on synthesis of a non-viral protein in an adenovirus 5 recombinant. *Nucleic Acids Res.* **13**, 841-857 (1985).
133. Padgett, R. A., Grabowski, P. J., Konarska, M. M., and Sharp, P. A. Splicing of messenger RNA precursors: Branch sites and lariat RNAs. *TIBS* **10**, 154-157 (1985).
134. Kingston, R. E., Baldwin, A. S., and Sharp, P. A. Transcription control by oncogenes. *Cell* **41**, 3-5 (1985).
135. Sharp, P. A., Kingston, R. E., Baldwin, A. S., Padgett, R. A., Konarska, M. M., and Grabowski, P. J. Expression of mRNA in eucaryotic cells. In *Molecular Biology of Muscle Development: UCLA Symp. on Molecular and Cellular Biol.*, New Series (C. Emerson, D. A. Fischman, B. Nadal-Ginard, and M. A. Q. Siddiqui, eds.), Vol. 29, New York: Alan R. Liss, Inc. (1985).
136. Padgett, R. A., Konarska, M. M., Grabowski, P. J., Aebi, M., Weissmann, C., and Sharp, P. A. Studies on the mechanism of mRNA splicing in vitro. In *Sequence Specificity in Transcription and Translation: UCLA Symposia on Molecular and Cellular Biol.*, New Series (C. Emerson, D. A. Fischman, B. Nadal-Ginard, and M. A. Q. Siddiqui, eds.), Vol. 30, New York: Alan R. Liss, Inc. (1985).
137. Moore, C. L. and Sharp, P. A. Accurate cleavage and polyadenylation of exogenous RNA substrate. *Cell* **41**, 845-855 (1985).
138. Grabowski, P. J., Seiler, S. R., and Sharp, P. A. A multicomponent complex is involved in the splicing of messenger RNA precursors. *Cell* **42**, 345-353 (1985).
139. Konarska, M. M., Padgett, R. A., and Sharp, P. A. Transsplicing of mRNA precursors in vitro. *Cell* **42**, 165-171 (1985).
140. Jat, P. S. and Sharp, P. A. Large T antigens of simian virus 40 and polyomavirus efficiently establish primary fibroblasts. *J. Virol.* **59**, 746-750 (1986).
141. Samuels, M. and Sharp, P. A. Purification and characterization of a specific RNA polymerase II transcription factor. *J. Biol. Chem.* **261**, 2003-2013 (1986).
142. Sharp, P. A. On the origin of RNA splicing and introns. *Cell* **42**, 397-400 (1985).
143. Padgett, R. A., Konarska, M. M., Aebi, M., Hornig, H., Weissmann, C., and Sharp, P. A. Nonconsensus branch-site sequences in the in vitro splicing of transcripts of mutant rabbit  $\beta$ -globin genes. *Proc. Natl. Acad. Sci. USA* **82**, 8349-8353 (1985).
144. Carthew, R. W., Chodosh, L. A., and Sharp, P. A. An RNA polymerase II transcription factor binds to an upstream element in the adenovirus major late promoter. *Cell* **43**, 439-448 (1985).
145. Jat, P. S., Cepko, C. L., Mulligan, R. C., and Sharp, P. A. Recombinant retroviruses encoding simian virus 40 large T antigen and polyomavirus large and middle T antigens. *Mol. Cell. Biol.* **6**, 1204-1217 (1986).
146. Singh, H., Sen, R., Baltimore, D., and Sharp, P. A. A nuclear factor that binds to a conserved sequence motif in transcriptional control elements of immunoglobulin genes. *Nature* **319**, 154-158 (1986).
147. Padgett, R. A., Grabowski, P. J., Konarska, M. M., Seiler, S., and Sharp, P. A. Splicing of messenger RNA precursors. *Annu. Rev. Biochem.* **55**, 1119-1150 (1986).
148. Choi, Y. D., Grabowski, P. J., Sharp, P. A., and Dreyfuss, G. Heterogeneous nuclear ribonucleoproteins: role in RNA splicing. *Science* **231**, 1534-1539 (1986).
149. Sharp, P. A. Analysis of splicing of mRNA precursors in vitro. In *CANCER CELLS 4 / DNA Tumor Viruses* pp. 245-248, Cold Spring Harbor Laboratory (1986).
150. Weinberger, J., Baltimore, D. and Sharp, P. A. Distinct factors bind to apparently homologous sequences in the immunoglobulin heavy chain enhancer. *Nature* **322**, 846-848 (1986).
151. Moore, C. L., Skolnik-David, H. and Sharp, P. A. Analysis of RNA cleavage at the adenovirus-2 L3 polyadenylation site. *EMBO J.* **5**, 1929-1938 (1986).
152. Konarska, M. and Sharp, P. A. Electrophoretic separation of complexes involved in the splicing of precursors to mRNAs. *Cell* **46**, 845-855 (1986).
153. Grabowski, P. J. and Sharp, P. A. Affinity chromatography of splicing complexes: U2, U5 and U4+U6 small nuclear ribonucleoprotein particles in the spliceosome. *Science* **233**, 1294-1299 (1986).
154. Sharp, P. A. Splicing of messenger RNA precursors. *THE HARVEY LECTURES, SERIES 81*, Alan R. Liss Publishers, pp. 1-31 (1987).

155. Capone, J. P., Sedivy, J. M., Sharp, P. A. and RajBhandary, U. L. Introduction of UAG, UAA, and UGA nonsense mutations at a specific site in the *Escherichia coli* chloramphenicol acetyltransferase gene: Use in measurement of amber, ochre, and opal suppression in mammalian cells. *Mol. Cell. Biol.* **6**, 3059-3067 (1986).
156. Staudt, L. M., Singh, H., Sen, R., Wirth, T., Sharp, P. A. and Baltimore, D. A lymphoid-specific protein binding to the octamer motif of immunoglobulin genes. *Nature* **323**, 640-643 (1986).
157. Berkner, K. L., Schaffhausen, B. S., Roberts, T. M. and Sharp, P. A. Abundant expression of the polyoma middle T antigen and of dihydrofolate reductase in an adenovirus recombinant. *J. Virol.* **61**, 1213-1220 (1987).
158. Chodosh, L. A., Carthew, R. W. and Sharp, P. A. A single polypeptide possesses the binding and transcription activities of the major late transcription factor of adenovirus. *Mol. Cell. Biol.* **6**, 4723-4733 (1986).
159. Baldwin, A. S., Jr., and Sharp, P. A. Binding of a nuclear factor to a regulatory sequence in the promoter of the mouse H-2Kb class I major histocompatibility gene. *Mol. Cell. Biol.* **7**, 305-313 (1987).
160. Sharp, P. A. Splicing of messenger RNA precursors. *Science* **235**, 766-771 (1987).
161. Sharp, P. A., Carthew, R. W. and Chodosh, L. A. Sequence-specific DNA binding proteins and transcription in mammalian cells. In *RNA Polymerase and the Regulation of Transcription* (Reznikoff et al., eds.), Elsevier Science Publishing Co., Inc. pp. 313-322 (1987).
162. Konarska, M. M. and Sharp, P. A. Interactions between small nuclear ribonucleoprotein particles in formation of spliceosomes. *Cell* **49**, 763-774 (1987).
163. Sedivy, J. M., Capone, J. P., RajBhandary, U. L. and Sharp, P. A. An inducible mammalian amber suppressor: Propagation of a poliovirus mutant. *Cell* **50**, 379-389 (1987).
164. Hanaka, S., Nichigaki, T., Sharp, P. A. and Handa, H. Regulation of in vitro and in vivo transcription of early region IV of adenovirus type 5 by multiple cis-acting elements. *Mol. Cell. Biol.* **7**, 2578-2587 (1987).
165. Lamond, A. I., Konarska, M. M. and Sharp, P. A. A mutational analysis of spliceosome assembly: Evidence for splice site collaboration. *Genes Dev.* **1**, 532-543 (1987).
166. Sharp, P. A. Transsplicing: Variation on a familiar theme? *Cell* (Minireview) **50**, 147-148 (1987).
167. Skolnik-David, H., Moore, C. L. and Sharp, P. A. Electrophoretic separation of polyadenylation-specific complexes. *Genes Dev.* **1**, 672-682 (1987).
168. Moore, C. L., Skolnik-David, H. and Sharp, P. A. Sedimentation analysis of polyadenylation-specific complexes. *Mol. Cell. Biol.* **8**, 226-233 (1988).
169. Carthew, R. W., Chodosh, L. A. and Sharp, P. A. The major late transcription factor binds to and activates the mouse metallothionein I promoter. *Genes Dev.* **1**, 973-980 (1987).
170. Chodosh, L. A., Carthew, R. W., Morgan, J. W., Crabtree, G. R. and Sharp, P. A. An adenovirus major late transcription factor activates the rat  $\gamma$ -fibrinogen promoter. *Science* **238**, 684-688 (1987).
171. Baldwin, A. S., Jr., and Sharp, P. A. Two transcription factors, NF- $\kappa$ B and H2TF1, interact with a single regulatory sequence in the class I major histocompatibility complex promoter. *Proc. Natl. Acad. Sci. USA* **85**, 723-727 (1988).
172. Ganguly, S., Sharp, P. A. and RajBhandary, U. L. *Saccharomyces cerevisiae* SUP53 tRNA gene transcripts are processed by mammalian cell extracts in vitro but are not processed in vivo. *Mol. Cell. Biol.* **8**, 361-370 (1988).
173. Weinberger, J., Jat, P., and Sharp, P. A. Localization of a repressive sequence contributing to B-cell specificity in the immunoglobulin heavy chain enhancer. *Mol. Cell. Biol.* **8**, 988-992 (1988).
174. Lamond, A. I., Konarska, M. M., Grabowski, P. J. and Sharp, P. A. Spliceosome assembly involves the binding and release of U4 snRNP. *Proc. Natl. Acad. Sci. USA* **85**, 411-415 (1988).
175. Singh, H., LeBowitz, J. H., Baldwin, A. S., Jr., and Sharp, P. A. Molecular cloning of an enhancer binding protein: Isolation by screening of an expression library with a recognition site DNA. *Cell* **52**, 415-423 (1988).
176. Sharp, P. A. and Eisenberg, D. The evolution of catalytic function (Perspective). *Science* **238**, 729 (1987).
177. Sharp, P. A., Konarska, M. M., Grabowski, P. J., Lamond, A. I., Marciniak, R. and Seiler, S. Splicing of messenger RNA precursors. *Cold Spring Harbor Symp. Quant. Biol.*, Vol. 52, #71 (1987).
178. Virtanen, A. and Sharp, P. A. Processing at immunoglobulin polyadenylation sites in lymphoid cell extracts. *EMBO J.* **7**, 1421-1429 (1988).
179. Chodosh, L. A., Baldwin, A. S., Carthew, R. W. and Sharp, P. A. Human CCAAT-binding proteins have heterologous subunits. *Cell* **53**, 11-24 (1988).
180. Chodosh, L. A., Olesen, J., Hahn, S., Baldwin, A. S., Guarente, L. and Sharp, P. A. A yeast and a human CCAAT-binding proteins have heterologous subunits that are functionally interchangeable. *Cell* **53**, 25-35 (1988).
181. Buratowski, S., Hahn, S., Sharp, P. A. and Guarente, L. Function of a yeast TATA element-binding protein in a mammalian transcription system. *Nature* **334**, 37-42 (1988).

182. Staudt, L. M., Clerc, R. G., Singh, H., LeBowitz, J., Sharp, P. A. and Baltimore, D. Molecular cloning of a lymphoid-specific cDNA encoding a protein that binds to the regulatory octamer motif. *Science* **241**, 577-580 (1988).
183. Konarska, M. M. and Sharp, P. A. Association of U2, U4, U5, and U6 small nuclear ribonucleoproteins in a spliceosome-type complex in absence of precursor RNA. *Proc. Natl. Acad. Sci. USA* **85**, 5459-5462 (1988).
184. LeBowitz, J. H., Kobayashi, T., Staudt, L., Baltimore, D., and Sharp, P. A. Octamer-binding proteins from B or HeLa cells stimulate transcription of the immunoglobulin heavy chain promoter in vitro. *Genes Dev.* **2**, 1227-1237 (1988).
185. Carthew, R. W., Samuels, M. and Sharp, P. A. Formation of transcription preinitiation complexes with an amantitin-resistant RNA polymerase II. *J. Biol. Chem.* **263**, 17128-17135 (1988).
186. Sharp, P. A. RNA splicing and genes. (Based on a lecture given at the presentation of the Albert Lasker Basic Medical Research Award, New York, Nov. 18, 1988). *JAMA* **260**, 3035-3041 (1988).
187. Clerc, R. G., Corcoran, L. M., LeBowitz, J. H., Baltimore, D. and Sharp, P. A. The B-cell specific Oct-2 protein contains POU box- and homeo box-type domains. *Genes Dev.* **2**, 1570-1581 (1988).
- Herr, W., Sturm, R. A., Clerc, R. G., Corcoran, L. M., Baltimore, D., Sharp, P. A., Ingraham, H. A., Rosenfeld, M. G., Finney, M., Ruvkun, G., and Horvitz, H. R. The POU domain: a large conserved region of the mammalian pit-1, oct-1, oct-2, and *Caenorhabditis elegans* unc-86 gene products. LETTER TO THE EDITOR: *Genes Dev.* **2**, 1513-1516 (1988)
188. Sharp, P. A. and Konarska, M. M. The biology of splicing of precursors to mRNAs. Bristol-Myers Symposia (1988).
- 188a. Shapiro, D. J., Sharp, P. A., Wahli, W. W., and Keller, M. J. Laboratory methods: A high-efficiency HeLa cell nuclear transcription extract. *DNA* **7**, 47-55 (1988).
189. Chodosh, L. A., Fire, A., Samuels, M. and Sharp, P. A. 5,6-Dichloro-1- $\beta$ -ribofuranosylbenzimidazole inhibits transcription elongation by RNA polymerase II in vitro. *J. Biol. Chem.* **264**, 2250-2257 (1989).
190. Sedivy, J. M. and Sharp, P. A. Positive genetic selection for gene disruption in mammalian cells by homologous recombination. *Proc. Natl. Acad. Sci. USA* **86**, 227-231 (1989).
191. Buratowski, S., Hahn, S., Guarente, L. and Sharp, P. A. Five intermediate complexes in transcription initiation by RNA polymerase II. *Cell* **56**, 549-561 (1989).
192. Blonar, M. A., Baldwin, A. S., Flavell, R. A. and Sharp, P. A. Induction by interferon of a transcriptional factor regulating the major histocompatibility complex class I genes. *EMBO J.* **8**, 1139-1144 (1989).
193. Chodosh, L. A., Buratowski, S. and Sharp, P. A. A yeast protein possesses the DNA binding properties of the adenovirus major late transcription factor. *Mol. Cell. Biol.* **9**, 820-822 (1989).
194. Jat, P. S. and Sharp, P. A. Cell lines established by a temperature-sensitive SV40 large T antigen gene are growth restricted at the nonpermissive temperature. *Mol. Cell. Biol.* **9**, 1672-1681 (1989).
195. Garcia-Blanco, M. A., Clerc, R. G. and Sharp, P. A. The DNA binding homeodomain of the Oct-2 protein: A commentary. *Genes Dev.* **3**, 739-745 (1989).
196. Konarska, M. M. and Sharp, P. A. Replication of RNA by the DNA-dependent RNA polymerase of phage T7. *Cell* **57**, 423-431 (1989).
197. Sharp, P. A. Gene regulation and oncogenes: Meeting Report of the AACR Special Conference in Cancer Research. *Cancer Research* **49**, 2188-2194 (1989).
198. Hahn, S., Buratowski, S., Sharp, P. A., and Guarente, L. Yeast TATA binding protein TFIID binds to TATA elements with both consensus and nonconsensus DNA sequences. *Proc. Natl. Acad. Sci. USA* **86**, 5718-5722 (1989).
199. LeBowitz, J. H., Clerc, R. G., Brenowitz, M., and Sharp, P. A. The Oct-2 protein binds cooperatively to adjacent octamer sites. *Genes Dev.* **3**, 1625-1638 (1989).
200. Hahn, S., Buratowski, S., Sharp, P. A., and Guarente, L. Isolation of the gene encoding the yeast TATA-binding protein TFIID: A gene identical to the SPT15 suppressor of TY element insertions. *Cell* **58**, 1173-1181 (1989).
201. Sharp, P. A. and Marciniak, R. A. HIV TAR: An RNA enhancer? *Cell (minireview)* **59**, 229-230 (1989).
202. Hahn, S., Buratowski, S., Sharp, P. A., and Guarente, L. Identification of a yeast protein homologous in function to the mammalian general transcription factor TFIIA. *EMBO J.* **8**, 3379-3382 (1989).
203. Schnipper, L. E., Chan, V., Sedivy, J., Jat, P., and Sharp, P. A. Gene activation by induced DNA rearrangements. *Cancer Research* **49**, 6640-6644 (1989).
204. Kristie, T. M., LeBowitz, J. H., and Sharp, P. A. The octamer-binding proteins from multi-protein-DNA complexes with the HSV  $\alpha$ TIF regulatory protein. *EMBO J.* **8**, 4229-4238 (1989).

205. Chang, D. and Sharp, P. A. Regulation by HIV rev depends upon recognition of splice sites. *Cell* **59**, 789-795 (1989).
206. Laski, F. A., Ganguly, S., Sharp, P. A., RajBhandary, U. L., and Rubin, G. M. Construction, stable transformation, and function of an amber suppressor gene in *Drosophila melanogaster*. *Proc. Natl. Acad. Sci. USA* **86**, 6696-6698 (1989).
207. Manley, N. R., O'Connell, M. A., Sharp, P. A., and Hopkins, N. Nuclear factors that bind to the enhancer region of nondefective Friend murine leukemia virus. *J. Virol.* **63**, 4210-4223 (1989).
208. Garcia-Blanco, M. A., Jamison, S. F., and Sharp, P. A. Identification and purification of a 62,000 dalton protein which binds specifically to the polypyrimidine tract of introns. *Genes Dev.* **3**, 1874-1886 (1989).
209. Baldwin, A. S., LeClair, K. P., Singh, H., and Sharp, P. A. A large protein containing zinc finger domains binds to related sequence elements in the enhancers of the class I major histocompatibility complex and  $\kappa$  immunoglobulin genes. *Mol. Cell. Biol.* **10**, 1406-1414 (1990).
210. Garcia-Blanco, M. A., Anderson, G. J., Beggs, J. D., and Sharp, P. A. A 220,000 dalton mammalian protein binds precursor messenger RNAs in the spliceosome: A putative homologue of the yeast PRP8 protein. *Proc. Natl. Acad. Sci. USA* **87**, 3082-3086 (1990).
211. Marciniak, R. A., Garcia-Blanco, M. A., and Sharp, P. A. Identification and characterization of a HeLa nuclear protein that specifically binds to the TAR element of HIV. *Proc. Natl. Acad. Sci. USA* **87**, 3624-3628 (1990).
212. Brown, M. and Sharp, P. A. Human estrogen receptor forms multiple protein-DNA complexes. *J. Biol. Chem.* **265**, 11238-11243 (1990).
213. Carr, C. and Sharp, P. A. A helix-loop-helix protein related to the immunoglobulin E box binding proteins. *Mol. Cell. Biol.* (Note) **10**, 4384-4388 (1990).
214. Chang, D. and Sharp, P. A. Messenger RNA transport and HIV rev regulation. *Science* (review article) **249**, 614-615 (1990).
215. Buratowski, S. and Sharp, P. A. Transcription initiation complexes and upstream activation with RNA polymerase II lacking the largest subunit c-terminal domain. *Mol. Cell. Biol.* (Note) **10**, 5562-5564 (1990).
216. Sharp, P. A. and Buratowski, S. Regulation of Transcription. In *Bristol-Myers Symposium on "Molecular Mechanisms and their Clinical Application in Malignancies"*, Vol. 12, D. E. Bergsagel and T. W. Mak, eds., Academic Press, Inc. publishers, pp. 109-124 (1991).
217. Marciniak, R. A., Calnan, B. J., Frankel, A. D. and Sharp, P. A. HIV-1 Tat protein *transactivates* transcription in vitro. *Cell* **63**, 791-802 (1990).
218. Konarska, M. M. and Sharp, P. A. Structural features of RNAs replicated by the DNA-dependent RNA polymerase of phage T7. *Cell* **63**, 609-618 (1990).
219. Kristie, T. M. and Sharp, P. A. Interactions of the Oct-1 POU subdomains with specific DNA sequences and with the HSV  $\alpha$ -transactivator protein. *Genes Dev.* **4**, 2383-2396 (1990).
220. Kjemis, J., Brown, M., Chang, D. D., and Sharp, P. A. Structural analysis of the interaction between the human immunodeficiency virus Rev protein and the Rev response element. *Proc. Natl. Acad. Sci. USA* **88**, 683-687 (1991).
221. Buratowski, S. and Sharp, P. A. Initiation of transcription by RNA polymerase II. Cold Spring Harbor monograph on *Transcription Regulation*, S. L. McKnight and K. R. Yamamoto, eds., Cold Spring Harbor Press (1991).
222. Sharp, P. A., Marciniak, R. A., Frankel, A. D. and Kjemis, J. Mechanisms of regulation by *tat* and *rev*. In: *Genetic Structure and Regulation of HIV* book based on a conference of the Harvard Aids Institute. W. A. Haseltine and F. Wong-Staal, eds., Raven Press, New York (1991).
223. Sharp, P. A. TFIIB or not TFIIB? *Nature* (News and Views) **351**, 16-18 (1991).
224. Flanagan, J. R., Murata, M., Burke, P. A., Shirayoshi, Y., Appella, E., Sharp, P. A. and Ozato, K. Negative regulation of the major histocompatibility complex class I promoter in embryonal carcinoma cells. *Proc. Natl. Acad. Sci.* **88**, 3145-3149 (1991).
225. Buckler, A., Chang, D. D., Graw, S. L., Brook, J. D., Haber, D. A., Sharp, P. A. and Housman, D. E. Exon amplification: A strategy to isolate mammalian genes based on RNA splicing. *Proc. Natl. Acad. Sci. USA* **88**, 4005-4009 (1991).
226. Gil, A., Sharp, P. A., Jamison, S. F. and Garcia-Blanco, M. A. Characterization of cDNAs encoding the polypyrimidine tract-binding proteins. *Genes Dev.* **5**, 1224-1236 (1991).
227. Zhang, Y., Babin, J., Feldhaus, A. L., Singh, H., Sharp, P. A. and Bina, M. HTF4: A new human helix-loop-helix protein related to the *Drosophila* Daughterless. *Nucleic Acids Res.* **19**, 4555 (1991).
228. Buratowski, S., Sopta, M., Greenblatt, J. and Sharp, P. A. RNA polymerase II associated proteins induced a DNA conformation change in the initiation complex. *Proc. Natl. Acad. Sci. USA* **88**, 7509-7513 (1991).

229. Kjems, J., Frankel, A. D., and Sharp, P. A. Specific regulation of mRNA splicing *in vitro* by a peptide from HIV-1 Rev. *Cell* **67**, 169-178 (1991).
230. Sharp, P. A. "Five Easy Pieces", *Science* (perspective) **254**, 663 (1991).
231. Timmers, H.Th.M. and Sharp, P. A. The mammalian TFIID protein is present in two functionally distinct complexes. *Genes & Dev.* **5**, 1946-1956 (1991).
232. Fisher, D. E., Carr, C. S., Parent, L. A. & Sharp, P. A. TFEB has DNA binding and oligomerization properties. *Genes & Dev.* **5**, 2342-2352 (1991).
233. Marciniak, R. A. and Sharp, P. A. HIV-1 Tat protein promotes formation of more-processive elongation complexes. *EMBO J.* **10**, 4189-4196 (1991).
234. Parvin, J. D. and Sharp, P. A. Identification of novel factors which bind specifically to the core promoter of the immunoglobulin heavy chain gene. *J. Biol. Chem.* **266**, 22878-22886 (1991).
235. Sharp, P. A. Regulation of transcription and oncogenic transformation. In *Origins of Human Cancer*, J. Brugge, T. Curran, E. Harlow, and F. McCormick, eds., Cold Spring Harbor Laboratory Press, pp. 335-343 (1991).
236. Kjems, J., Calnan, B. J., Frankel, A. D., and Sharp, P. A. Specific binding of a basic peptide from HIV-1 Rev. *EMBO J.* **11**, 1119-1129 (1992).
237. Sharp, P. A. TATA-binding protein is a classless factor. *Cell* (Minireview) **68**, 819-821 (1992).
238. Parvin, J. D., Timmers, H.Th. M., and Sharp, P. A. Promoter specificity of basal transcription factors. *Cell* **68**, 1135-1144 (1992).
239. Moore, M. and Sharp, P. A. Site-specific modification of pre-mRNA: the 2'-hydroxyl groups at the splice sites. *Science* **256**, 992-997 (1992).
240. Haber, D. A., Timmers, H.Th. M., Pelletier, J. , Sharp , P. A. and Housman, D. E. A dominant mutation in the Wilm's tumor gene WT1 cooperates with E1A in transforming primary kidney cells. *Proc. Natl. Acad. Sci. USA* **89**, 6010-6014 (1992).
241. Timmers, H.Th. M., Meyers, R. E., and Sharp, P. A. Composition of the transcription factor B-TFIID. *Proc. Natl. Acad. Sci. USA* **89**, 8140-8144 (1992).
242. LeClair, K., Blanar, M., and Sharp, P. A. The p50 subunit of NF-kB associates with the NF-IL6 transcription factor. *Proc. Natl. Acad. Sci. USA* **89**, 8145-8149 (1992).
243. Pomerantz, J. L., Kristie, T. M., and Sharp, P. A. Recognition of the surface of a homeodomain protein. *Genes Dev.* **6**, 2047-2057 (1992).
244. Fisher, D. E., Parent, L. A., and Sharp, P. A. Myc/Max and other helix-loop-helix/leucine-zipper proteins bend DNA towards the minor groove. *Proc. Natl. Acad. Sci. USA* **89**, 11779-11783 (1992).
245. Fisher, D. E., Parent, L. A., and Sharp, P. A. High affinity DNA binding Myc analogs: Recognition by an  $\alpha$  helix. *Cell* **72**, 467-476 (1993).
246. Kristie, T. and Sharp, P. A. Purification of the cellular C1 factor required for the stable recognition of the Oct-1 homeodomain by the herpes simplex virus  $\alpha$  trans-induction factor (VP16). *J. Biol. Chem.* **268**, 6525-6534 (1993).
247. Parvin, J. D. and Sharp, P. A. DNA topology and a minimal set of basal factors for transcription by RNA polymerase II. *Cell* **73**, 533-540 (1993).
248. Kjems, J. and Sharp, P. A. The basic domain of Rev from HIV-1 specifically blocks the entry of U4/6-U5 snRNP in spliceosome assembly. *J. Virol.* **67**, 4769-4776 (1993).
249. Potter, D. A., Larson, C. J., Eckes, P., Schmid, R. M., Nabel, G. J., Verdine, G. L., and Sharp, P. A. Purification of the MHC class I transcription factor H2TF1: the full-length product of the *nfkB2* gene. *J. Biol. Chem.* **268**, 18882-18890 (1993).
250. Moore, M. J., Query, C. C., and Sharp, P. A. Splicing of precursors to messenger RNAs by the spliceosome. In *The RNA World*, R. Gesteland and J. Atkins, eds., Cold Spring Harbor Laboratory Press, pp. 303-357 (1993).
251. Chasman, D. I., Flaherty, K. M., Sharp, P. A., and Kornberg, R. D. Crystal structure of yeast TATA-binding protein and model for interaction with DNA. *Proc. Natl. Acad. Sci. USA* **90**, 8174-8178 (1993).
252. Moore, M. J. and Sharp, P. A. The stereochemistry of pre-mRNA splicing: evidence for two active sites in the spliceosome. *Nature* **365**, 364-368 (1993).
253. Srebrow, A., Muro, A. F., Werbajh, S., Sharp, P. A. and Kornblihtt, A. R. The CRE-binding factor ATF-2 facilitates the occupation of the CCAAT box in the fibronectin gene promoter. *FEBS Letters* **327**, 25-28 (1993).
254. Meyers, R. E. and Sharp, P. A. TATA-binding protein and associated factors in polymerase II and polymerase III transcription. *Mol. Cell. Biol.* **13**, 7953-7960 (1993).

255. Aird, W. C., Parvin, J. D., Sharp, P. A., and Rosenberg, R. D. The interaction of GATA-binding proteins and basal transcription factors with GATA box-containing core promoters: a model of tissue specific gene expression. *J. Biol. Chem.* **269**, 883-889 (1994).
256. Query, C. C., Moore, M. J. and Sharp, P. A. Branch nucleophile selection in pre-mRNA splicing: Evidence for the bulged duplex model. *Genes Dev.* **8**, 587-597 (1994).
257. Parvin, J. D., Shykind, B. M., Meyers, R. E., Kim, J. and Sharp, P. A. Multiple sets of basal factors initiate transcription by RNA polymerase II. *J. Biol. Chem.* **269**, 18414-18421 (1994).
258. Sharp, P. A. Split genes and RNA splicing (Nobel Lecture). *Cell* **77**, 805-815 (1994)
259. Sharp, P. A. *Split Genes and RNA Splicing* Nobel Lecture, pp. 162-193. 1993 Les Prix Nobel. Published by the Nobel Foundation (1994).
260. Crispino, J., Blencowe, B. J. and Sharp, P. A. Complementation by SR proteins of pre-mRNA splicing reactions depleted of U1 snRNP. *Science* **265**, 1860-1869 (1994).
261. Pomerantz, J. L. and Sharp, P. A. Homeodomain determinants of major groove recognition. *Biochemistry* **33**, 10851-10858 (1994).
262. Blencowe, B. J., Nickerson, J.A., Issner, R., Penman, S. & Sharp, P. A. Association of nuclear matrix antigens with exon-containing splicing complexes. *J. Cell Biol.* **127**, 593-607 (1994).
263. MacMillan, A. M., Query, C. C., Allerson, C. R., Chen, S., Verdine, G. L., and Sharp, P. A. Dynamic association of proteins with the pre-mRNA branch region. *Genes Dev.* **8**, 3008-3020 (1994).
264. Zhou, Q. and Sharp, P. A. Novel mechanism and factor for regulation by HIV-1 Tat. *EMBO J.* **14**, 321-328 (1995).
265. Pomerantz, J. L., Sharp, P. A., and Pabo, C. O. Structure-based design of transcription factors. *Science* **267**, 93-96 (1995).
266. Kristie, T. M., Pomerantz, J. L., Twomey, T. C., Parent, S. A., and Sharp, P. A. The cellular C1 factor of the herpes simplex virus enhancer complex is a family of polypeptides. *J. Biol. Chem.* **270**, 4387-4394 (1995).
267. Parvin, J. D., McCormick, R. J., Sharp, P. A., and Fisher, D. E. Pre-bending of a promoter sequence enhances affinity for the TATA-binding factor. *Nature* **373**, 724-727 (1995).
268. Mäkelä, T. P., Parvin, J. D., Kim, J., Huber, L. J., Sharp, P. A., and Weinberg, R. A. A kinase-deficient transcription factor IIIH is functional in basal and activated transcription. *Proc. Natl. Acad. Sci. USA* **92**, 5174-5178 (1995).
269. Shykind, B., Kim, J., and Sharp, P. A. Activation of the TFIID-TFIIA complex with HMG-2. *Genes Dev.* **9**, 1354-1365 (1995).
270. Crispino, J. and Sharp, P.A. A U6 snRNA: pre-mRNA interaction can be rate-limiting for U1-independent splicing. *Genes Dev.* **9**, 2314-2323 (1995).
271. Pomerantz, J. L., Pabo, C. O., and Sharp, P. A. Analysis of homeodomain function by structure-based design of a transcription factor. *Proc. Natl. Acad. Sci. USA* **92**, 9752-9756 (1995).
272. Blencowe, B. J., Issner, R., Kim, J., McCaw, P., and Sharp, P. A. New proteins related to the Ser-Arg family of splicing factors. *RNA* **1**, 852-865 (1995).
273. Query, C. C., Strobel, S. A., and Sharp, P. A. Three recognition events at the branch site adenine. *EMBO J.* **15**, 1392-1402 (1996).
274. Crispino, J. D., Mermoud, J., Lamond, A., and Sharp, P. A. *Cis*-acting elements from the 5' splice site promote U1-independent pre-mRNA splicing. *RNA* **2**, 664-673 (1996).
275. Kim, J., Parvin, J.D., Shykind, B.M., and Sharp, P.A. A negative cofactor containing Dr1/p19 modulates transcription with TFIIA in a promoter specific fashion. *J. Biol. Chem.* **271**, 18405-18412 (1996).
276. Harper, S.E., Qiu, Y., and Sharp, P.A. Sin3 corepressor function in myc-induced transcription and transformation. *Proc. Natl. Acad. Sci.* **93**, 8536-8540 (1996).
277. Mortillaro, M.J., Blencowe, B.J., Wei, X., Nakayasu, H., Du, L., Warren, S.L., Sharp, P.A. and Berezney, R. A hyperphosphorylated form of the large subunit of RNA polymerase II is associated with splicing complexes and the nuclear matrix. *Proc. Natl. Acad. Sci.* **93**, 8253-8257 (1996).
278. Cepek, K.L., Chasman, D.I., and Sharp, P.A. Sequence-specific DNA binding of the B-cell-specific coactivator OCA-B. *Genes Dev.* **10**, 2079-2088 (1996).
279. Zhou, Q. and Sharp, P. A. Tat-SF1: Cofactor for stimulation of transcriptional elongation by HIV-1 Tat. *Science* **274**, 605-610 (1996).
280. MacMillan, A. M., McCaw, P. S., Crispino, J.D., and Sharp, P. A. SC35-mediated reconstitution of splicing in U2AF-depleted nuclear extract. *Proc. Natl. Acad. Sci. USA* **94**, 133-136 (1997).

281. Shykind, B. M., Kim, J., Stewart, L., Champoux, J. and Sharp, P.A. Topoisomerase I enhances TFIID-TFIIA complex assembly during activation of transcription. *Genes Dev.* **11**, 397-407 (1997).
282. Kim, J.-S., Kim, J., Cepek, K.L., Sharp, P.A., and Pabo, C.O. Design of TATA-box binding protein/zinc finger fusions for targeted regulation of gene expression. *Proc. Natl. Acad. Sci.* **94**, 3616-3620 (1997).
283. Query, C. C., McCaw, P. S. and Sharp, P.A. A minimal spliceosomal A complex recognizes branch site and polypyrimidine tracts. *Mol. Cell. Biol.* **17**, 2944-2953 (1997).
284. Jones, G. and Sharp, P.A. Ultraspiracle: an invertebrate nuclear receptor for juvenile hormone. *Proc. Natl. Acad. Sci.* **94**, 13499-13503 (1997).
285. Sharp, P. A. and Burge, C. B. Classification of introns: U2-type or U12-type. *Cell (Minireview)* **91**, 875-879 (1997).
286. Blencowe, B.J., Issner, R., Nickerson, J., and Sharp, P.A. A coactivator of pre-mRNA splicing. *Genes Dev.* **12**, 996-1009 (1998).
287. Tuschl, T., Sharp, P.A., and Bartel, D.P. Selection in vitro of novel ribozymes from a partially randomized U2 and U6 snRNA library. *EMBO J.* **17**, 2637-2650 (1998).
288. Lim, L. P. and Sharp, P. A. Alternative splicing of the fibronectin EIIIB exon depends on specific TGCATG repeats. *Mol. Cell. Biol.* **18**, 3900-3906 (1998).
289. Burge, C., Padgett, R., and Sharp, P.A. Evolutionary fates and origins of U12-type introns. *Mol. Cell* **2**, 773-785 (1998).
290. Burge, C., Tuschl, T. and Sharp, P.A. Splicing of precursors to mRNAs by the spliceosomes. In *RNA World II*, R. Gesteland, T. Cech, and J. Atkins, eds., Cold Spring Harbor Laboratory Press, NY. pp. 525-560 (1999).
291. Sharp, P.A. RNAi and double strand RNA. *Genes Dev. (Perspective)* **13**, 139-141 (1999).
292. Eldridge, A., Li, Y., Sharp, P. A., and Blencowe, B. The SRm160/300 splicing coactivator is required for exon-enhancer function. *Proc. Natl. Acad. Sci.* **96**, 6125-6130(1999).
293. Mitsui, A. and Sharp, P.A. Ubiquitination of RNA polymerase II large subunit signaled by phosphorylation of carboxyl-terminal domain. *Proc. Natl. Acad. Sci.* **96**, 6054-6059 (1999).
294. Kim, J.B., Yamaguchi, Y., Wada, T., Handa, H., and Sharp, P.A. Tat-SF1 protein associates with RAP30 and hSPT5 proteins. *Mol. Cell Biol.* **19**, 5960-5968 (1999).
295. Tang, H. and Sharp, P.A. Transcriptional regulation of the murine 3' IgH enhancer by phosphorylated Oct-2. *Immunity* **11**, 517-526 (1999).
296. Gilbert, S. and Sharp, P.A. Targeted deacetylation of promoter regions of X-inactivated genes. *Proc. Natl. Acad. Sci.* **96**, 13825-13830 (1999).
297. Tuschl, T., Zamore, P.D., Lehmann, R., Bartel, D.P. and Sharp, P.A. Targeted mRNA degradation by double-stranded RNA in vitro. *Genes Dev.* **13**, 3191-3197 (1999).
298. McCaw, P., Amonlirdviman, K., and Sharp, P.A. A novel U2AF65-related splicing activity. *RNA* **5**, 1548-1560 (1999).
299. Chasman, D., Cepek, K., Sharp, P.A., and Pabo, C.O. Crystal structure of a ternary complex containing an OCA-B peptide, Oct-1, and an octamer element: Peptide recognition of a protein-DNA interface. *Genes Dev.* **13**, 2650-2657 (1999).
300. Blencowe, B.J., Baurén, G., Issner, R., Eldridge, A., Li, Y., Reifenberg, E., and Sharp, P.A. The SRm160/300 splicing coactivator subunits. *RNA* **6**, 111-120 (1999).
- Sharp, P.A. View of life sciences in the 21<sup>st</sup> century. *J. Dermatological Sci.*, Vol. 24, Suppl. 1, S1-S14 (2000).
301. Sharp, P.A. and Zamore, P.D. RNA interference (RNAi). *Science (Perspective)* **287**, 2431-2432 (2000).
302. Zamore, P.D., Tuschl, T. , Sharp, P.A., and Bartel, D.P. RNAi: Double-stranded RNA directs the ATP-dependent cleavage of mRNA at 21 to 23 nucleotide intervals. *Cell* **101**, 25-33 (2000).
303. Scarr, R., Smith, M., Beddall, M., and Sharp, P.A. A unique 50-kilodalton fragment of host cell factor 1 (C1) in Go cells. *Mol. Cell. Biol.* **20**, 3568-3575 (2000).
304. Gilbert, S., Pehrson, J. and Sharp, P.A. Xist RNA is a component of the inactive X chromatin. *J. Biol. Chem.* **275**, 36491-36494 (2000).
305. Tuschl, T., Sharp, P.A. and Bartel, D.P. A ribozyme selected from variants of U6 snRNA promotes 2',5'-branch formation. *RNA* **7**, 29-43 (2001).
306. Kim, J.B. and Sharp, P.A. Positive Transcription Elongation Factor b Phosphorylates hSPT5 and RNA Polymerase II Carboxyl-terminal Domain Independently of Cyclin-dependent Kinase-activating Kinase. *J. Biol. Chem.* **276**, 12317-12323 (2001).

307. Sharp, P.A. RNA interference – 2001. *Genes Dev. (Review)* **15**, 485-490 (2001).
308. Tantin, D. and Sharp, P.A. A mouse lymphoid cell line selected to have high immunoglobulin promoter activity. *Mol. Cell. Biol.* **22**, 1460-1473 (2002).
309. Lee, K.-B., Wang, D., Lippard, S.J., and Sharp, P.A. Transcription-coupled and DNA damage-dependent ubiquitination of RNA polymerase II. *Proc. Natl. Acad. Sci.* **99**, 4239-4244 (2002).
310. McManus, M.T., Petersen, C.P., Haines, B., Chen, J., and Sharp, P.A. Gene Silencing using microRNA designed hairpins. *RNA* **8**, 842-850 (2002).
311. Novina, C., Murray, M., Dykxhoorn, D., Beresford, P.J., Riess, J., Collman, R.G., Lieberman, J., Shankar, P., and Sharp, P.A. siRNA-directed inhibition of HIV infection. *Nature Medicine* **8**, 681 - 686 (2002).
312. Fairbrother, W.G., Yeh, R.-F., Sharp, P.A., and Burge, C.B. Predictive identification of exonic splicing enhancers in human genes. *Science* **297**, 1007-1013 (2002).
313. Scarr, R.B. and Sharp, P.A. PDCD2 is a negative regulator of HCF-1 (C1). *Oncogene* **21**, 5245-5254 (2002).
314. McManus, M.T. and Sharp, P.A. Gene Silencing in Mammals by siRNAs. *Nature Reviews Genetics* **3**, 737-747 (2002).
315. McManus, M.T., Haines, B.B., Dillon, C., Whitehurst, C.E., van Parijs, L., Chen, J., and Sharp, P.A. siRNA-mediated gene silencing in T-lymphocytes. *J. Immunol.* **22**, 5754-5760 (2002).
316. Doench, J.G., Peterson, C.P., and Sharp, P.A. siRNAs can function as miRNAs. *Genes Dev.* **17**, 438-442 (2003).
317. Cheng, C. and Sharp, P.A. RNA polymerase II accumulation in the promoter-proximal region of the dihydrofolate reductase and gamma actin genes. *Mol. Cell. Biol.* **23**, 1961-1967 (2003).
318. Stewart, S., Dykxhoorn, D.M., Palliser, D., Mizuno, H., Yu, E.Y., An, D.S., Sabatini, D.M., Chen, I. S.Y., Hahn, W.C., Sharp, P.A., Weinberg, R.A., and Novina, C.D. Lentivirus-delivered stable gene silencing by RNAi in primary cells. *RNA* **9**, 493-501 (2003).
319. Dykxhoorn, D.K., Novina, C.D., and Sharp, P.A. Killing the messenger: short RNAs that silence gene expression. *Nature Reviews* **4**, 457-467 (2003).
320. Song, E., Lee, S.-K., Dykxhoorn, D. M., Novina, C., Zhang, D., Crawford, K., Cerny, J., Sharp, P. A., Lieberman, J., Manjunath, N., and Shankar, P. Sustained small interfering RNA-mediated human immunodeficiency virus type 1 inhibition in primary macrophages. *J. Virol.* **77**, 7174-7181 (2003).
321. Houbaviy, H. B. and Sharp, P. A. Embryonic stem cell-specific microRNAs. *Developmental Cell* **5**, 351-358 (2003).
- 321.1 Rubinson, D., Dillon, C., Sievers, C., McManus, M. T., Sharp, P.A., Gertler, F., and Van Parijs, L., “Functional and stable gene silencing in mice and primary mammalian cells by lentivirus-mediated RNA interference. *Nature Genetics*, **33**, 401-406 (2003).
322. Ge, Q., McManus, M.T., Nguyen, T., Shen, C.H., Sharp, P.A., Eisen, H.N., Chen, J. RNA interference of influenza virus production by directly targeting mRNA for degradation and indirectly inhibiting all viral RNA transcription. *Proc. Natl. Acad. Sci. USA.* **100**, 2718-2723 (2003).
323. Wang, V.E.H., Schmidt, T., Chen, J., Sharp, P.A., and Tantin, D. E. Embryonic lethality, decreased erythropoiesis, and defective octamer-dependent promoter activation in Oct-1-deficient mice. *Mol Cell. Biol.* **24**, 1022-1032 (2004).
324. Wang, V.E.H., Tantin, D., Chen, J., and Sharp, P.A. B-cell development and immunoglobulin transcription in Oct-1-deficient mice. *Proc. Natl. Acad. Sci., USA* **101**, 2005-2010 (2004).
325. Nogueira, M.L., Wang, V.E.H., Tantin, D., Sharp, P.A., and Kristie, T.M. Herpes virus infections are arrested in Oct-1 deficient mice. *Proc. Natl. Acad. Sci., USA*, 101, 1473-1478 (2004).
326. Doench, J.G., and Sharp, P.A. Specificity of microRNA target selection in translational repression. *Genes Dev.* **18**, 504-511 (2004).
327. Tantin, D., Tussie-Luna, M.I., Roy, A.L., and Sharp, P.A. Regulation of immunoglobulin promoter activity by TFII-I-class transcription factors. *J. Biol. Chem.* **279**, 5460 - 5469 (2004).
328. Novina, C.D. and Sharp, P.A. The RNAi revolution. *Nature (News & Views)* **430**, 161-164 (2004).

329. Ventura, A., Meissner, A., Dillon, C.P., McManus, M., Sharp, P.A., Van Parijs, L., Jaenisch, R., and Jacks, T. Cre-lox regulated conditional RNA interference in cells and mice. *Proc. Natl. Acad. Sci. USA* **101**, 10380-10385 (2004).
330. Fairbrother, W.G., Yeo, G.W., Yeh, R., Goldstein, P., Mawson, M., Sharp, P.A., and Burge, C.B. RESCUE-ESE identifies candidate exonic splicing enhancers in vertebrate exons. *Nucleic Acid Res.* **32**, W1-W4 (2004).
331. Fairbrother, W.G., Holste, D., Burge, C., and Sharp, P.A. Single nucleotide polymorphism-based validation of exonic splicing enhancers. *PLoS Biology* **2**, e268, pp 1388-1395 (2004).
332. Mansfield, J.H., Harfe, B.D., Nissen, R., Obenaus, J., Srineel, J., Chaudhuri, A., Farzan-Kashani, R., Zucker, M., Pasquinelli, A.E., Gurkum, G., Sharp, P.A., Tabin, C.J., and McManus, M. microRNA-responsive "sensor" transgenes uncover Hox-like and other developmentally regulated patterns of vertebrate microRNA expression. *Nature Genetics* **36**, 1079-1083 (2004).
333. Lee, K. B. and Sharp, P. A. Transcription-dependent polyubiquitination of RNA Polymerase II requires lysine 63 of ubiquitin. *Biochemistry* **43**, 15223-15229 (2004).
334. Grishok, A., Sinskey, J.L., and Sharp, P.A. Transcription silencing of a transgene by RNAi in the soma of *C. elegans*. *Genes & Dev.* **19**, 683-696 (2005).
335. Neilson, J.R. and Sharp, P.A. Herpesviruses throw a curve ball: new insights into microRNA biogenesis and evolution. *Nature Methods* **2**, 252 - 254 (2005).
336. Sharp, P.A. The discovery of split genes and RNA splicing. *Trends in Biochemical Sciences* (Editorial) **30**, 279-281 (2005)
337. Houbaviy, H., Dennis, L., Jaenisch, R. and Sharp, P.A. Characterization of a highly variable eutherian microRNA gene. *RNA* **11**, 1245-1257 (2005)
338. Hong J-H, Hwang, E.S., McManus, M.T., Amsterdam, A., Tian, Y., Kalmukova, R., Mueller, E., Benjamin, T., Spiegelman, B.M., Sharp, P.A, Hopkins, N., and Yaffe, M.B. TAZ, A transcriptional modulator of mesenchymal stem cell differentiation. *Science* **309**, 1074-1078 (2005).
339. Petersen, C.P., Doench, J.G., Grishok, A., and Sharp, P.A. The Biology of short RNAs. In: RNA World, 3<sup>rd</sup> edition, R.F. Gesteland, T.R. Cech and J.F. Atkins, editors. Cold Spring Harbor Laboratory Press, #19, pp. 535-565 (2005).
340. Miskevich, F., Doench, J., Townsend, M.T., Sharp, P.A., and Constantine-Paton, M. RNA interference of *Xenopus* NMDAR NR1 in vitro and in vivo. *J. Neuroscience Methods* **152**, 65-73, 2005.
341. Grishok, A. and Sharp, P.A. Negative regulation of nuclear divisions in *C. elegans* by Rb and RNAi-related genes. *Proc. Natl. Acad. Sci. USA* **102**, 17360-17365 (2005).
342. Tantin, D., Schild-Poulter, C., Wang, V.E.H., Haché, R.J., and Sharp, P.A. The octamer binding transcription factor Oct-1 is a stress sensor. *AAO's Cancer Research* **65**. 10750-10758 (2005).
343. Sharp, P.A. 1918 Flu and responsible science - Editorial. *Science* **310**, 77 (2005).
344. Cheng C. and Sharp, P.A. Regulation of CD44 alternative splicing by SRm160 and its potential role in tumor cell invasion. *Mol. Cell. Biol.* **26**, 362-370 (2006).
345. Petersen, C.P., Bordeleau, M-E., Pelletier, J., and Sharp, P.A. Short RNAs repress translation after initiation in mammalian cells. *Molecular Cell* **21**, 1-10 (2006).
346. Cheng, C., Yaffe, M., and Sharp, P.A. A positive feedback loop couples Ras activation and CD44 alternative splicing. *Genes Dev.* **20**, 1715-1720 (2006).
347. Hakre, S., Tusie-Luna, I., Ashworth, T., Novina, C.D., Settleman, J., Sharp, P.A., and Roy, A.L. Opposing functions of TFII-1 spliced isoforms in growth factor-induced gene expression. *Mol. Cell* **24**, 301-308 (2006).
348. Schild-Poulter, C., Shih, A., Tantin, D., Varymowich, N.C., Soubeyrand, S., Sharp, P.A., and Haché, R.J.G. DNA-PK phosphorylation sites on Oct-1 promote cell survival following DNA damage. *Oncogene* (Adv Online Publ. January 8, 2007) 1-9.
349. Leung, A.K.L., Calabrese, J.M., and Sharp, P.A. Quantitative analysis of argonaute protein reveals microRNA-dependent localization to stress granules. *Proc. Natl. Acad. Sci.* **103**, 18125-18130 (2006).
350. Calabrese, J.M. and Sharp, P.A. Characterization of the short RNAs bound by the P19 suppressor of RNA silencing in mouse embryonic stem cells. *RNA* **12**, 1-11 (2006).
351. Leung, A. K.L. and Sharp, P.A. Function and Localization of microRNAs in mammalian cells. *Cold Spring Harbor Symp Quant Biol.* **71**, 29-38 (2006).
352. Alemán, LM, Doench, J., and Sharp, P.A. Comparison of siRNA-induced off-target RNA and protein effects. *RNA* **13**, 385-395 (2007).

353. Neilson, J.R., Zheng, G.X.Y., Burge, C.B., and Sharp, P.A. Dynamic regulation of miRNA expression in ordered stages of cellular development. *Genes Dev* 21, 578-589 (2007).
354. Wilker, E.W., van Vugt, M.A.T.M., Artim, S.A., Huang, P.H., Petersen, C.P., Reingardt, H.C., Feng, Y., Sharp, P.A., Sonenberg, N., White, F.M. and Yaffe, M.B., 14-3-3 Sigma Controls Mitotic Translation to Facilitate Cytokinesis. *Nature* 446, 329-332 (2007).
355. Ebert, M.S., Neilson, J.R., and Sharp, P.A. MicroRNA sponges: Competitive inhibitors of small RNAs in mammalian cells. *Nature Methods* 4, 721-726 (2007) PMCNIHID: 54924
356. Leung, A.K.L. and Sharp, P.A. MicroRNAs: Safeguard against turmoil. *Cell (Review)* 130, 581-585 (2007).
357. Calabrese, J.M., Seila, A.C., Yeo, G.W., and Sharp, P.A. RNA sequence analysis defines Dicer's role in mouse embryonic stem cells. *Proc. Natl. Acad. Sci.* 104, 18097-18102 (2007) PMCID: PMC2084302.
358. Wu, H., Neilson, J.R., Kumar, P., Manocha, M., Shankar, P., Sharp, P.A., and Manjunath, N. miRNA profiling of naïve, effector and memory CD8 T cells. *PLoS One* 2:e1020 (2007) PMCID: PMC2000354
359. Ventura, A., Young, A.G., Winslow, M.M., Lintault, L., Meissner, A., Erkeland, S.J., Newman, J., Bronson, R.T., Crowley, D., Stone, J.R., Jaenisch, R., Sharp, P.A. and Jacks, T. Targeted deletion reveals essential and overlapping functions of the miR-17~92 family of miRNA clusters. *Cell* 132, 875-886 (2008) PMCID43457.
360. Kumar, M.S., Erkeland, S.J., Pester, R.E., Chen, C. Y., Ebert, M.S, Sharp, P.A., Jacks, T. Suppression of non-small cell lung tumor development by the *let-7* microRNA family. *Proc. Natl. Acad. Sci., USA* 105, 3903-3908 (2008) PMCID: PMC2268826
361. Seila, A.C. and Sharp, P.A. Small RNAs tell big stories in Whistler. Meeting Report on Keystone Symposium on RNAi, microRNA and non-coding RNA, March 25-30, 2008. *Nature Cell Biology* 10, 630-633 (2008).
362. Sandberg, S., Neilson, J.R., Sarma, A., Sharp, P.A., and Burge, C.B. Decreased usage of mRNA 3' ends associated with proliferation. *Science* 320, 1643-1647 (2008) PMCNIHID: 52827
363. Stern P., Astrof, S., Erkeland, S., Sharp, P.A., and Hynes, R.O. FLIP vectors for Cre-regulated RNA interference in vivo. *Proc. Natl. Acad. Sci. USA* 105, 13895-13900 (2008) PMCID: PMC2532697
364. Marson, A., Levine, S.S., Cole, M.F., Frampton, G.M., Brambrink, T., Johnstone, S., Guenther, M.G., Johnston, W.K., Wernig, M., Newman, J., Calabrese, M., Dennis, L.M., Volkert, T.L., Gupta, S., Love, J., Hannett, N., Sharp, P.A., Bartel, D.P., Jaenisch, R., and Young, R.A. Connecting microRNA genes to the core transcriptional regulatory circuitry of embryonic stem cells. *Cell* 134, 521-533 (2008)
365. Neilson, J.R. and Sharp, P.A. Small RNA regulators of gene expression. *Cell* 134, 899-902 (Leading Edge BenchMarks).
366. Seila, A.C., Calabrese, J.M., Levine, S.S., Yeo, G.W., Rahl, B., Flynn, R., Young, R.A., and Sharp P.A. Divergent transcription from active promoters. *Science* 322, 1849-1851 (2008).
367. Grishok, A., Hoersch S., and Sharp, P.A. RNA interference and retinoblastoma-related genes are required for repression of endogenous siRNA targets in *Caenorhabditis elegans*. *Proc. Natl. Acad. Sci. USA* 105, 20386-20391 (2008).
368. Sharp, P.A. The Centrality of RNA (Leading Edge Essay). *Cell* 136, 577-580 (2009).
369. Seila, A.C., Core, L.J., Lis, J., and Sharp, P.A. Divergent transcription: A new feature of active promoters. *Cell Cycle* (review article), in press (2009).