Material Safety Data Sheet

SECTION 1

SECTION 2

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MULTI-PURPOSE MACHINE OIL 32

MOTOR OIL, INC. **1490 JARVIS AVENUE** ELK GROVE VILLAGE, IL 60007 Phone (847) 956-7550 Fax (847) 956-0399

CAS Registry Number	Not applicable for mixtures
Chemical Family	Mixture
Product Type	Turbine quality machine lubricating oil
Preparation/Revision Date	05/2008

COMPOSITION/INFORMATION ON INGREDIENTS

Component Name		CAS Number	OSHA PEL	ACGIH TLV	% (Optional)		
Petroleum Lubricatin	g Base Oil	64742-54-7	5 mg/m³	5 mg/m³			
SECTION 3 HAZARDS IDENTIFICATION							
Principal Hazard(s)	d(s) Contains petroleum oil. Avoid breathing mists or vapors. Avoid prolonged or repeated skin contact.						
SECTION 4	ECTION 4 FIRST AID MEASURES						
Oral	DO NOT induce vomiting. Get immediate medical attention.						

DO NOT induce vomiting	. Get immediate medical attention.
------------------------	------------------------------------

Eye Flush with water for at least 15 minutes or until irritation subsides. Get medical attention if eye irritation develops or persists.

- Skin Wash with soap and water. Immediately remove contaminated clothing. Get medical attention if irritation develops. Launder contaminated clothing before reuse. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.
- Inhalation Vapor pressure is very low. Vapor inhalation under ambient conditions is normally not a problem. If adverse effects are observed, remove exposed person to fresh air. If breathing is labored, administer oxygen. If breathing has stopped, apply artificial respiration. If overexposed to oil mist, remove from further exposure until excessive oil mist subsides.

SECTION 5		FIRE FIGHTING MEASURES	
Flash Point		400 °F COC Typical	
Upper Flammable Limit		Not Determined	
Lower Flammable Limit		Not Determined	
Extinguishing Media		Carbon Dioxide, dry chemical, water spray (fog) and foam. Note: water, fog and foam may cause frothing and spattering.	
Special Firefighting Procedures		Wear self-contained breathing apparatus. Avoid breathing fumes and vapors. Use water spray (fog) to cool containers exposed to high heat or open flame.	
Unusual Fire & Explosion Hazards		Empty containers contain residue and/or vapors. DO NOT WELD, CUT, PRESSURIZE, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, SPARKS, FLAME, STATIC ELECTRICITY OR OTHER SUCH SOURCES OF IGNITION. Keep empty containers closed and dispose of in an environmentally safe manner and in accordance with all governmental regulations.	
Autoignition Temperature		Not Determined	
SECTION 6		ACCIDENTAL RELEASE MEASURES	
Spill Procedures	Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Remove sources of ignition. Ventilate spill area. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Residual liquid car be absorbed on inert material. Assure conformity with applicable Federal, sta and local regulations.		
SECTION 7	T	HANDLING AND STORAGE	
Handling Procedures	Keep away from potential sources of ignition. Avoid breathing vapors if present. Keep containers closed when not in use. Wash thoroughly after handling. Make sure that proper warning labels are affixed in accordance wit		
Storage Procedures	Do not store near potential sources of ignition. Store in a well ventilated a Store in a dry area. Do not store around food or eating areas.		
SECTION 8		EXPOSURE CONTROLS/PERSONAL PROTECTION	
Ventilation Procedures	Use material in well ventilated areas only. Additional ventilation or exhaust may be required to maintain air concentrations below recommended expose		
Gloves Protection	Use chemical-resistant gloves, if needed, to avoid prolonged or repeated st contact.		
Eye Protection	Safety glasses. Use splash goggles or face shield when eye contact may		
Respiratory Protection	Under normal conditions, respirator is not usually required. Use NIOSH/MSH approved disposable dust/mist mask if the recommended exposure limit is exceeded.		
Clothing Recommendation	avoid cont	nical -resistant apron or other impervious clothing, if needed, to aminating regular clothing, which could result in prolonged or kin contact.	

SECTION 9		_		_
SECTIONS				
	EU		. N	.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Yellow colored liquid	Vapor Pressure	Not Determined
Specific Gravity	0.88	Vapor Density (Air = 1)	Greater than 5
Viscosity	32 cSt @ 40 °C	Evaporation Rate	Not Determined
Odor	Typical oil odor	Pour or Melting Point	-20 °F
Odor Threshold	Not Determined	Percent Volatile	Not Determined
рН	Essentially neutral	Boiling Point	IBP approximately 635 °F
Water Solubility	Negligible	Molecular Weight	Not Determined

SECTION 10

STABILITY AND REACTIVITY

Stability	Material is normally stable at room temperature and pressure. See the
Incompatibility	Oxidizing agents.
Hazardous Polymerization	Will not occur.
Thermal Decomposition	Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other

SECTION 11

TOXICOLOGICAL INFORMATION

Oral Toxicity	Not determined.		
Eye Irritation	Product contacting eyes may cause eye irritation.		
Skin Irritation	May cause skin irritation. Prolonged or repeated contact may cause dermatitis. Symptoms may include redness, edema, drying, defatting and cracking of skin.		
Dermal Toxicity	Not determined.		
Inhalation Toxicity	Not determined.		
Respiratory Irritation	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.		
Dermal Sensitivity	No data available to indicate product or components may be skin sensitizer.		
Inhalation Sensitivity	No data available to indicate product or components may be respiratory sensitizers.		
Chronic Toxicity	Not determined.		
Carcinogenicity	The components of this product have not been found to be a carcinogen under either NTP, IARC Monographs or current OSHA regulations.		
Other	Under conditions which may generate mists, observe the OSHA PEL 5mg/m ³ .		

No Data Given

SECTION 13	DISPOSAL CONSIDERATIONS
Waste Disposal	Waste management should be in compliance with federal, state and local regulations. If discarding this product, do not flush to drain/storm sewer. Consider recycling. If permitted, incineration may be practical.

SECTION 14

TRANSPORTATION INFORMATION

U. S. DOT Shipping Name	Not regulated by DOT
Hazard Class	Not applicable
DOT Identification Number	Not applicable
DOT Shipping Label	Not regulated by DOT

SECTION 15

REGULATORY INFORMATION

U. S. TSCA Inventory	All components of this product are listed on the TSCA Inventory					
SARA 302 Threshold Planning Quantity	No RQ for product or any constituent greater that 1% or 0.1% (carcinogen).					
SARA 304 Reportable Qty	No RQ for product or any constituent greater that 1% or 0.1% (carcinogen).					
SARA 311 Categories	EPA Hazard Classification Code					
	Acute Chronic Fire Pressure Reactivity					
	No	No	No	No	No	
SARA 313 Supplier Notification	This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances listed under SARA Section 313.					
CERCLA Hazardous Substances	No chemicals in this product are subject to the reporting requirements of CERCLA.					

SECTION 16

OTHER INFORMATION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS)				
HEALTH = 1	FIRE = 1	REACTIVITY =	= 0 PP = I	В
Ratings: 0 = Minimal	1 = Slight	2 = Moderate	3 = Serious	4 = Extreme

Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof, MOTOR OIL INC. makes no representations as to the completeness or accuracy thereof. MOTOR OIL INC. makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE since the conditions of use are beyond our control. MOTOR OIL INC. assumes no responsibility for injury to recipient or to third persons for any damage to any property and recipient assumes all such risks.