

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
 Department of Electrical Engineering and Computer Science
 6.037—Structure and Interpretation of Computer Programs
 IAP 2019

Quotation and evaluation

Can I quote you on that?

`(quasiquote expr)` is like `quote`, but can selectively evaluate pieces. Much like `quote` can be abbreviated as `'`, `quasiquote` is often shortened as ```. `Quasiquote` acts just like `quote`, except where the following two operators appear in the body of the quotation:

1. `(unquote x)` - give value of `x`. Can be abbreviated with `,`, as in `,x`.
2. `(unquote-splicing x)` - give value of `x`, assume it's a list, and splice the element into the outer list. Can be abbreviated `,@`, as in `,@x`.

For example, if `foo` is bound to `#t` and `bar` is bound to `(yay rah)`:

```
`(foo bar baz)           ; (foo bar baz)
`(:,foo bar baz)         ; (#t bar baz)
`(foo ,bar baz)          ; (foo (yay rah) baz)
`(foo ,@bar baz)         ; (foo yay rah baz)
`(foo bar ,baz)          ; error: unbound variable baz
`(:,(not foo) bar baz)   ; (#f bar baz)
```

As demonstrated by the last example, the unquoted expressions aren't limited to just names.

If `x` is bound to `3`, `y` is bound to `(5 6)`, and `z` is bound to `(7 8 9)`, use `quasiquote` to build the value `(a 1 2 3 b 4 5 6 (7 8 9) c)`.

If `name` and `value` are bound, use `quasiquote` to build a `define` expression that would bind the name to the value.

If `params` and `body` are bound, use `quasiquote` to build a `lambda` expression with the given parameters and body.

And iff'n you know what I mean...

The `and` special form evaluates its arguments one at a time. If it ever encounters an expression that evaluates to `#f`, it skips evaluating the rest of the expressions, and immediately returns `#f`. If none of the expressions evaluate to `#f`, it returns the value of the last expression. That is:

```
(and #f (/ 1 0)) ; => #f, not an error!
(and #t 2)      ; => 2
(and 2)         ; => 2
(and)           ; => #t
```

Write a syntactic transformer called `and->if` that changes any given `and` expression into a series of nested `if` statements.

...or iff'n you don't...

Relatedly, the `or` special form evaluates its arguments one at a time, and returns the first non-false value that it sees. If none of its arguments are true, it returns `#f`. Write a syntactic transformer called `or->if` which changes and given `or` expression into a series of nested `if` statements.

Double the bubble, double the trouble!

Louis Reasoner thinks it would simplify the evaluator a lot to condense `m-eval` and `m-apply` as follows:

```
(define (m-eval exp env)
```

```

(cond ((self-evaluating? exp) exp)
      ((variable? exp) (lookup-variable-value exp env))
      ((quoted? exp) (text-of-quotation exp))
      ((assignment? exp) (eval-assignment exp env))
      ((definition? exp) (eval-definition exp env))
      ((if? exp) (eval-if exp env))
      ((lambda? exp)
       (make-procedure (lambda-parameters exp) (lambda-body exp) env))
      ((begin? exp) (eval-sequence (begin-actions exp) env))
      ((cond? exp) (m-eval (cond->if exp) env))
      ((let? exp) (m-eval (let->application exp) env))
      ((application? exp)
       (let ((procedure (m-eval (operator exp) env))
             (arguments (list-of-values (operands exp) env)))
           ;; code from m-apply inserted here
           (cond ((primitive-procedure? procedure)
                  (apply-primitive-procedure procedure arguments))
                 ((compound-procedure? procedure)
                  (eval-sequence
                   (procedure-body procedure)
                   (extend-environment (procedure-parameters procedure)
                                     arguments
                                     env))) ;;; can just use env here
                 (else (error "Unknown procedure type -- APPLY" procedure))))))
      (else (error "Unknown expression type -- EVAL" exp))))

```

Does this work? Why or why not?

See let rec. Rec, let, rec!

The `let` special form is very useful for defining local variables. Of course, it can also be used to define local procedures. What is the output of the following? Why?

```

(let ((fact
      (lambda (x)
        (if (= x 1)
            1
            (* x (fact (- x 1)))))))
      (+ (fact 3) (fact 4)))

```

How might you extend `let` to fix this issue? Scheme has a special form which handles this case, called `letrec`. Write a syntactic transformer, `letrec->let`, for `m-eval`.

Is this the right place for an argument?

As we've alluded to a couple times already, some procedures in normal scheme can take an arbitrary number of arguments. This is done by providing an unusual parameter list to `lambda`, as follows:

```
(define foo (lambda (x y . z) (cons (+ x y) z)))  
(foo 1 2)           ; => (3)  
(foo 1 2 5)        ; => (3 5)
```

Remember that `'(x y . z)` is interpreted by the reader as an improper list – that is, the same as `(cons 'x (cons 'y 'z))`. Our version of `m-eval` doesn't object to the lambda definition above, but fails to do the right thing when the lambda is called. Alter the `extend-environment` procedure to support this form.