

# ESSENTIALS OF INTRODUCTORY CLASSICAL MECHANICS

## GENERAL INDEX

- Absolute zero (of temperature), 379, 384(S)
- Acceleration, 14
- accelerating frames of reference, *See Fictitious force*
  - angular, 267, 270
  - average, 18, 19(S)
  - centripetal, 15
  - constant, 15, 19(S)
  - derivative of velocity, 17, 19(S)
  - due to gravity, 16, 19(S)
  - and mass, 60
  - relation between linear and angular, 268
- Action, principle of least, 156(N)
- Adiabatic expansion or compression, 389(P), 398–400(C)
- Airplane wing
- lift of, 415
- Air resistance, 88(N)
- reduction of, 88(N)
- Air speed, 42(C)
- Alembert, Jean Le Rond d', 156(N)
- Amplitude, *See Oscillation, amplitude of*
- Angle
- unit of, 66
- Angle of bank
- in circular motion, 105(C)
- Angular acceleration, 267, 270
- Angular momentum, 272
- conservation of, 157(N), 272, 321(S)
  - decomposition of, 320, 322(S)
  - direction of, 316
  - orbital, 364(C)
  - principal axes, 335(C)
  - relation between vector and scalar, 316
  - spin, 364(C)
  - vector, 315–316, 319, 321–322(S)
- Angular velocity, 267
- relation to linear velocity, 267, 275
  - unit of, 267
  - vector, 313–315, 321–322(S)
- Archimedes' principle, 412, 418(S)
- Areal velocity (area swept out in unit time), 336(C)
- Atmosphere
- composition of planetary, 394(C)
- atomic mass unit, u, 381, 385(S)
- Atomizer, 422(P)
- Atwood's machine, 248(C)
- Automobile engine, 400(C)
- Average
- method of calculating, 17
  - triangular bracket notation for, 378
- Avogadro's number, 381

(O) = Overview    (S) = Summary    (P) = Problems    (C) = Complete Solutions    (N) = Supplementary Notes

## GENERAL INDEX

- Avogadro's number, 385(S)
- Axis
- center of mass, 273–274
  - principal, 335(C)
  - of rotation, 266, 274
  - of symmetry, 274
- Balance
- beam, 77(C), 95(P)
  - spring, 77(C), 95(P)
- Baryonic matter, 54(N)
- Baseball
- effect of spin on, 415
- Beam balance, 77(C), 95(P)
- Bernoulli, Johann, 156(N)
- Bernoulli's equation, 414, 418(S)
- Beta decay, 155(N)
- Big bang (origin of universe), 159(N)
- Binary stars, 108(C)
- Block and tackle, 238(P), 246–247(C)
- Boltzmann's constant, 379, 385(S)
- Bubble, soap
- surface tension of, 416, 422(P), 431(C)
- Buoyancy
- center of, 412, 418(S)
  - force of, 411, 418(S)
  - torque due to, 412, 418(S)
- Carnot cycle, 402(C)
- efficiency of, 402(C)
- Carnot, N.L. Sadi, 402(C)
- Celsius scale (of temperature), 379, 385(S)
- Center of buoyancy, 412, 418(S)
- Center of gravity, 301(C)
- Center of mass, 166
- motion of, 167
  - rotation axis through, 273–274
  - of system in terms of subsystems, 168, 176(P), 188–190(C)
- Centigrade scale (of temperature), 379, 385(S)
- Centripetal acceleration, 15
- Chadwick, James, 155(N)
- Chaos theory, 415, 441(O)
- application to turbulent flow, 415, 441(O)
- Charge
- unit of, 63
- Classical mechanics
- assumptions of, 10–11, 440(O)
  - fundamental concepts of, 10–11, 19(S), 51(N), 116, 440(O)
  - reasons for studying, 1(O)
- Closed system, 117
- Collision, 169–170
- elastic, 169
  - impact parameter, 175(P), 186(C)
  - inelastic, 169
  - neglecting friction in, 224(C)
- Conservation laws, 199(N)
- conservation of angular momentum, 157(N), 272, 321(S)

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

- conservation of energy, 117, 124–125(S), 155–157(N), 168, 271, 382
- conservation of momentum, 156–157(N), 165, 199(N)
- non-conservation of parity, 157(N)
- relation to invariance of physical law, 156–157(N)
- Continuity, equation of (for fluids), 413, 418(S)
- Controlled experiment, 50(N)
- Coordinate system, 12, 52(N)
- Cosmology, 53(N), 158–159(N), 392(C)  
galaxy formation, 392(C)  
inflation, 54(N)
- Coulomb, C, 63
- Cowan, Clyde L. Jr., 155(N)
- Critical density, 54(N)
- Critical speed  
for laminar flow, 415
- Cross product, 312–313, 322(S)  
component form, 312, 322(S)
- ‘Crumple zones’, in car design, 224(C)
- Dark energy., 54(N)
- Dark matter, 54(N)
- Degrees of freedom, 381
- Derivative, 14, 19(S)  
partial, 122  
as tangent to curve, 17  
units of, 15
- Differential equation, 65  
boundary conditions, 79(C), 82(C)
- change of variables, 79(C)
- Differential form, 399(C)
- Differentiation  
chain rule for, 288(C)  
finding maxima and minima using, 33(C), 100(C), 215(C)  
of unit vector, 288(C)
- Dimensions  
checking of, *See Problem solving, dimensional analysis*
- Displacement (of floating objects), 412
- Displacement (of position), 14, 117
- Distance, 14  
unit of, 10
- Dot product, 118, 125(S)  
component form, 118
- Dynamics, 11
- Earth’s surface  
example of non-Euclidean geometry, 52–53(N)  
reference frame of, 207
- Einstein, Albert, 11
- Electromagnetic force  
role in friction, 204
- Electromagnetism, 63  
electromagnetic waves, 63
- Energy, 116–122, 124(S)  
conservation of, 117, 124–125(S), 155–157(N), 168, 271, 382  
energy density, 392(C)

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

## GENERAL INDEX

- internal, 168–169, 199(N), 205, 381, 384(S)
- kinetic, *See Kinetic energy*
- “locally” conserved, 139(C)
- “lost” (apparently not conserved), 156(N), 168, 199(N)
- mass, 156(N)
- mechanical, 121, 124(S), 199(N), 206, 209(S)
- potential, *See Potential energy*
- unit of, 116
- work, *See Work*
- Equation of continuity (for fluids), 413, 418(S)
- Equilibrium, 65, 68(S), 122
  - and potential energy, 122, 124(S)
  - of rigid bodies, *See Statics*
  - stable, 65, 122, 124(S)
  - thermal, 380
- Equipartition
  - principle of, 381
- Equivalence
  - Principle of, 62, 67(S), 208
- Euclid, 52(N)
- Euclidean geometry, 10
- Euler, Leonhard, 156(N)
- Fahrenheit scale (of temperature), 379, 385(S)
- Fermi, Enrico, 155(N)
- Fictitious force, 62, 206–208, 209(S), 275, 301(C)
  - centrifugal, 207
  - Coriolis, 207
  - torque due to, 275
- Fields, 157–158(N), 200(N)
  - calculations using, 158(N)
  - electromagnetic, 158(N), 200(N), 273
  - electrostatic, 158(N)
  - gravitational, 11, 157(N)
  - importance of concept in electromagnetism, 158(N), 200(N)
  - as macroscopic description of quantum mechanical exchange forces, 158(N), 200(N)
  - and Newton’s third law, 200(N)
- Flotation, *See Archimedes’ principle*
- Flow
  - of fluid (see also Fluid, Liquids)
- Flow lines, 413
- Flow tube, 413
- Fluid (see also Gas, Liquids)
  - boundary layer around moving objects, 415
  - definition of, 410
  - flow of, 412
  - laminar flow, 415
  - real, 415
  - turbulence of, 415
- Fluid mechanics, 409(O), 410
- Force, 60
  - at surface of a liquid, 416–417, 418(S)
  - bouyant, 411, 418(S)
  - central, 319
  - centrifugal, *See Fictitious force, centrifugal*
  - conservative, 119–122, 124(S), 206

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

- contact, 64  
 Coriolis, *See Fictitious force, Coriolis*  
 Coulomb, *See Force, electrostatic*  
 as derivative of potential energy, 122, 125(S)  
 dissipative, 206, 209(S), 383  
 drag, 206  
 electromagnetic, 63  
 electrostatic, 63, 67(S)  
 electroweak, 64  
 external, 166  
 fictitious, *See Fictitious force*  
 frictional, *See Friction*  
 fundamental, 61, 63, 89(N)  
 gravitational, 61, 67(S), 208  
 interatomic, 204  
 intermolecular (role in liquids), 409(O), 410, 417  
 internal, 164, 168  
 macroscopic, 64, 89(N)  
 mediated by emission of force particle, 158(N), 200(N)  
 muscular, 132(C), 138(C)  
 net, 61  
 non-conservative, 119, 156(N), 206  
 normal, 64, 68(S), 168  
 as rate of change of momentum, 165  
 spring, 66  
 strong, 63, 73(C), 199(N)  
 tension, *See Tension*  
 total, 61  
 unit of, 60  
 weak, 63  
 work done by, 118
- Frame**  
 reference, *See Reference frame*
- Free-body diagram, 218(C)**
- Freely falling body, 16, 19(S)**
- Frequency, 66**  
 angular, 66
- frequency**  
 unit of, 66
- Friction, 88(N), 204–206, 209(S)**  
 between two moving surfaces, 205  
 coefficient of kinetic, 204, 209(S)  
 coefficient of static, 205, 209(S)  
 for object moving in liquid (see also Viscosity), 415  
 kinetic, 204, 209(S)  
 mechanism of, 204  
 reduction of, 88(N)  
 static, 204–205, 209(S)  
 work done by, 205
- Galileo, 89(N)**
- Gas**  
 Bernoulli's equation, 415  
 gas constant,  $R$ , 381, 385(S)  
 ideal, *See Ideal gas*  
 internal energy of, 381–383  
 molar heat capacity, 382, 384(S)

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

## GENERAL INDEX

- non-ideal, van der Waals equation for, 441(O)
- Golf ball  
effect of spin on, 415
- Grand unified theory, 90(N)
- Gravitation  
measurement of  $G$ , 111(Problem Answers)
- Gravity, 61, 67(S), 208  
acceleration due to ( $\vec{g}$ ), 16, 19(S)  
center of, 301(C)  
gravitational constant,  $G$ , 62  
gravitational field, 11, 157(N)  
gravitational potential energy, 116, 120, 125(S)  
Newton's theory of, 51(N)  
of spherically symmetric body, 62, 108(C)  
in system of three bodies, 155(N)
- Ground speed, 42(C)
- Gyroscope, 319  
nutation of, 345(C)  
precession of, 345(C)
- Heat, 199(N), 381–382, 384(S)  
latent, of vaporization or fusion, 417, 418(S)  
molar heat capacity, 382, 384(S)  
specific heat capacity, 384(S)
- Heat engine, 380
- Hertz, Hz, 66
- Hooke's law, 66
- Hubble constant, 54(N)
- Hubble's law, 54(N)
- Hydraulic jack, 419(P), 424–425(C)
- Hydrometer, 420(P), 427–429(C)
- Ideal gas, 384(S)  
adiabatic  
expansion or compression, 389(P), 398–400(C)  
diatomic, 382, 389(P), 396–398(C)  
force exerted by (see also pressure), 377–378, 384(S)  
ideal gas law, 380, 384(S)  
internal energy of, 381–383  
monatomic, 383, 388(P)  
polyatomic, 381  
practical usefulness of concept, 383  
pressure of, 379–381, 384(S)  
work done by/on, 382–383, 384(S)
- Idealized models, 88(N)  
applications of, 89(N), 140–141(C), 199(N)  
improved, 441(O)  
limitations of, 88(N)  
massless rope, 65  
retention of physical principles, 83(C), 88(N), 141(C)
- Ideal liquid, See Liquids, ideal, 410, 412, 418(S)
- Impact parameter, 175(P), 186(C)
- Impulse, 170
- Impulse-momentum theorem, 170
- Incompressibility (of liquids), 410
- Indeterminate problems, 333–334(C)
- Inertia

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

- law of, 60
- moment of, *See Moment of inertia*
- Integral, 17, 19(S)
- Integration
  - as area under curve, 17
  - as limit of summation, 292(C)
  - numerical, 89(N), 155(N), 199(N)
- Intermolecular forces
  - role in liquids, 409(O), 410, 417
- Jack, hydraulic, 419(P), 424–425(C)
- Joule, J, 116
- Kelvin, K, 379
- Kelvin, William Thomson, Lord, 380, 402(C)
- Kilogram, kg, 60
- Kinematics, 11
- Kinetic energy, 116–117, 124(S)
  - of flowing liquid, 414
  - of rigid body, 268–269, 276
  - rotational, 268–269, 276
  - of system of particles, 168
- Lagrange, Comte Joseph Louis, 156(N)
- Lagrangian, 156(N)
- Laminar flow, 415
- Latent heat
  - of vaporization or fusion, 417, 418(S)
- Least Action, principle of, 156(N)
- Lift
  - of airplane wing, 415
- Light
  - speed of, 10–11
- Liquids (see also Fluid), 409(O), 410
  - Bernoulli's equation, 414, 418(S)
  - characteristics, 410
  - density of, 410
  - difference from solids, 410
  - equation of continuity, 413, 418(S)
  - ideal (incompressible), 410, 412, 418(S)
  - ideal, steady flow of, 412
  - mass flow rate, 413
  - molecular picture of surface, 415
  - pressure, dependence on depth, 411, 418(S)
  - pressure, lack of dependence on direction or shape of container, 411, 418(S)
  - pressure of, 410
  - volume flow rate, 413, 418(S)
- Macroscopic objects
  - as point particles, 166–167, 199(N), 297(C)
  - as systems of particles, 89(N)
- Mass
  - atomic, 381
  - center of, *See Center of mass*
  - definition of, 60
  - as form of energy, 156(N)
  - gravitational, 62, 208
  - inertial, 62, 208
  - unit of, 60
- Mass flow rate, 413
- Maxwell-Boltzmann distribution, 394(C)
- Mechanics, fluid, 409(O), 410

(O) = Overview    (S) = Summary    (P) = Problems    (C) = Complete Solutions    (N) = Supplementary Notes

## GENERAL INDEX

- Mechanics, quantum, 11, 398(C)
- Meter, m, 10
- Molar heat capacity, 382, 384(S)  
at constant pressure, 389(P)  
at constant volume, 389(P)
- Mole, mol, 381
- Molecule  
determination of size using surface tension  
and latent heat, 417
- Moment of inertia, 268, 270  
calculation of, 276  
dependence on choice of axis, 270  
table of standard values, 277
- Momentum, 165–167  
angular, *See Angular momentum*  
conservation of, 156–157(N), 165, 199(N)  
of system of particles, 167  
unit of, 165
- Motion  
circular, 15, 19(S)  
in one dimension, 15  
of rigid body, 267, 273, 313–317, 319–320,  
321–322(S)  
rotational, *See Rotation*  
translational, 266, 319
- Muon, 11
- Natural phenomena  
mathematical description of, 10, 19(S)  
as subject of physics, 50(N)
- Neutrino, 155(N), 157(N)
- Newton, N, 60
- Newton's constant,  $G$ , 62  
measurement of, 111(Problem Answers)
- Newton's cradle, 70(P)
- Newton's laws  
first, 60, 67(S)  
second, 60, 67(S), 270  
third, 164, 200(N), 204, 271  
validity of, 61
- non-Euclidean geometry, 11, 52(N)
- Non-inertial frames of reference, *See Fictitious force*
- Nucleus  
atomic, 63
- Numerical coefficients  
dimensions and units of, 104(C)
- Numerical results  
number of significant figures, 27(C)
- Nutation  
of gyroscope, 345(C)
- Omega, 54(N)
- Oscillation  
about equilibrium, 66, 68(S)  
about minimum of potential energy, 122–  
123  
amplitude of, 81(C)  
frequency of, 66  
period of, 66
- Otto cycle  
relation to auto engine, 402(C)

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes



- Parallel-axis theorem, 276
- Parity, 157(N)
- Pascal, 378
- Pauli, Wolfgang, 155(N)
- Pendulum
  - ballistic, 239(P)
  - conical, 96(P)
  - simple, 71(P)
- Perpendicular-axis theorem, 276
- Phases of matter, 410
- Phase transition, 410, 418(S)
  - gas-liquid, 410, 417
  - liquid-solid, 417
- Photons, 390(C)
- Physics-Problem Land (idealized models), 88(N)
- Poiseuille's law, 445(P)
- Position
  - integral of velocity, 16, 19(S)
  - measurement of, 10–11
  - relative, 16
  - specification of, 12
- Potential
  - electric, 158(N)
  - gravitational, 158(N)
  - as integral of field, 158(N)
- Potential energy, 116, 124(S)
  - arbitrary choice of reference, 116
  - at surface of a liquid, 416–417, 418(S)
  - chemical, 132(C)
  - for conservative force, 120–122
  - electrostatic, 120
  - of flowing liquid, 414
  - gravitational, 116, 120, 124–125(S), 159(N)
  - intermolecular (in liquids), 410, 417
  - in one dimension, 120
  - property of system configuration, 116, 121, 124(S)
  - spring, 120, 124–125(S)
  - 'stored energy', 158(N)
  - undefined for non-conservative forces, 206
  - of universe, 159(N)
- Power, 118, 124(S)
  - unit of, 118
- Power series
  - expansion of function, 122
- Precession, 345(C)
  - torque-free, 335(C)
- Pressure, 378–381, 384(S)
  - dependence on depth in a fluid, 411, 418(S)
  - in liquids, 410
  - in liquids, lack of dependence on direction or shape of container, 411, 418(S)
  - radiation, 390–393(C)
- Problem solving, 3–5(O)
  - advantages of working with symbols, 4(O)
  - checking special cases, 4(O)
  - continuous transfer of material, 257(C)
  - dimensional analysis, 4(O), 15
  - general strategy for, 3(O)

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

## GENERAL INDEX

- neglect of small quantities, 134(C)
- problems involving forces and accelerations, 105(C)
- simplicity of conservation law approach, 144(C), 457(Problem Answers)
- small angle approximations, 80(C), 227(C)
- use of approximate calculations, 38(C)
- use of vector algebra, 190–191(C)
- Problem-solving strategy, 3(O)
- Product rule, 399(C)
- Projectile, 16, 125(S)
- Pump
  - suction, 419(P)
- Pythagorean theorem
  - and Euclidean geometry, 52(N)
- Quadratic equation
  - choosing appropriate root of, 28(C), 37(C)
  - solution of, 28(C), 98(C)
- Quantum mechanics, 11, 398(C)
  - and specific heat ratio, 398(C)
- Quarks, 63
- Radian, rad, 66
- Radiation pressure, 390–393(C)
- Radioactivity, 155(N)
  - beta decay, 155(N)
- Reduced mass (of two-body system), 290(C)
- Reference frame, 16, 19(S)
  - center of mass, 169
  - change of, 275
  - Earth's surface, 207
  - inertial, 60–61, 67(S)
  - non-inertial, 62, 206–208
  - rotating, 207
- Reines, Frederick, 155(N)
- Relativity
  - general, 11, 51(N), 53(N), 62, 208
  - special, 11
- Rigid body, 266–267
  - definition of, 266
  - kinetic energy of, 268–269, 276
  - motion of, 267, 273, 313–317, 319–320, 321–322(S)
- Rocket
  - velocity of, 255–256(C)
- Rolling without slipping, 275
- Rotation, 266, 319
  - about fixed axis, 266–272
  - about moving axis of fixed orientation, 273–276
  - axis of, 266, 274
- Scalar, 13, 19(S)
- Scalar product, *See Dot product*
- Scientific method, 10, 50–51(N), 441–442(O)
  - controlled experiment, 50(N)
  - experiment and theory, 51(N)
  - in the observational sciences, 51(N)
- Second, s, 10
- SI, *See Système International*
- Significant figures
  - choosing appropriate number of, 27(C)

(O) = Overview    (S) = Summary    (P) = Problems    (C) = Complete Solutions    (N) = Supplementary Notes

- Simple harmonic motion, 65, 68(S), 123  
 about minimum of potential energy, 122–123
- Small angle approximations, 80(C), 227(C)
- Soap bubble  
 surface tension of, 416, 422(P), 431(C)
- Solids  
 difference from liquids, 410
- Space  
 Euclidean, 10  
 non-Euclidean, 11, 52(N)  
 three-dimensional, 10, 52(N)
- Specific heat  
 at constant pressure, 389(P)  
 at constant volume, 389(P)  
 ratio of ( $\gamma$ ), 396(C)
- Specific heat capacity, 382, 384(S)  
 ratio of, for real gases, 398(C)
- Speed, 14  
 air, 42(C)  
 ground, 42(C)  
 root-mean-square (rms), 390(C)  
 terminal, 230(Problem Answers)
- Speed of light, 10–11
- Spin  
 effect on motion of balls, 415
- Spring  
 balance, 77(C), 95(P)  
 constant, 66  
 force exerted by, 66  
 potential energy, 120, 124–125(S)
- Stability  
 of ships, 448(C)
- Statics, 321(S)  
 underdetermined problems, 333–334(C)
- Stored energy, *See Potential energy*
- Streamlines, 413
- Superstring theory, 90(N), 442(O)
- Surface tension  
 in a soap bubble, 416, 422(P), 431(C)  
 molecular picture of, 416–417, 418(S)
- Symmetry  
 axis of, 274
- Système International, 10
- System  
 closed, 117
- System of particles, 164, 199(N)  
 kinetic energy of, 168  
 momentum of, 167
- Temperature, 168, 379–382, 384(S)  
 absolute zero of, 379, 384(S)  
 Celsius scale, 379, 385(S)  
 Centigrade scale, 379, 385(S)  
 Fahrenheit scale, 379, 385(S)  
 kinetic, 379, 384(S)  
 measure of average kinetic energy of gas molecule, 380  
 thermodynamic, 380  
 thermodynamic scale of, 402(C)  
 unit of, 379

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

## GENERAL INDEX

- Tennis ball  
effect of spin on, 415
- Tension, 64, 68(S), 169  
in massless, inextensible rope, 65
- Terminal speed, 230(Problem Answers)
- Thermodynamics, 199(N), 383  
first law, 382, 384(S)
- Time  
absolute, 10–11, 51(N)  
slowing of, for high speed observer, 11, 52(N)  
unit of, 10
- Torque, 269–272  
about axis, 269–272  
about point, 316–317, 321–322(S)  
decomposition of, 320, 322(S)  
dependence on choice of axis, 270  
due to buoyant force, 412  
exerted by fictitious force, *See Fictitious force, torque due to*  
external, 272  
internal, 271, 317  
and Newton's third law, 272  
relation between vector and scalar, 317, 326(P), 341(C)  
unit of, 270  
vector, 316–317, 321–322(S)  
work done by, 269
- Torsion pendulum, 282(P)
- Toy models (highly idealized models), 89(N)
- Translation, 266, 319
- Triple point, 379  
of water, 379, 385(S)
- Turbulence, 415
- Underdetermined problems, 333–334(C)
- Units  
checking of, 15  
conversion of, 15, 25–26(C)
- Universe  
closed, 53(N), 159(N)  
curvature of, 53(N)  
energy of, 158–159(N)  
flat, 53(N), 159(N)  
geometry of, 53–55(N)  
gravitational potential energy of, 159(N)  
open, 53(N), 159(N)  
origin of, 159(N)
- Vector, 19(S)
- Vector product, *See Cross product*
- Vectors, 12  
addition and subtraction of, 12–13, 19(S)  
components of, 12–13, 16, 19(S)  
cross product, *See Cross product*  
differentiating, 14, 19(S)  
dot product, *See Dot product*  
magnitude of, 13  
multiplication by scalar, 13–14, 19(S)  
negative of, 13  
notation for, 12  
in radial direction, 280(P)

(O) = Overview (S) = Summary (P) = Problems (C) = Complete Solutions (N) = Supplementary Notes

- scalar product, *See Dot product*
- in tangential direction, 280(P)
- unit, 13, 280(P)
- vector product, *See Cross product*
- Velocity, 14
  - average, 17–18, 19(S)
  - derivative of position, 16, 19(S)
  - integral of acceleration, 17, 19(S)
  - relation between linear and angular, 267, 275
  - relative, 16
  - terminal, 230(Problem Answers)
- Venturi meter, 421(P)
- Virtual particles, 158(N)
- Viscosity, 415, 441(O), 445(P)
- Volume flow rate, 413, 418(S)
- Watt, W, 118
- Weight, 62–63, 67(S)
  - in non-inertial reference frame, 62–63
- Wind tunnels, 412
- Work, 117–119, 124–125(S), 168
  - done by internal force, 141(C), 168–169
  - done by/on ideal gas, 382–383, 384(S)
  - done by torque, 269
  - in unit time, *See Power*
- Work-energy theorem, 117, 124–125(S), 269



# ESSENTIALS OF INTRODUCTORY CLASSICAL MECHANICS

## PROBLEM INDEX

### Acceleration

angular, 280 [8A.1], 282 [8C.5 (H)], 283 [8E.1 (S)], 8E.2, 8E.4 (H)], 359 [10.7 (H)]

average, 21 [1A.7 (S)]

centripetal, 23 [1D.1, 1D.2 (S)], 24 [1D.3], 95 [3.3], 96 [3.11], 212 [6E.6 (S)], 236 [7.1 (H)], 7.3 (H)], 446 [13.14]

constant, 20 [1A.2], 21 [1A.5 (H), 1A.8 (H)], 23 [1C.1], 70 [2C.1], 359 [10.8]

derivative of velocity, 94 [3.1 (S)]

due to gravity, 22 [1A.9 (S)], 95 [3.7]

Airfoil, 422 [12C.6 (H)]

Air resistance, 211 [6D.1, 6D.2], 212 [6E.9], 213 [6E.10 (S)]

Air speed, 24 [1E.2 (S)]

### Angle of bank

in circular motion, 96 [3.8 (S)], 212 [6E.6 (S)], 446 [13.14]

Angular acceleration, 282 [8C.5 (H)], 283 [8E.1 (S)], 8E.2, 8E.4 (H)], 359 [10.7 (H)]

average, 280 [8A.1]

Angular momentum, 327 [9D.3 (H)]

about axis, 282 [8D.2 (H), 8D.3], 283 [8E.3 (S)], 326 [9D.2 (S)], 359 [10.8]

conservation of, 324 [9B.2 (S)], 325 [9B.3 (S), 9B.4 (H), 9B.5], 327 [9D.4 (S), 9D.5 (H), 9D.7], 358 [10.1 (S)], 359 [10.3 (H)]

principal axes, 324 [9B.1 (S)]

vector, 324 [9B.1 (S)], 325 [9B.5], 326 [9D.1 (S), 9D.2 (S)], 327 [9D.4 (S), 9D.5 (H), 9D.7], 328 [9D.9], 359 [10.4 (H)], 446 [13.14]

Angular velocity, 284 [8E.5 (S)], 358 [10.1 (S)], 359 [10.3 (H), 10.8], 360 [10.10], 443 [13.6], 446 [13.14]

vector, 326 [9D.1 (S)], 327 [9D.8 (S)], 328 [9D.9]

Archimedes' principle, 420 [12B.1, 12B.2 (S), 12B.3 (S)], 421 [12B.4 (H)], 445 [13.13]

### Atmosphere

composition of planetary, 388 [11C.6 (S)]

density variation, 388 [11C.6 (S)]

isothermal, 388 [11C.6 (S)]

### Atom

size of, 445 [13.11 (S)]

Atwood's machine, 239 [7.10 (S)]

### Axis

principal, 324 [9B.1 (S)]

of symmetry, 324 [9B.1 (S)]

### Balance

beam, 95 [3.6 (H)], 324 [9A.5 (S)]

spring, 69 [2B.2], 95 [3.6 (H)]

Beam balance, 95 [3.6 (H)], 324 [9A.5 (S)]

Bernoulli's equation, 421 [12C.3 (H)], 422 [12C.4, 12C.5 (S), 12C.6 (H), 12C.7], 444 [13.10], 445 [13.12 (H)], 446 [13.14]

Binary stars, 175 [5C.1], 281 [8C.1 (S)]

Block and tackle, 238 [7.7 (S)]

Brownian motion, 386 [11A.2 (H)]

Bubble, 422 [12D.2 (S), 12D.3 (H)]

Buoyancy, 420 [12B.1, 12B.2 (S), 12B.3 (S)], 421 [12B.4 (H)], 445 [13.13]

## PROBLEM INDEX

- center of, 443 [13.3 (S)]
- Carnot cycle, 389 [11D.7 (S)]
  - efficiency of, 389 [11D.7 (S)]
- Cartesian diver, 443 [13.2 (H)]
- Center of mass, 241 [7.16 (S)], 360 [10.12], 443 [13.3 (S)]
  - determination of, 175 [5C.1, 5C.2 (S), 5C.3 (S)], 176 [5C.4 (H)], 281 [8C.2], 323 [9A.1], 324 [9A.6 (H)]
  - motion of, 175 [5C.2 (S)], 241 [7.17], 242 [7.19 (H)]
  - no gravitational torque about, 284 [8E.7 (S)]
- Clement
  - Hal, 444 [13.7 (H)]
- Collision, 174 [5B.1, 5B.2, 5B.3 (H)], 175 [5B.4 (H), 5B.5 (S), 5B.6 (S), 5B.7 (H)], 176 [5C.6 (H)]
  - elastic, 174 [5B.1, 5B.2, 5B.3 (H)], 175 [5B.4 (H), 5B.5 (S), 5B.6 (S)], 176 [5C.6 (H)], 444 [13.9]
  - impact parameter, 175 [5B.6 (S)]
  - inelastic, 175 [5B.4 (H), 5B.5 (S), 5B.7 (H)], 212 [6E.7 (S)], 239 [7.13 (H)], 325 [9B.5], 358 [10.1 (S)], 443 [13.6]
- Continuity
  - equation of, 421 [12C.1, 12C.2 (S)]
- Coordinate system
  - choice of, 175 [5B.6 (S)]
- Cosmology, 387 [11B.5 (S)]
  - galaxy formation, 387 [11B.5 (S)]
- Cross product
  - component form, 326 [9C.1 (H), 9C.2 (S)]
- Degrees of freedom, 389 [11D.6 (S)]
- Density
  - of atmosphere, 388 [11C.6 (S)]
  - of liquid, 420 [12B.3 (S)], 444 [13.7 (H)]
  - number, 388 [11C.5 (H)], 443 [13.1 (H)]
- Differentiation
  - finding maxima and minima using, 210 [6B.2 (S)]
  - of unit vector, 280 [8A.2 (S)]
- Displacement, 21 [1A.6]
- Distance
  - units of, 20 [1A.4 (S)]
- Dot product, 127 [4C.2 (S), 4C.3 (H)], 175 [5B.6 (S)]
- Energy
  - of bound state, 236 [7.2], 237 [7.5 (S)]
  - conservation of, 127 [4C.4 (S), 4D.1 (S)], 128 [4D.2, 4D.3 (S), 4D.4 (H)], 129 [4D.5 (S), 4D.6 (S), 4E.2 (S)], 174 [5B.2, 5B.3 (H)], 175 [5B.4 (H), 5B.5 (S), 5B.6 (S)], 176 [5C.6 (H)], 210 [6C.1 (S)], 236 [7.1 (H), 7.3 (H)], 237 [7.4 (S), 7.5 (S)], 239 [7.13 (H)], 240 [7.14], 284 [8E.5 (S), 8E.8 (S), 8E.9], 325 [9B.3 (S), 9B.4 (H)], 359 [10.3 (H)], 360 [10.10], 388 [11D.3 (H)], 443 [13.4 (S), 13.6], 444 [13.8 (H)]
  - internal, 210 [6C.1 (S)], 388 [11D.3 (H)], 389 [11D.5 (H)]
  - “lost” (apparently not conserved), 210 [6C.1 (S)]
  - mechanical, 210 [6C.1 (S)]
- Equation of continuity, 421 [12C.1, 12C.2 (S)]
- Equilibrium, 130 [4E.5 (H)], 239 [7.12 (H)]
  - and potential energy, 129 [4E.1, 4E.3 (S), 4E.4 (H)]
  - static, 323 [9A.1, 9A.2, 9A.3, 9A.4 (S)], 324 [9A.5 (S), 9A.6 (H), 9A.7 (H), 9A.8 (S), 9A.9 (H)]
  - unstable, 358 [10.2 (H)]



- Equipartition  
 principle of, 389 [11D.6 (S)]
- Flow  
 laminar, 421 [12C.2 (S)]  
 steady, 421 [12C.1, 12C.2 (S), 12C.3 (H)]  
 turbulent, 421 [12C.2 (S)]  
 volume, 445 [13.12 (H)]
- Force  
 average, 176 [5D.2 (S), 5D.3 (H)]  
 central, 324 [9B.2 (S)]  
 constant, 69 [2A.3]  
 contact, 242 [7.19 (H)], 323 [9A.3, 9A.4 (S)]  
 as derivative of potential energy, 237 [7.5 (S)]  
 diagram, 70 [2C.2 (S), 2C.3 (H)], 71 [2C.4 (H), 2C.5 (S), 2D.2 (S)], 72 [2D.3 (H)], 96 [3.11], 236 [7.3 (H)], 360 [10.10], 446 [13.14]  
 drag, 211 [6D.1, 6D.2], 212 [6E.8 (H), 6E.9], 213 [6E.10 (S)], 446 [13.14]  
 electrostatic, 70 [2B.5 (S), 2B.6 (H)]  
 external, 173 [5A.6]  
 gravitational, 69 [2B.1], 70 [2B.6 (H)], 97 [3.13 (S), 3.14]  
 interatomic, 237 [7.5 (S)], 443 [13.1 (H)]  
 internal, 173 [5A.6]  
 muscular, 127 [4D.1 (S)]  
 net, 97 [3.15]  
 normal, 70 [2C.1], 71 [2C.5 (S)]  
 as rate of change of momentum, 173 [5A.4 (H)]  
 spring, 69 [2B.2, 2B.3 (H)], 71 [2D.1 (S)], 97 [3.15], 212 [6E.5 (H)], 213 [6F.1 (H)]  
 strong, 70 [2B.5 (S)]  
 tension, 70 [2C.2 (S), 2C.3 (H)], 71 [2C.4 (H), 2C.5 (S)]  
 work done by, 127 [4C.2 (S), 4C.3 (H), 4D.1 (S)], 130 [4E.5 (H)], 238 [7.7 (S)]
- Free-body diagram (see also Force diagram), 237 [7.6 (H)]
- Freely falling body, 96 [3.10 (S)]
- Friction, 240 [7.15 (H)], 359 [10.8], 446 [13.15 (H)]  
 between two moving surfaces, 238 [7.8, 7.9]  
 coefficient of static, 210 [6A.2 (H)], 238 [7.9], 239 [7.11 (S)], 284 [8E.8 (S), 8E.9], 324 [9A.7 (H)]  
 kinetic, 210 [6B.1, 6B.2 (S), 6B.3, 6C.1 (S)], 211 [6C.2 (H), 6E.1 (S), 6E.2 (H), 6E.3, 6E.4], 212 [6E.5 (H), 6E.7 (S)], 237 [7.6 (H)], 240 [7.15 (H)], 359 [10.6], 360 [10.9 (H)]  
 static, 210 [6A.1, 6A.2 (H), 6B.3], 211 [6E.1 (S), 6E.2 (H), 6E.3, 6E.4], 212 [6E.5 (H), 6E.6 (S)], 240 [7.15 (H)], 358 [10.2 (H)], 360 [10.11 (S)]  
 work done by, 210 [6C.1 (S)], 211 [6C.2 (H)], 238 [7.8], 446 [13.15 (H)]
- Frisbee  
 aerodynamics of, 444 [13.10]
- Gravity, 97 [3.14]  
 center of, 284 [8E.7 (S)]  
 gravitational constant, 95 [3.7]  
 Newton's theory of, 324 [9B.2 (S)]
- Ground speed, 24 [1E.2 (S)]
- Gyroscope, 327 [9D.4 (S), 9D.5 (H), 9D.7]  
 nutation, 327 [9D.5 (H)]
- Heat, 388 [11D.2 (H)], 389 [11D.5 (H)]  
 latent, 445 [13.11 (S)]  
 molar heat capacity, 389 [11D.4 (S), 11D.5 (H), 11D.6 (S)]
- Heat engine

## PROBLEM INDEX

- efficiency of, 389 [11D.7 (S)]
- Hooke's law, 69 [2B.2, 2B.3 (H)], 71 [2D.1 (S)], 126 [4B.3]
- Hydraulic jack, 419 [12A.4 (S)]
- Hydrometer, 420 [12B.3 (S)]
- Iceberg
  - fraction submerged, 420 [12B.2 (S)]
- Ideal gas, 386 [11A.3, 11A.4]
  - adiabatic expansion and compression of, 389 [11D.7 (S)]
  - assumptions, 443 [13.1 (H)]
  - diatomic, 389 [11D.6 (S)]
  - ideal gas law, 387 [11C.1, 11C.2, 11C.3 (H)], 388 [11C.4, 11C.5 (H), 11D.1 (H), 11D.2 (H)]
  - isobaric expansion or compression, 388 [11D.2 (H)]
  - isothermal expansion or compression, 388 [11D.2 (H)]
  - monatomic, 388 [11D.2 (H)]
  - polyatomic, 389 [11D.6 (S)]
  - pressure of, 386 [11A.3, 11A.4], 387 [11B.4, 11C.1, 11C.3 (H)]
  - work done by/on, 388 [11D.1 (H), 11D.2 (H), 11D.3 (H)], 389 [11D.7 (S)], 444 [13.8 (H)]
- Impact parameter, 175 [5B.6 (S)]
- Impulse, 176 [5D.1, 5D.2 (S), 5D.3 (H)], 285 [8E.10], 359 [10.5]
- Inclined plane, 70 [2C.1], 96 [3.10 (S)], 127 [4C.1], 174 [5A.7 (S), 5A.8], 211 [6C.2 (H), 6E.1 (S), 6E.2 (H), 6E.4], 239 [7.11 (S)], 284 [8E.6 (H)], 360 [10.9 (H)]
- Indeterminate problem, 324 [9A.8 (S)]
- Integration
  - as limit of summation, 241 [7.16 (S)]
- Kepler
  - Johannes, 324 [9B.2 (S)]
  - Kepler's laws, 324 [9B.2 (S)]
  - Kinetic energy, 126 [4A.1, 4A.2], 127 [4C.4 (S)], 128 [4D.3 (S)], 236 [7.2]
    - rotational, 282 [8D.1, 8D.2 (H), 8D.3], 283 [8E.3 (S)], 284 [8E.5 (S), 8E.9], 359 [10.3 (H)]
    - of system of particles, 176 [5C.5 (S)]
- Liquid
  - drop, 422 [12D.2 (S)]
- Mass, 70 [2B.7]
  - definition of, 69 [2A.4 (H)], 71 [2D.1 (S)]
- Maxwell-Boltzmann distribution, 388 [11C.6 (S)]
- Molar heat capacity, 389 [11D.4 (S), 11D.5 (H), 11D.6 (S)]
  - at constant pressure, 389 [11D.4 (S)]
  - at constant volume, 389 [11D.4 (S)]
  - ratio of ( $\gamma$ ), 389 [11D.4 (S), 11D.6 (S)]
- Moment of inertia, 281 [8C.2], 283 [8E.1 (S)], 327 [9D.3 (H)], 359 [10.5, 10.7 (H)], 360 [10.12]
  - calculation of, 281 [8C.1 (S)], 282 [8C.4 (S), 8C.5 (H), 8D.2 (H)], 283 [8E.3 (S)], 285 [8E.10]
- Momentum, 173 [5A.2, 5A.4 (H)]
  - conservation of, 174 [5B.1, 5B.2, 5B.3 (H)], 175 [5B.4 (H), 5B.5 (S), 5B.6 (S), 5B.7 (H)], 176 [5C.6 (H), 5D.1, 5D.2 (S), 5D.3 (H)], 239 [7.13 (H)], 240 [7.14], 241 [7.16 (S), 7.17], 358 [10.2 (H)], 443 [13.6]
  - of photon, 387 [11B.5 (S)]
- momentum
  - conservation of, 444 [13.8 (H)]
- Motion

- circular, 23 [1D.1, 1D.2 (S)], 24 [1D.3], 95 [3.3], 96 [3.8 (S), 3.9 (H), 3.11], 212 [6E.6 (S)], 446 [13.14]
- of gas molecule, 386 [11A.2 (H)]
- in one dimension, 21 [1A.6, 1A.7 (S), 1A.8 (H)], 94 [3.1 (S)]
- orbital, 24 [1D.3], 95 [3.7], 97 [3.13 (S)], 324 [9B.2 (S)], 325 [9B.3 (S), 9B.4 (H)]
- of rigid body, 327 [9D.3 (H)], 359 [10.5, 10.6]
- in three dimensions, 94 [3.1 (S)]
- Newton's cradle, 70 [2C.2 (S)], 174 [5B.2]
- Newton's laws
- second, 69 [2A.1, 2A.2, 2A.3], 173 [5A.5 (S)]
- third, 173 [5A.1, 5A.3 (S), 5A.5 (S)], 174 [5A.7 (S), 5A.8], 236 [7.1 (H)], 237 [7.6 (H)], 241 [7.16 (S)]
- Oscillation, 240 [7.14]
- about equilibrium, 71 [2D.1 (S)], 72 [2D.3 (H)], 239 [7.12 (H)], 443 [13.4 (S)]
- about minimum of potential energy, 129 [4E.2 (S), 4E.3 (S), 4E.4 (H)]
- amplitude of, 282 [8D.3]
- period of, 129 [4E.3 (S), 4E.4 (H)], 282 [8D.3]
- Parallel-axis theorem
- proof of, 281 [8C.3 (S)]
- use of, 282 [8C.4 (S), 8C.5 (H)]
- Pascal's law, 443 [13.2 (H), 13.4 (S), 13.5]
- Pendulum, 71 [2D.2 (S)], 96 [3.9 (H), 3.10 (S)], 128 [4D.4 (H)], 214 [6F.2 (H)], 283 [8E.4 (H)]
- ballistic, 239 [7.13 (H)], 358 [10.1 (S)], 443 [13.6]
- conical, 96 [3.9 (H)], 326 [9D.2 (S)]
- torsion, 282 [8D.3]
- Perpendicular-axis theorem
- proof of, 281 [8C.3 (S)]
- use of, 282 [8C.4 (S), 8C.5 (H)]
- Photons, 387 [11B.5 (S)]
- Potential energy, 127 [4B.6], 129 [4E.4 (H)]
- for conservative force, 126 [4B.3, 4B.5 (H)], 236 [7.2]
- electrostatic, 126 [4B.5 (H)]
- gravitational, 126 [4B.1, 4B.2 (S), 4B.4 (S), 4B.5 (H)], 127 [4C.4 (S)], 128 [4D.2, 4D.3 (S)], 130 [4E.5 (H)], 236 [7.2, 7.3 (H)]
- near minimum, 129 [4E.2 (S)]
- spring, 126 [4B.3], 129 [4D.5 (S), 4D.6 (S)], 130 [4E.5 (H)], 240 [7.14]
- Power, 127 [4C.2 (S)]
- Precession, 327 [9D.5 (H)]
- torque-free, 324 [9B.1 (S)], 328 [9D.9]
- Pressure, 444 [13.9]
- atmospheric, 387 [11C.2], 419 [12A.3 (H)]
- in bubble, 422 [12D.2 (S), 12D.3 (H)]
- cooker, 388 [11C.4]
- fluid, 419 [12A.1, 12A.2 (S), 12A.3 (H), 12A.4 (S)], 420 [12A.5 (S), 12A.6 (H)], 421 [12C.3 (H)], 422 [12C.4, 12C.5 (S), 12C.6 (H), 12C.7], 443 [13.2 (H), 13.4 (S), 13.5], 444 [13.7 (H)]
- of ideal gas, 386 [11A.3, 11A.4], 387 [11B.4, 11C.1, 11C.3 (H)], 388 [11C.4]
- in liquid drop, 422 [12D.2 (S)]
- radiation, 387 [11B.5 (S)]
- variation with height, 419 [12A.1, 12A.2 (S), 12A.3 (H), 12A.4 (S)], 420 [12A.5 (S), 12A.6 (H)]
- Principle
- Archimedes', 420 [12B.1, 12B.2 (S), 12B.3 (S)], 421 [12B.4 (H)], 445 [13.13]

## PROBLEM INDEX

### Problem solving

neglect of small quantities, 126 [4B.4 (S)]

Projectile, 22 [1A.9 (S)], 23 [1C.2 (S), 1C.3 (H), 1C.4 (S)], 94 [3.2], 95 [3.4 (S), 3.5 (H)], 96 [3.11], 126 [4A.2], 128 [4D.3 (S)], 212 [6E.9], 213 [6E.10 (S)], 241 [7.18 (H)], 443 [13.5], 444 [13.8 (H)]

### Pulley

frictionless, 174 [5A.7 (S), 5A.8], 238 [7.7 (S)], 239 [7.10 (S), 7.11 (S), 7.12 (H)]

rotating, 284 [8E.6 (H)], 360 [10.9 (H)]

Pump, 419 [12A.3 (H)]

PV plot, 388 [11D.3 (H)]

cycle on, 389 [11D.7 (S)]

### Quantum mechanics

and specific heat ratio, 389 [11D.6 (S)]

### Reference frame

center of mass, 176 [5C.6 (H)]

change of, 24 [1E.1 (S), 1E.2 (S), 1E.3 (H)], 95 [3.4 (S), 3.5 (H)], 96 [3.12 (H)], 97 [3.14], 175 [5B.7 (H)], 241 [7.17]

non-inertial, 213 [6F.1 (H)], 214 [6F.2 (H)], 241 [7.18 (H)]

### Reference point

choice of, in statics, 323 [9A.4 (S)]

### Rigid body

motion of, 327 [9D.3 (H)], 359 [10.5, 10.6]

rotation of, 280 [8A.2 (S)], 283 [8E.1 (S), 8E.2, 8E.3 (S), 8E.4 (H)]

Rocket, 325 [9B.4 (H)]

operation of, 241 [7.16 (S), 7.17]

### Rolling without slipping

condition for, 284 [8E.6 (H), 8E.8 (S), 8E.9], 285 [8E.10], 327 [9D.6 (H)], 359 [10.6, 10.8], 360 [10.10, 10.11 (S)], 446 [13.15 (H)]

### Rotation

about fixed axis, 280 [8A.2 (S)], 283 [8E.1 (S), 8E.2, 8E.3 (S), 8E.4 (H)]

about moving axis of fixed orientation, 284 [8E.8 (S), 8E.9], 327 [9D.6 (H)]

### Satellite

geosynchronous, 24 [1D.3]

### Ships

stability of, 443 [13.3 (S)]

Simple harmonic motion, 71 [2D.1 (S), 2D.2 (S)], 72 [2D.3 (H)], 129 [4E.2 (S), 4E.3 (S), 4E.4 (H)], 130 [4E.5 (H)], 214 [6F.2 (H)], 283 [8E.4 (H)], 443 [13.4 (S)]

Small angle approximation, 96 [3.9 (H)]

Small angle approximations, 71 [2D.2 (S)]

### Specific heat capacity

ratio of ( $\gamma$ ), 389 [11D.4 (S), 11D.6 (S)]

Speed, 20 [1A.1, 1A.3, 1A.4 (S)]

of gas molecule, 386 [11A.1, 11B.1, 11B.2 (S), 11B.3 (H)], 387 [11B.4], 388 [11C.6 (S)]

### Spring

balance, 69 [2B.2], 95 [3.6 (H)]

constant, 69 [2B.3 (H)], 71 [2D.1 (S)]

force exerted by, 212 [6E.5 (H)], 213 [6F.1 (H)]

potential energy, 126 [4B.3], 129 [4D.5 (S), 4D.6 (S)], 130 [4E.5 (H)], 240 [7.14]

Statics, 323 [9A.1, 9A.2, 9A.3, 9A.4 (S)], 324 [9A.5 (S), 9A.6 (H), 9A.7 (H), 9A.8 (S), 9A.9 (H)]

Surface tension, 422 [12D.1 (H), 12D.2 (S), 12D.4], 445 [13.11 (S)]

### Symmetry

axis of, 324 [9B.1 (S)]

use of, 324 [9A.8 (S), 9B.1 (S)]

Temperature

- Fahrenheit scale, 387 [11C.1]
- kinetic, 386 [11A.4]
- measure of kinetic energy of gas molecule, 386 [11A.1, 11A.4, 11B.3 (H)], 387 [11B.4]

Tension, 70 [2C.2 (S), 2C.3 (H)], 71 [2C.4 (H), 2C.5 (S)], 127 [4C.2 (S)], 174 [5A.7 (S), 5A.8], 237 [7.6 (H)], 239 [7.10 (S), 7.11 (S)], 240 [7.15 (H)], 242 [7.19 (H)], 284 [8E.5 (S), 8E.6 (H)], 360 [10.9 (H)], 446 [13.14]

in massive rope, 173 [5A.5 (S)]

surface, 422 [12D.1 (H), 12D.2 (S), 12D.4], 445 [13.11 (S)]

Torque, 327 [9D.3 (H)], 443 [13.3 (S)], 446 [13.15 (H)]

about axis, 281 [8B.1, 8B.2 (H)], 283 [8E.1 (S), 8E.2, 8E.4 (H)], 284 [8E.7 (S)], 285 [8E.10], 326 [9C.3, 9D.2 (S)], 327 [9D.6 (H)], 359 [10.6], 360 [10.11 (S)]

about point, 323 [9A.4 (S)]

about point (see also Torque, vector), 326 [9C.3], 327 [9D.4 (S), 9D.5 (H)], 358 [10.2 (H)], 446 [13.14]

average, 359 [10.7 (H)]

rate of change of angular momentum, 326 [9C.2 (S)]

relation between vector and scalar, 326 [9C.1 (H)]

vector, 326 [9C.1 (H), 9D.1 (S), 9D.2 (S)], 327 [9D.7], 359 [10.4 (H)]

Underdetermined problem, 324 [9A.8 (S)]

Unit vector

- radial, 280 [8A.2 (S)]
- tangential, 280 [8A.2 (S)]

Vectors

components of, 22 [1B.1, 1B.2 (H)], 23 [1C.1], 94 [3.1 (S)]

differentiating, 280 [8A.2 (S)]

magnitude of, 22 [1B.1, 1B.2 (H)]

unit, 280 [8A.2 (S)]

Velocity, 21 [1A.6]

average, 20 [1A.3], 21 [1A.7 (S)]

derivative of position, 94 [3.1 (S)]

terminal, 211 [6D.1, 6D.2], 212 [6E.8 (H)]

wind, 386 [11A.1]

Venturi meter, 421 [12C.3 (H)]

Weight, 69 [2B.1], 70 [2B.4 (H), 2B.7], 95 [3.6 (H)]

Work, 126 [4B.2 (S)], 127 [4C.1, 4C.2 (S), 4C.3 (H), 4C.4 (S), 4D.1 (S)], 128 [4D.2], 130 [4E.5 (H)], 211 [6C.2 (H)], 237 [7.4 (S)], 238 [7.7 (S)], 285 [8E.10], 419 [12A.4 (S)], 446 [13.15 (H)]

done by friction, 210 [6C.1 (S)]

done by internal force, 127 [4D.1 (S)]

done by/on ideal gas, 388 [11D.1 (H), 11D.3 (H)], 389 [11D.7 (S)]

Work-energy theorem, 126 [4B.2 (S)], 127 [4C.4 (S)], 128 [4D.2], 212 [6E.7 (S)]

Yo-yo, 360 [10.10, 10.11 (S)]